SAFETY DATA SHEETS

This SDS packet was issued with item:

072058303

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

072058261 072058279 072058394 072058402 072058410

The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).

072058253 072058287 072058295



MS002898-A

G-CEM AUTOMIX – PASTE A MATERIAL SAFETY DATA SHEET

Page 1 of 2

SECTION 1 - SOURCE/IDENTITY/USE INFORMATION

DISTRIBUTOR

GC AMERICA INC. 3737 West 127th St. Alsip, Illinois, 60803 Telephone: 708-597-0900

Hours: Mon.- Fri. 8:00 am. - 5:00 pm. C.S.T. Transportation Emergency No. 800-424-9300

COMMON NAME: G-CEM AUTOMIX - PASTE A

CHEMICAL NAME: N.A.

PRODUCT USE: Radiopaque, dual curing, self adhesive resin cement for cementing metal, porcelain fused to metal resin and

ceramic restorations.

The following information is provided with regard to the toxicity and hazards the pure components present in this product.

SECTION 2 - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

COMPONENT	C.A.S.	EXPOSURE LIMITS	LD50/LC50	%
Fluoro-alumino-silicate glass		N.E.	N.E.	71
(amorphous)				
Urethanedimethacrylate		N.E.	N.E.	13
Dimethacrylate		N.E.	N.E.	13
Silicon Dioxide	7631-86-9	N.E.	N.E.	2
Initiator		N.E.	N.E.	1

SECTION 3 - PHYSICAL/CHEMICAL PROPERTIES

BOILING POINT: N.E. SPECIFIC GRAVITY: N.E. **VAPOR PRESSURE:** N.E. N.E. **MELTING POINT:** N.E. N.E. **VAPOR DENSITY: EVAPORATION RATE: SOLUBILITY IN WATER:** Not miscible **ODOR THRESHOLD:** N.E. **COEFFICIENT OF OIL/WATER DISTRIBUTION:** APPEARANCE AND ODOR: Odorless

SECTION 4 - FIRE AND EXPLOSION DATA

FLASH POINT: 93°C FLAMMABLE LIMITS: N.E.

EXTINGUISHING MEDIA: Carbon dioxide, dry chemicals, alcohol resistant foam or water spray.

SPECIAL FIRE FIGHTING PROCEDURES: No special measures required.

UNUSUAL FIRE AND EXPLOSION HAZARDS: N.E. HAZARDOUS COMBUSTION PRODUCTS: N.E.

SECTION 5 - REACTIVITY DATA

STABILITY: Stable Unstable Deliver Will Not Occur Will Not Occur

CONDITIONS TO AVOID:

INCOMPATIBILITY (Materials to Avoid): N.E.

HAZARDOUS DECOMPOSITION OR BY-PRODUCTS: N.E.



MS002898-A

G-CEM AUTOMIX – PASTE A

Page 2 of 2

SECTION 6 - HEALTH HAZARD DATA and FIRST AID INFORMATION

	YES	NO	NE	NA	NTP	IARC	OSHA	OTHER
MUTAGENIC AFFECTS		X						
TERATOGENIC AFFECTS		X						
REPRODUCTIVE TOXIN		X						
CARCINOGENICITY		X						
SENSITIZER		X						

Skin 🖂 Inhalation Ingestion 🔀 **ROUTES OF ENTRY:**

HEALTH HAZARD (Acute and Chronic): Irritant to eyes and skin. May cause sensitization by skin contact if a person is known to be allergic to any of the ingredients. Dusts of silica glass is a known cause of silicosis, a non-cancerous lung disease.

INGESTION: May cause irritation of the digestive tract.

EYES: Can cause eye irritation. **SKIN:** May cause skin irritation.

EMERGENCY FIRST AID PROCEDURES:

INHALATION: Supply fresh air and seek medical attention.

EYE CONTACT: Flush eyes with plenty of water for at least 15 minutes, lifting lower and upper eyelids occasionally. Seek medical attention of symptoms persist.

SKIN CONTACT: Flush skin with plenty of soap and water for at least 15 minutes while removing contaminated clothing and shoes. Seek medical attention if symptoms persist.

INGESTION: Seek medical attention if symptoms persist.

SECTION 7 - PRECAUTIONS FOR SAFE HANDLING AND USE

IN CASE OF RELEASE OR SPILL: Absorb with liquid-binding material (sand, diatomite, etc.)

STORAGE, HANDLING, AND SPECIAL PRECAUTIONS: Store in a cool, dark place. Keep receptacle tightly sealed.								
SECTION 8 - CO	ONTROL MEASURES							
RESPIRATORY P	ROTECTION: Not required							
VENTILATION:	Local Exhaust	Mechanical:	Special:	Other:				
EYE PROTECTION OTHER PROTECT	PROTECTIVE GLOVES: Protective gloves are recommended. EYE PROTECTION: Tightly sealed goggles. OTHER PROTECTIVE CLOTHING OR EQUIPMENT: WORK/HYGIENIC PRACTICE: Follow routine safe hygiene practices.							
SECTION 9 - PF	REPARATION INFORMATI	ON						
This data is supplied to comply with OSHA Hazard Communication Standard 29 CFR 1910,1200 and W.H.M.I.S. CPR.								
DATE: 15 April 2008 REVISED: 21 February 2012								
N.A. = NOT APPLICABLE N.E. = NOT ESTABLISHED								
The information herein is given in good faith but no warranty expressed or implied is made.								
FIRE –	TOXICITY	NFPA	\ REACTIVITY –	SPECIAL –				



MS002898-B

G-CEM AUTOMIX – PASTE B MATERIAL SAFETY DATA SHEET

Page 1 of 2

SECTION 1 - SOURCE/IDENTITY/USE INFORMATION

DISTRIBUTOR

GC AMERICA INC. 3737 West 127th St. Alsip, Illinois, 60803 Telephone: 708-597-0900

Hours: Mon.- Fri. 8:00 am. - 5:00 pm. C.S.T. Transportation Emergency No. 800-424-9300

COMMON NAME: G-CEM AUTOMIX - PASTE B

CHEMICAL NAME: N.A.

PRODUCT USE: Radiopaque, dual curing, self adhesive resin cement for cementing metal, porcelain fused to metal resin and

ceramic restorations.

The following information is provided with regard to the toxicity and hazards the pure components present in this product.

SECTION 2 - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

COMPONENT	C.A.S.	EXPOSURE LIMITS	LD50/LC50	%
Silicon Dioxide	7631-86-9	N.E.	N.E.	58
Urethanedimethacrylate		N.E.	N.E.	31
Dimethacrylate		N.E.	N.E.	6
Phosphoric acid ester monomer		N.E.	N.E.	4
Initiator		N.E.	N.E.	1

SECTION 3 - PHYSICAL/CHEMICAL PROPERTIES

BOILING POINT: N.E. SPECIFIC GRAVITY: N.E. **VAPOR PRESSURE:** N.E. **MELTING POINT:** N.E. N.E. N.E. **VAPOR DENSITY: EVAPORATION RATE: SOLUBILITY IN WATER:** Not miscible **ODOR THRESHOLD:** N.E. APPEARANCE AND ODOR: **COEFFICIENT OF OIL/WATER DISTRIBUTION:** Odorless

SECTION 4 - FIRE AND EXPLOSION DATA

FLASH POINT: 93°C **FLAMMABLE LIMITS:** N.E. **EXTINGUISHING MEDIA:** Carbon dioxide, dry chemicals, alcohol resistant foam or water spray.

SPECIAL FIRE FIGHTING PROCEDURES: No special measures required.

UNUSUAL FIRE AND EXPLOSION HAZARDS: N.E. HAZARDOUS COMBUSTION PRODUCTS: None

SECTION 5 - REACTIVITY DATA

STABILITY: Stable Unstable Deliver Will Not Occur Will Occur Unstable Unstable Deliver Deliver

CONDITIONS TO AVOID:

INCOMPATIBILITY (Materials to Avoid): N.E.

HAZARDOUS DECOMPOSITION OR BY-PRODUCTS: No hazardous products known



MS002898-B

G-CEM AUTOMIX – PASTE B

Page 2 of 2

SECTION 6 - HEALTH HAZARD DATA and FIRST AID INFORMATION

	YES	NO	NE	NA	NTP	IARC	OSHA	OTHER
MUTAGENIC AFFECTS		X						
TERATOGENIC AFFECTS		X						
REPRODUCTIVE TOXIN		X						
CARCINOGENICITY		X						
SENSITIZER		X						

ROUTES OF ENTRY: Inhalation Skin Ingestion

HEALTH HAZARD (Acute and Chronic): Irritant to eyes and skin. May cause sensitization by skin contact if a person is known to be allergic to any of the ingredients.

INGESTION: May cause irritation of the digestive tract.

EYES: Can cause eye irritation. **SKIN:** May cause skin irritation.

EMERGENCY FIRST AID PROCEDURES:

INHALATION: Supply fresh air and seek medical attention.

EYE CONTACT: Flush eyes with plenty of water for at least 15 minutes, lifting lower and upper eyelids occasionally. Seek medical attention of symptoms persist.

SKIN CONTACT: Flush skin with plenty of soap and water for at least 15 minutes while removing contaminated clothing and shoes. Seek medical attention if symptoms persist.

INGESTION: Seek medical attention if symptoms persist.

SECTION 7 - PRECAUTIONS FOR SAFE HANDLING AND USE

IN CASE OF RELEASE OR SPILL: Absorb with liquid-binding material (sand, diatomite, etc.)

WASTE DISPOSAL METHOD: Consult local or state regulations regarding proper disposal

STORAGE, HANDLING, AND SPECIAL PRECAUTIONS: Store in a cool, dark place. Keep receptacle tightly sealed

	DLING, AND SPECIAL PRECAUT	0 01		ightly sealed.
SECTION 8 - C	ONTROL MEASURES			
RESPIRATORY F	PROTECTION: Not required			
VENTILATION:	Local Exhaust	Mechanical:	Special:	Other:
EYE PROTECTION OTHER PROTECTION	OVES: Protective gloves are row: Tightly sealed goggles. TIVE CLOTHING OR EQUIPMEN C PRACTICE: Follow routine se	Т:		
SECTION 9 - P	REPARATION INFORMATION	ON		
DATE: 2008	ied to comply with OSHA Hazard April 15 21 February 2012	Communication Standard 29 C.	₹R 1910,1200 and W.H.M	I.I.S. CPR.
N.A. = NOT API N.E. = NOT EST The information h		o warranty expressed or implied	is made.	
FIRE -	TOXICITY	NFPA '- REAC	TIVITY –	SPECIAL -