## **SAFETY DATA SHEETS**

## This SDS packet was issued with item:

072120137

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

070575241 072118271 072118305 072118396 072120160 072120657 072120715 072120772 072121267 072121291



MS329680

## COE TRAY PLASTIC REGULAR - LIQUID MATERIAL SAFETY DATA SHEET

Page 1 of 2

## SECTION 1 - SOURCE/IDENTITY/USE INFORMATION

**MANUFACTURER** 

GC AMERICA INC. 3737 West 127th St. Alsip, Illinois, 60803 Telephone: 708-597-0900

Hours Mon.-Fri: 8:00 a.m.-5:00 p.m. C.S.T. Transportation Emergency No. 800-424-9300

COMMON NAME: COE TRAY PLASTIC REGULAR - LIQUID

CHEMICAL NAME: N.A.

**PRODUCT USE:** Repair dentures - liquid component

The following information is provided with regard to the toxicity and hazards of the pure components present in this portion of the unmixed powder/liquid system.

#### SECTION 2 - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

COMPONENT	C.A.S.	EXPOSURE LIMITS	LD50/LC50	%
Methyl Methacrylate	80-62-6	TWA=100ppm	LD50=7.9g/kg	60-100
		(ACGIH)	(oral rat)	
			LC50=3750 ppm/4hr.	

#### **SECTION 3 - PHYSICAL/CHEMICAL PROPERTIES**

 $\begin{array}{lll} \mbox{BOILING POINT:} & 98^{\circ}\mbox{C} & \mbox{SPECIFIC GRAVITY (H2O = 1):} & 0.940 \\ \mbox{VAPOR PRESSURE:} & 50 @ 86^{\circ}\mbox{C} & \mbox{MELTING POINT:} & N.A. \end{array}$ 

VAPOR DENSITY: 3.5 EVAPORATION RATE (Butyl Acetate=1): Equal

SOLUBILITY IN WATER: Insoluble ODOR THRESHOLD: <1 ppm methyl methacrylate COEFFICIENT OF OIL/WATER DISTRIBUTION: N.E. APPEARANCE AND ODOR: Clear liquid, unpleasant odor.

#### **SECTION 4 - FIRE AND EXPLOSION DATA**

FLASH POINT: 11°C FLAMMABLE LIMITS: N.E.

**EXTINGUISHING MEDIA**: Alcohol foam, dry chemical, carbon dioxide

**SPECIAL FIRE FIGHTING PROCEDURES:** Wear self contained breathing apparatus with full protective equipment.

**UNUSUAL FIRE AND EXPLOSION HAZARDS:** When heated above the flashpoint: emits vapors, which when mixed with air, can burn or be explosive. Fine mists on sprays may be flammable at temperatures below the flash point. Sealed containers exposed to elevated temperatures may rupture explosively due to polymerization. Vapors are heavier than air and may travel to ignition source.

HAZARDOUS COMBUSTION PRODUCTS: Carbon dioxide, carbon monoxide, smoke

## **SECTION 5 - REACTIVITY DATA**

STABILITY: Stable ☐ Unstable ☑

POLYMERIZATION: Will Not Occur ☐ Will Occur ☑

**CONDITIONS TO AVOID:** Heat and ignition sources

INCOMPATIBILITY (MATERIALS TO AVOID): Reducing and oxidizing agents. Material has strong solvent properties and can soften

paint or rubber.

HAZARDOUS DECOMPOSITION OR BY-PRODUCTS: Carbon monoxide, carbon dioxide

#### SECTION 6 - HEALTH HAZARD DATA and FIRST AID INFORMATION

	YES	NO	NE	NA	NTP	IARC	OSHA	OTHER
MUTAGENIC AFFECTS		X						
TERATOGENIC AFFECTS		X						
REPRODUCTIVE TOXIN		X						
CARCINOGENICITY		X						
SENSITIZER	X							



### MS329680 COE '

## COE TRAY PLASTIC REGULAR - LIQUID

Page 2 of 2

## SECTION 6 - HEALTH HAZARD DATA and FIRST AID INFORMATION - continued

ROUTES OF ENTRY: Inhalation  $oxed{\boxtimes}$  Skin  $oxed{\boxtimes}$  Ingestion  $oxed{\boxtimes}$ 

#### **HEALTH HAZARD (Acute and Chronic):**

**INHALATION:** May cause nose and throat irritation. May cause nervous system depression. Reports have associated repeated and prolonged overexposure to brain damage and nervous system damage. May cause irritation or burning of mucous membranes.

**INGESTION**: May cause abnormal liver and kidney function

**SKIN:** May cause irritation or burning of skin. Repeated exposure may cause skin burns and allergic reactions.

**EYES:** May cause irritation or burning of eyes.

**SIGNS AND SYMPTOMS OF OVEREXPOSURE**: Progressive steps of inhalation overexposure: headache, dizziness, nausea, staggering gait, confusion, unconsciousness.

CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: N.E.

## **EMERGENCY FIRST AID PROCEDURES:**

**INHALATION:** Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Seek medical attention.

INGESTION: Do not induce vomiting. Give one or two glasses of water and seek medical attention.

**SKIN:** Wash with soap and water. Wash clothes prior to reuse.

**EYES:** Immediately flush eyes with water. Seek medical attention.

#### SECTION 7 - PRECAUTIONS FOR SAFE HANDLING AND USE

**IN CASE OF RELEASE OR SPILL:** Eliminate source of ignition. Wear skin, eye, and respiratory protection. Contain spill and keep out of sewers. Use absorbent to soak up liquid. Use non-sparking equipment and shovel into waste container.

**WASTE DISPOSAL METHOD:** Material is a hazardous waste, No. U162. Dispose of waste in facility permitted for hazardous waste in accordance with local, state and federal regulations.

**STORAGE**, **HANDLING**, **AND SPECIAL PRECAUTIONS**: Keep away from heat, sparks, flame, direct sunlight and elevated temperatures.

#### **SECTION 8 - CONTROL MEASURES**

**RESPIRATORY PROTECTION:** Reduce exposure in accordance with safe hygiene practice. If exposure limits are exceeded, use a MSHA-NIOSH approved respirator for organic vapors.

VENTILATION: Local Exhaust: Yes Mechanical: N.A. Special: N.A. Other: N.A.

PROTECTIVE GLOVES: Disposable vinyl gloves

**EYE PROTECTION:** Chemical goggles and full face protection if necessary.

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: Eye wash station WORK/HYGIENIC PRACTICE: Follow routine safe hygiene practices.

#### **SECTION 9- PREPARATION INFORMATION**

This data is supplied to comply with OSHA Hazard Communication Standard 29 CFR 1910,1200 and W.H.M.I.S. CPR

**DATE:** 01 March 2006 **REVIEWED:** 21 February 2012 **REVISED:** 16 November 2012

N.A. = NOT APPLICABLE N.E. = NOT ESTABLISHED

The information herein is given in good faith but no warranty expressed or implied is made.

NFPA
FIRE – 3 TOXICITY – 2 REACTIVITY – 2 SPECIAL



Printing date 02/24/2015

Version US-EN-Rev 1

Reviewed on 02/20/2015

## 1 Identification

- · Product identifier
- · Trade name: COE TRAY PLASTIC (Liquid, Set: Regular)
- Relevant identified uses of the substance or mixture and uses advised against

Dental material

The product is intended for professional use.

To avoid risks for humans and environment obtain instructions.

- · Application of the substance / the mixture Dental impression material
- Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

GC America Inc. 3737 W. 127th Street Alsip, IL 60803 USA

sds@gcamerica.com

- · Information department: Regulatory Affairs
- · Emergency telephone number:

During normal opening times (Mon.-Fri. 8:00 AM-5:00 PM CST): +1 (708) 597-0900 Transportation (CHEMTREC®) Emergency Telephone No. +1 (800) 424-9300

## 2 Hazard(s) identification

#### · Classification of the substance or mixture

Flam. Liq. 2 H225 Highly flammable liquid and vapor.

Acute Tox. 3 H301 Toxic if swallowed.

Acute Tox. 3 H331 Toxic if inhaled.

STOT RE 1 H372 Causes damage to organs through prolonged or repeated exposure.

Acute Tox. 4 H312 Harmful in contact with skin.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

STOT SE 3 H335 May cause respiratory irritation.

### · Additional information:

The information provided is in regards to the toxicity and hazard rating(s) of the individual component(s) in the formulation. The associated risk(s) depends on the route(s) of exposure. The hazard rating system is based entirely on the existence of the risk(s) and does not take into account the likelihood of reduced risk(s) through proper usage and handling.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 2)

Printing date 02/24/2015 Version US-EN-Rev 1 Reviewed on 02/20/2015

Trade name: COE TRAY PLASTIC (Liquid, Set: Regular)

(Contd. of page 1)

## · Hazard pictograms







GHS02 GHS06

- · Signal word Danger
- · Hazard-determining components of labeling:

methyl methacrylate (MMA)

accelerant\*\*

· Hazard statements

Highly flammable liquid and vapor.

Toxic if swallowed or if inhaled.

Harmful in contact with skin.

Causes skin irritation.

Causes serious eve irritation.

May cause an allergic skin reaction.

May cause respiratory irritation.

Causes damage to organs through prolonged or repeated exposure.

· Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Do not breathe dust/fume/gas/mist/vapors/spray.

Wear protective gloves / eye protection / face protection.

If swallowed: Immediately call a poison center/doctor.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- Classification system:
- NFPA ratings (scale 0 4)



Health = 2Fire = 3

Reactivity = 2

· HMIS-ratings (scale 0 - 4)



Health = 2 Fire = 3

Reactivity = 2

- Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · **vPvB**: Not applicable.

## 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · **Description:** Mixture of the substances listed below with nonhazardous additions.

(Contd. on page 3)

Printing date 02/24/2015 Version US-EN-Rev 1 Reviewed on 02/20/2015

Trade name: COE TRAY PLASTIC (Liquid, Set: Regular)

(Contd. of page 2)

· Danger	ous components:	
80-62-6	methyl methacrylate (MMA)	90-100%
	accelerant**	< 1%

#### · Additional information:

If a substance is marked with \*\*, then substance is a trade secret. This is allowed under OSHA's Hazard Communication Standard (HCS) as a trade secret and under GHS as Confidential Business Information (CBI).

#### 4 First-aid measures

- · Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

If symptoms persist consult doctor.

· After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

Do not use mouth to mouth or mouth to nose resuscitation.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Seek medical treatment.

· After eve contact:

Protect unharmed eve.

Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing:

Do not induce vomiting; immediately call for medical help.

Rinse out mouth and then drink plenty of water.

- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed Allergic reactions
- Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- For safety reasons unsuitable extinguishing agents: Water
- · Special hazards arising from the substance or mixture

In case of fire, the following can be released:

Carbon monoxide and carbon dioxide

- · Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.
- · Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

## 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures Remove persons from danger area.

(Contd. on page 4)

– USA

Printing date 02/24/2015 Version US-EN-Rev 1 Reviewed on 02/20/2015

Trade name: COE TRAY PLASTIC (Liquid, Set: Regular)

(Contd. of page 3)

Keep away from ignition sources

Avoid contact with the eyes and skin.

Wear protective clothing.

· Environmental precautions:

Do not allow product to reach sewage system or any water course.

Do not allow to penetrate the ground/soil.

Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Absorb liquid components with liquid-binding material.

Dispose of the collected material according to regulations.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## 7 Handling and storage

- · Handling:
- · Precautions for safe handling

Observe instructions for use.

Ensure good ventilation/exhaustion at the workplace.

Do not inhale dust / smoke / mist.

Prevent formation of aerosols.

Avoid contact with the eyes and skin.

Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Do not spray on a naked flame or any incandescent material.

- · Storage:
- · Requirements to be met by storerooms and receptacles:

Store in a cool location.

Store only in unopened original receptacles.

- · Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions:

Observe instructions for use / storage.

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

Store in a cool place.

· Specific end use(s) No further relevant information available.

## 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

80-62-6 methyl methacrylate (MMA)

PEL Long-term value: 410 mg/m³, 100 ppm

(Contd. on page 5)

USA -

Printing date 02/24/2015 Version US-EN-Rev 1 Reviewed on 02/20/2015

Trade name: COE TRAY PLASTIC (Liquid, Set: Regular)

	(Contd. of page 4)
REL	Long-term value: 410 mg/m³, 100 ppm
TLV	Short-term value: 410 mg/m³, 100 ppm Long-term value: 205 mg/m³, 50 ppm (SEN) NIC-DSEN
accele	rant**
WEEL	Long-term value: 0.5 ppm

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Avoid contact with the eyes and skin.

Wash hands before breaks and at the end of work.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

- · Breathing equipment: Suitable respiratory protective device recommended.
- Protection of hands: Protective gloves
- Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Safety glasses

Information on basic physical and General Information	chemical properties	
Appearance:		
Form:	Liquid	
Color:	Colorless	
Odor:	Methacrylic	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	101 °C (214 °F)	
Flash point:	10 °C (50 °F)	
Flammability (solid, gaseous):	Not applicable.	
Ignition temperature:	Undetermined.	
Decomposition temperature:	Not determined.	

Printing date 02/24/2015 Version US-EN-Rev 1 Reviewed on 02/20/2015

Trade name: COE TRAY PLASTIC (Liquid, Set: Regular)

	(Contd. of page s
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Heating may cause an explosion.  Product is not explosive. However, formation of explosive air vapor mixtures are possible.
· Explosion limits:	
Lower:	2.1 Vol %
Upper:	12.5 Vol %
· Vapor pressure:	Not determined.
· Density:	Not determined.
Relative density	Not determined.
· Vapour density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with	
Water:	Insoluble.
· Partition coefficient (n-octanol/wa	ater): Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
Organic solvents:	0.0 %
VOC content:	100.0 %
· Other information	No further relevant information available.

## 10 Stability and reactivity

- · Reactivity Danger of polymerization.
- · Chemical stability Stable at ambient temperature.
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

Possibility of hazardous reactions

Spontaneous polymerization can be caused in unstabilized product e.g. by ambient heat.

Danger of receptacles bursting because of high vapor pressure if heated.

Exothermic polymerization.

- · Conditions to avoid Keep away from heat/sparks/open flames/hot surfaces. No smoking.
- · Incompatible materials:

Reacts with peroxides and other radical forming substances.

Reacts with amines.

Reacts with heavy metals.

· Hazardous decomposition products: No dangerous decomposition products known.

## 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification: No further relevant information available.

(Contd. on page 7)

- USA

Printing date 02/24/2015 Version US-EN-Rev 1 Reviewed on 02/20/2015

Trade name: COE TRAY PLASTIC (Liquid, Set: Regular)

(Contd. of page 6)

## · Primary irritant effect:

- · on the skin: Irritant to skin and mucous membranes.
- · on the eye: Irritating effect.
- · Sensitization: Sensitization possible through skin contact.
- · Experience with humans:

May cause damage to blood.

May cause damage to central nervous system.

May cause damage to liver.

May cause damage to skin.

## · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

#### · Carcinogenic categories

## IARC (International Agency for Research on Cancer)

methyl methacrylate (MMA)

3

### NTP (National Toxicology Program)

None of the ingredients is listed.

## · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

## Carcinogenic categories' legend:

IARC Group 1: The agent is carcinogenic to humans.

IARC Group 2A: The agent is probably carcinogenic to humans.

IARC Group 2B: The agent is possibly carcinogenic to humans.

IARC Group 3: The agent is not classifiable as to its carcinogenicity to humans.

IARC Group 4: The agent is probably not carcinogenic to humans.

NTP K: Known to be human carcinogen.

NTP R: Reasonably anticipated to be human carcinogen.

## 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Not known to be hazardous to water.
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

ISA.

(Contd. on page 8)

Printing date 02/24/2015 Version US-EN-Rev 1 Reviewed on 02/20/2015

Trade name: COE TRAY PLASTIC (Liquid, Set: Regular)

(Contd. of page 7)

## 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

Transport information	
UN-Number DOT, ADR, IMDG, IATA	UN1247
UN proper shipping name DOT ADR IMDG, IATA	Methyl methacrylate monomer, stabilized 1247 Methyl methacrylate monomer, stabilized METHYL METHACRYLATE MONOMER, STABILIZED
Transport hazard class(es)	
DOT  TAMMARE LOOP  3	
Class	3 Flammable liquids
Label	3
Class Label	3 Flammable liquids 3
Packing group DOT, ADR, IMDG, IATA	II
Environmental hazards: Marine pollutant:	No
Special precautions for user Danger code (Kemler): EMS Number:	Warning: Flammable liquids 33 F-E,S-D
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	k II of Not applicable.

Printing date 02/24/2015 Version US-EN-Rev 1 Reviewed on 02/20/2015

Trade name: COE TRAY PLASTIC (Liquid, Set: Regular)

(Contd. of page 8) · Transport/Additional information: · Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml · IMDG · Limited quantities (LQ) 1L Code: E2 Excepted quantities (EQ) Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml UN1247, Methyl methacrylate monomer, stabilized, 3, II · UN "Model Regulation":

## 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture SARA (Superfund Amendments and Reauthorization Act)
- · Section 355 (extremely hazardous substances):

None of the ingredient is listed.

Section 313 (Specific toxic chemical listings):

methyl methacrylate (MMA)

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

- · Carcinogenic categories
- · EPA (Environmental Protection Agency)

methyl methacrylate (MMA)

E, NL

TLV (Threshold Limit Value established by ACGIH)

methyl methacrylate (MMA)

Α4

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms







GHS02 GHS06

- · Signal word Danger
- · Hazard-determining components of labeling: methyl methacrylate (MMA)

accelerant\*\*

· Hazard statements

Highly flammable liquid and vapor.

Toxic if swallowed or if inhaled.

(Contd. on page 10)

Printing date 02/24/2015 Version US-EN-Rev 1 Reviewed on 02/20/2015

Trade name: COE TRAY PLASTIC (Liquid, Set: Regular)

(Contd. of page 9)

Harmful in contact with skin.

Causes skin irritation.

Causes serious eye irritation.

May cause an allergic skin reaction.

May cause respiratory irritation.

Causes damage to organs through prolonged or repeated exposure.

## · Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Do not breathe dust/fume/gas/mist/vapors/spray.

Wear protective gloves / eye protection / face protection.

If swallowed: Immediately call a poison center/doctor.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## 16 Other information

- · Department issuing MSDS: Regulatory Affairs
- · Contact:

Regulatory Affairs

Telephone No. +1 (708) 597-0900

sds@gcamerica.com

· Date of preparation / last revision 02/24/2015 / -

## Abbreviations and acronyms:

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

HCS: Hazard Communication Standard (USA)

MSDS: Material Safety Data Sheet

SDS: Safety Data Sheet

ECHA: European Chemicals Agency

OSHA: Occupational Safety and Health Administration (USA)

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the

International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, ÉU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 2: Flammable liquids, Hazard Category 2

Acute Tox. 3: Acute toxicity, Hazard Category 3

Acute Tox. 4: Acute toxicity, Hazard Category 4
Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A Skin Sens. 1: Sensitisation - Skin, Hazard Category 1

STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3

STOT RE 1: Specific target organ toxicity - Repeated exposure, Hazard Category 1

## Sources

- Manufacturers' MSDSs/SDSs
- OSHA (https://www.osha.gov/dts/chemicalsampling/toc/chmcas.html)
- TOXNET (http://toxnet.nlm.nih.gov/)

(Contd. on page 11)

Printing date 02/24/2015 Version US-EN-Rev 1 Reviewed on 02/20/2015

Trade name: COE TRAY PLASTIC (Liquid, Set: Regular)

(Contd. of page 10)

- ECHA (http://echa.europa.eu/)
- EnviChem (www.echemportal.org)
- · Notes:

CAS Registry Number is a Registered Trademark of the American Chemical Society. CHEMTREC® is a registered service mark of the American Chemistry Council, Inc.

\* Data compared to the previous version altered. This version replaces all previous versions.

#### · Disclaimer:

The information contained herein is believed to be true and accurate. However, all statements, recommendations or suggestions are made without any guarantee, representation or warranty, express or implied, on our part. Therefore, no warranty is made or to be implied that the information set out in this document is accurate or complete, and we accordingly exclude all liability in connection with the use of this information or the products referred to herein. All such risks are assumed by the purchaser/user. The information contained herein is also subject to change without notice. For the avoidance of doubt, however, nothing in this document excludes or limits our liability for death or personal injury caused by our negligence or for fraudulent misrepresentation.