SAFETY DATA SHEETS

This SDS packet was issued with item: 073242658

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

073242757 073242773

TempoCem, TempoCem Soft

Product code: 11030, 110303, 212129 (4510_GHS)

Page 1 of 6

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

TempoCem Automix, TempoCem Soft, TempoCem Smartmix

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.3. Details of the supplier of the safety data sheet

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Indications of danger: N - Dangerous for the environment R phrases: Irritating to skin. May cause sensitisation by skin contact. Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

GHS classification

Hazard categories: Hazardous to the aquatic environment: Aquatic Acute 1 Hazardous to the aquatic environment: Aquatic Chronic 1 Hazard Statements: Causes skin irritation. May cause an allergic skin reaction. Very toxic to aquatic life with long lasting effects.

2.2. Label elements

Signal word:	Warning
Pictograms:	GHS09



Hazard statements

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H410	Very toxic to aquatic life with long lasting effects.

Precautionary statements

P280Wear protective gloves/protective clothing/eye protection/face protection.P273Avoid release to the environment.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

chemical characterization (preparation): ZnO, EUGENOL

TempoCem, TempoCem Soft

Product code: 11030, 110303, 212129 (4510_GHS)

Page 2 of 6

Hazardous components

EC No	Chemical name	Quantity
CAS No	Classification	
Index No	GHS classification	
REACH No		
215-222-5	zinc oxide	65 - 75 %
1314-13-2	N - Dangerous for the environment R50-53	
030-013-00-7	Aquatic Acute 1, Aquatic Chronic 1; H400 H410	
	eugenol	< 10 %
97-53-0	Xi - Irritant R38-43	

Full text of R and H phrases: see Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

After inhalation

Move victim to fresh air. Put victim at rest and keep warm.

After contact with skin

After contact with skin, wash immediately with: Water and soap.

After contact with eyes

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

After ingestion

Immediately get medical attention.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Water fog. Extinguishing powder. Sand. Foam. Carbon dioxide (CO2).

Extinguishing media which must not be used for safety reasons

High power water jet.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Wear suitable protective clothing.

6.2. Environmental precautions

Do not empty into drains or the aquatic environment.

6.3. Methods and material for containment and cleaning up

Collect mechanically.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Keep container tightly closed. Wear suitable protective clothing and gloves. Avoid contact with eyes.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place.

TempoCem, TempoCem Soft

Product code: 11030, 110303, 212129 (4510_GHS)

Store only in original container.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.2. Exposure controls



Occupational exposure controls

Ensure adequate ventilation of the storage area.

Protective and hygiene measures

When using do not eat or drink.

Respiratory protection

The following must be prevented: inhalation.

Hand protection

Tested protective gloves are to be worn: Suitable material: NBR (Nitrile rubber).

Eye protection

Tightly sealed safety glasses.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

1. Information on basic physical and chei	inical properties	
Physical state:	Paste	
Colour:	brown / white	
Odour:	eugenol	
		Test method
pH-Value:	not applicable	
Changes in the physical state		
Boiling point:	> 200 °C	
point of decomposition:	> 130 °C	
Flash point:	> 110 °C	
Ignition temperature:	> 300 °C	
Vapour pressure: (at 20 °C)	< 1 hPa	
Density:	2,3 g/cm³	
Water solubility:	slightly soluble	
Vapour density:	> 1	

SECTION 10: Stability and reactivity

10.4. Conditions to avoid

heat.

Decompostion takes place from temperatures above: 130 °C

10.5. Incompatible materials

Keep in a cool place away from acids.

SECTION 11: Toxicological information

Revision No. 1,01

Revision date: 01-31-2018

Page 3 of 6

TempoCem, TempoCem Soft

Product code: 11030, 110303, 212129 (4510_GHS)

Page 4 of 6

11.1. Information on toxicological effects

Acute toxicity

LD50: Rat. 250 mg/kg

Irritation and corrosivity

Frequently or prolonged contact with skin may cause dermal irritation. Irritant effect on the eye: Frequently or prolonged contact with skin may cause dermal irritation.

SECTION 12: Ecological information

12.2. Persistence and degradability

Preparation not tested.

Further information

Do not empty into drains or the aquatic environment. Leakage into the environment must be prevented.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Carry out a burning of harzardous waste according to official regulations.

Waste disposal number of waste from residues/unused products

180106 WASTES FROM HUMAN OR ANIMAL HEALTH CARE AND/OR RELATED RESEARCH (except kitchen and restaurant wastes not arising from immediate health care); wastes from natal care, diagnosis, treatment or prevention of disease in humans; chemicals consisting of or containing dangerous substances Classified as hazardous waste.

SECTION 14: Transport information

Land transport (ADR/RID)

<u>14.1. UN number:</u>	3077
14.2. UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (zinc oxide, ZnO)
14.3. Transport hazard class(es):	9
14.4. Packing group:	III
Hazard label:	9
Classification code:	M7
Special Provisions:	274 335 601
Limited quantity:	5 kg
Transport category:	3
Hazard No:	90
Tunnel restriction code:	E
Other applicable information (land trans E1	port)
Marine transport (IMDG)	
<u>14.1. UN number:</u>	3077
14.2. UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (zinc oxide, ZnO)

	TempoCem, Temp	oCem Soft	
Pro	duct code: 11030, 110303	s, 212129 (4510_GHS)	Page 5 of 6
14.3. Transport hazard class(es):	9		
14.4. Packing group:	III		
Hazard label:	9		
Special Provisions:	274, 335		
Limited quantity:	5 kg		
EmS:	F-A, S-F		
Other applicable information (marine tra E1	insport)		
Air transport (ICAO)			
<u>14.1. UN number:</u>	3077		
14.2. UN proper shipping name:	ENVIRONMENTALLY H oxide, ZnO)	AZARDOUS SUBSTANCE, SOLID, N.O.S. (zinc	
14.3. Transport hazard class(es):	9		
14.4. Packing group:	III		
Hazard label:	9		
	9		
Special Provisions:	A97 A158 A179		
Limited quantity Passenger:	30 kg G		
IATA-packing instructions - Passenger: IATA-max. quantity - Passenger:	-	56 00 kg	
IATA-max. quantity - r assenger.		56	
IATA-max. quantity - Cargo:	40	00 kg	
Other applicable information (air transp E1	ort)		
: Y956			
14.5. Environmental hazards			
Dangerous for the environment:	yes		
SECTION 15: Regulatory information	•		
15.1. Safety, health and environmental regu	lations/legislation specif	fic for the substance or mixture	

National regulatory information

Water contaminating class (D): 3 - highly water contaminating

SECTION 16: Other information

Full text of R phrases referred to under Sections 2 and 3

38	Irritating to skin.
43	May cause sensitisation by skin contact.
50	Very toxic to aquatic organisms.
50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

	TempoCem, TempoCem Soft	
	Product code: 11030, 110303, 212129 (4510_GHS)	Page 6 of
53	May cause long-term adverse effects in the aquatic environment.	
Full text of H s	tatements referred to under Sections 2 and 3	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
Further Inform	ation	

The data for the hazardous ingredients were taken respectively from the last version Date 04/13/2016 of the sub-contractor's safety data sheet.