# **SAFETY DATA SHEETS**

# This SDS packet was issued with item:

073620200

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

073620218

The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).

073620192 073620226



# MSDS Product: CitraStat Rx

Emergency Phone at Infotrac: (800) 535-5053

Date Prepared: 01/31/03

#### **Section 1: Product Information**

Name: CitraStat Rx

Product Code: 7170, 7173, 7176, 7179 Product Type: Spray Deodorizer

Health	Flammability	Reactivity	PPE
1	2	1	2
Health Hazard	Fire Hazard	Reactivity	Personal Protection
0 = minimal	0 = will not burn	0 = none	0 = not necessary
1 = slightly hazardous	1 = FP > 141 F	1 = mild	1 = goggles
2 = hazardous	2 = FP = > 73F = < 141F	2 = strong	2 = goggles, gloves
3 = serious hazard	3 = FP < 73F		3 = goggles, gloves,
4 = severe hazard	4 = BP < 95F		protective clothes
	FP By PMCC		4 = goggles, gloves,
			& respirator

### Section 2: Hazardous Ingredients / Identity Information

Hazardous Components: This product contains no hazardous ingredients.

This product contains no carcinogens (NTP, IARC, or OSHA).

#### Section 3: Health Hazard & First Aid

Routes of Entry: N/A

Health Hazards (Acute and Chronic):

This product is a mixture for which no health hazard data exist. Food and Drug administration evaluation was GRAS.

Signs and Symptoms:

Can cause eye and skin irritation.

Medical Conditions Generally Aggravated by Exposure:

Eye and skin irritant.

Emergency and First Aid Procedures:

Flush eyes with water until discomfort is relieved. Wash skin with soap and water. Consult a physician if required.

Other Health Warnings:

None

# MSDS CitraStat Rx

## Section 4: Fire and Explosion Hazard

- 1. Flash Point 113°F Lower Explosive Limit: NI Upper Explosive Limit: NI
- 2. Extinguishing Media: Carbon Dioxide, foam or dry chemical
- 3. Special Fire Fighting Procedures: SCBA recommended. Do not use water, handle as an oil fire. Smother and exclude air.
- 4. Unusual Fire & Explosion Hazard: Combustible liquid, keep away from heat, spark and open flame

#### **Section 5: Accidental Release Measures**

Steps to be taken in case material is released or spilled.

Treat spill with oil absorbent material. Remove mechanically, use rag and mop to clean up small spills. Caution: Slippery on floor.

#### Section 6: Handling and Storage:

#### Precautions to be taken:

Store in full, tight closed containers at refrigerated temperature (less than 80°F). Partially filled containers should be blanketed with nitrogen.

#### Other Precautions:

Clean up all spills. Partially filled containers should be blanketed with nitrogen.

## **Section 7: Exposure Controls/Personal Protection:**

Ventilation Requirements: Local exhaust adequate.

Personal Protective equipment:

Respiratory Protection: optional depending on condition of use

Protective gloves: optional, not required.

Other protective equipment: safety glasses or goggles. Hygienic Practices: Wash hands and arms after handling.

#### **Section 8: Physical and Chemical Properties:**

Boiling Point: >349 Melting Point: N/A Evaporation Rate: Slow

Vapor Pressure (mmHg.): N/I Vapor Density (air=1): N/I Soluble in water: Insoluble

Appearance and color: Clear, colorless, citrus terp aroma

Other Information:

#### Section 9: Stability: and Reactivity:

Stability: Stable

Decomposition/by products: N/I Hazardous Polymerization: No

#### **Section 10: Disposal Consideration:**

Taking into consideration local authority regulation, waste may be incinerated or handled through EPA spill control plan via landfill or dilution.

The information listed here is believed to be correct and does not purport to be all-inclusive and shall be used only as a guide. HealthLink shall not be held liable for any damage resulting from handling or contact with this product.

HealthLink 3611 St. Johns Bluff Rd. So. Ste. 1 Jacksonville, FL 32224

# For Technical Service Call 800-638-2625

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date: 07/14/2015 : Version:

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Trade name : CITRASTAT RX ORANGE 7 OZ.

Product code : 7170

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Air Freshener

#### 1.3. Details of the supplier of the safety data sheet

**HEALTHLINK** 

3611 ST. JOHNS BLUFF RD S

SUITE 1

JACKSONVILLE, FL 32224

T 904-996-7758

#### 1.4. Emergency telephone number

Emergency number : CHEMTREC 24 Hour 1-800-424-9300, 1-703-527-3887 (International)

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

#### **Classification (GHS-US)**

Flam. Aerosol 1 H222 Compressed gas H280 Flam. Liq. 4 H227 Skin Sens. 1 H317

Full text of H-phrases: see section 16

#### 2.2. Label elements

#### **GHS-US** labeling

Hazard pictograms (GHS-US)







SHS02

GHS04

GHS07

Signal word (GHS-US) : Danger

Hazard statements (GHS-US) : H222 - Extremely flammable aerosol

H227 - Combustible liquid

H280 - Contains gas under pressure; may explode if heated

H317 - May cause an allergic skin reaction

Precautionary statements (GHS-US) : P210 - Keep away from heat,sparks,open flames,hot surfaces. - No smoking

P211 - Do not spray on an open flame or other ignition source P251 - Pressurized container: Do not pierce or burn, even after use

P261 - Avoid breathing dust,fume,gas,mist,vapor spray

P272 - Contaminated work clothing must not be allowed out of the workplace P280 - Wear protective gloves,protective clothing,eye protection,face protection

P302+P352 - If on skin: Wash with plenty of soap and water

P321 - Specific treatment: See section 4.1 on SDS

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention

P363 - Wash contaminated clothing before reuse

P370+P378 - In case of fire: See Section 5.1 Extinguishing Media P403+P235 - Store in a well-ventilated place. Keep cool

P410+P403 - Protect from sunlight. Store in a well-ventilated place P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F P501 - Dispose of contents/container to appropriate waste disposal facility, in accordance with

local, regional, national, international regulations.

#### 2.3. Other hazards

Other hazards not contributing to the : Contains gas under pressure; may explode if heated. classification

## 2.4. Unknown acute toxicity (GHS US)

No data available

14/07/2015 EN (English US) 1/7

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

## **SECTION 3: Composition/information on ingredients**

#### 3.1. Substance

Not applicable

#### 3.2. Mixture

Name	Product identifier	%	Classification (GHS-US)
Distillates, Hydrotreated Light	(CAS No) 64742-47-8	>= 80	Flam. Liq. 3, H226 Asp. Tox. 1, H304
D-Limonene	(CAS No) 5989-27-5	< 10	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

The exact percentage is a trade secret.

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

advice (show the label where possible).

First-aid measures after inhalation : Cough. Allow victim to breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Wash with plenty of soap and water. If skin irritation or rash occurs: Get

medical advice/attention. Specific treatment: See section 4.1 on SDS. Wash contaminated clothing before reuse.

First-aid measures after eye contact : Direct contact with the eyes is likely to be irritating. Rinse immediately with plenty of water.

Obtain medical attention if pain, blinking or redness persist.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation : Shortness of breath. May cause an allergic skin reaction.

#### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

## **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

### 5.2. Special hazards arising from the substance or mixture

Fire hazard : Extremely flammable aerosol. Combustible liquid.

Explosion hazard : Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of

burns and injuries. May form flammable/explosive vapor-air mixture.

## 5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire-fighting water from entering environment. DO NOT fight fire when fire

reaches explosives. Evacuate area.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

Other information : Aerosol level 3.

#### **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

General measures : No open flames. No smoking. Isolate from fire, if possible, without unnecessary risk. Remove

ignition sources. Use special care to avoid static electric charges.

#### 6.1.1. For non-emergency personnel

Protective equipment : Safety glasses. Gloves.

Emergency procedures : Evacuate unnecessary personnel.

#### 6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

## 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

14/07/2015 EN (English US) 2/7

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 6.3. Methods and material for containment and cleaning up

For containment : Contain released substance, pump into suitable containers. Dam up the liquid spill. Plug the

leak, cut off the supply.

Methods for cleaning up : Store away from other materials.

#### 6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

#### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Additional hazards when processed

: Hazardous waste due to potential risk of explosion. Pressurized container: Do not pierce or burn, even after use. Handle empty containers with care because residual vapors are flammable. Keep away from heat,sparks,open flames,hot surfaces. - No smoking.

Precautions for safe handling

: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. Do not spray on an open flame or other ignition source. No open flames. No smoking. Avoid breathing dust,fume,gas,mist,vapor spray.

Hygiene measures

Wash affected areas thoroughly after handling. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Remove contaminated clothes. Separate working clothes from town clothes. Launder separately. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.

#### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures

: Proper grounding procedures to avoid static electricity should be followed.

Storage conditions

: Keep only in the original container in a cool, well ventilated place away from : Keep container closed when not in use. Do not expose to temperatures exceeding 50 °C/ 122 °F. Keep in fireproof place.

: Strong bases. Strong acids.

Incompatible products Incompatible materials

Sources of ignition. Direct sunlight. Heat sources.

Storage area : Store in a well-ventilated place.

### 7.3. Specific end use(s)

Follow Label Directions.

## **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

#### 8.2. Exposure controls

Appropriate engineering controls : Ensure good ventilation of the work station. Local exhaust venilation, vent hoods.

Personal protective equipment : Gloves. Safety glasses. Avoid all unnecessary exposure.





Hand protection : Wear protective gloves.

Eye protection : Chemical goggles or safety glasses.

Skin and body protection : Wear suitable protective clothing.

Respiratory protection : Wear appropriate mask.

Other information : Do not eat, drink or smoke during use.

#### **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state : Gas

Appearance : Clear, colorless liquid.

Color : Colourless.
Odor : Orange.

Odor threshold : No data available pH : No data available Relative evaporation rate (butyl acetate=1) : No data available Melting point : No data available Freezing point : No data available Boiling point : No data available No data available

14/07/2015 EN (English US) 3/7

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

: 77 °C Flash point

Auto-ignition temperature : No data available Decomposition temperature No data available Flammability (solid, gas) : No data available

: 0.17 mm Hg @ 20 deg C Vapor pressure

Relative vapor density at 20 °C : No data available

Relative density 0.782

Solubility Poorly soluble in water. Log Pow : No data available Log Kow : No data available · No data available Viscosity, kinematic Viscosity, dynamic No data available : No data available Explosive properties Oxidizing properties : No data available **Explosion limits** : No data available

9.2. Other information

VOC content : 7.5 %

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No additional information available

#### **Chemical stability**

Extremely flammable aerosol. Contains gas under pressure; may explode if heated. Extreme risk of explosion by shock, friction, fire or other sources of ignition. Combustible liquid. May form flammable/explosive vapor-air mixture.

#### Possibility of hazardous reactions

Not established.

#### **Conditions to avoid** 10.4.

Direct sunlight. Extremely high or low temperatures. Heat. Sparks. Open flame. Overheating.

## Incompatible materials

Strong acids. Strong bases.

#### 10.6. **Hazardous decomposition products**

Toxic fume. . Carbon monoxide. Carbon dioxide. May release flammable gases.

## **SECTION 11: Toxicological information**

#### Information on toxicological effects 11.1.

Acute toxicity : Not classified

D-Limonene (5989-27-5)	
LD50 oral rat	4400 mg/kg body weight (Rat; OECD 423: Acute Oral Toxicity – Acute Toxic Class Method; Literature study; > 2000 mg/kg bodyweight; Rat; Read-across)
LD50 dermal rabbit	> 5000 mg/kg body weight (Rabbit; Weight of evidence; Equivalent or similar to OECD 402)

Skin corrosion/irritation : Not classified Serious eye damage/irritation : Not classified

: May cause an allergic skin reaction. Respiratory or skin sensitization

Germ cell mutagenicity Not classified Not classified Carcinogenicity

Specific target organ toxicity (repeated

3 IARC group Reproductive toxicity : Not classified Specific target organ toxicity (single exposure) : Not classified

exposure)

Aspiration hazard : Not classified

Potential Adverse human health effects and

symptoms

: Based on available data, the classification criteria are not met.

: Not classified

Symptoms/injuries after inhalation : Shortness of breath. May cause an allergic skin reaction.

14/07/2015 EN (English US) 4/7

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

## **SECTION 12: Ecological information**

### 12.1. Toxicity

D-Limonene (5989-27-5)	
LC50 fish 1	720 μg/l (LC50; OECD 203: Fish, Acute Toxicity Test; 96 h; Pimephales promelas; Flow-through system; Fresh water; Experimental value)
EC50 Daphnia 1	0.36 mg/l (EC50; OECD 202: Daphnia sp. Acute Immobilisation Test; 48 h; Daphnia magna; Static system; Fresh water; Experimental value)
Threshold limit algae 1	150 mg/l (EC50; OECD 201: Alga, Growth Inhibition Test; 72 h; Desmodesmus subspicatus; Static system; Fresh water; Read-across)

#### 12.2. Persistence and degradability

CITRASTAT RX ORANGE 7 OZ.	
Persistence and degradability	Not established.
D-Limonene (5989-27-5)	
Persistence and degradability	Readily biodegradable in water. Forming sediments in water. Adsorbs into the soil.
ThOD	3.29 g O <sub>2</sub> /g substance

#### 12.3. Bioaccumulative potential

2.3. Bioaccumulative potential	
CITRASTAT RX ORANGE 7 OZ.	
Bioaccumulative potential	Not established.
D-Limonene (5989-27-5)	
BCF fish 1	864.8 - 1022 (BCF; Pisces)
Log Pow	4.38 (Experimental value; OECD 117: Partition Coefficient (n-octanol/water), HPLC method; 37 °C)
Bioaccumulative potential	Potential for bioaccumulation (4 ≥ Log Kow ≤ 5).

#### 12.4. Mobility in soil

D-Limonene (5989-27-5)	
Log Koc	Koc,SRC PCKOCWIN v2.0; 1120 - 6324; QSAR

#### 12.5. Other adverse effects

Other information : Avoid release to the environment

#### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Waste disposal recommendations

Dispose in a safe manner in accordance with local/national regulations. Container under pressure. Do not drill or burn even after use. Dispose of contents/container to appropriate waste disposal facility, in accordance with local, regional, national, international regulations.

Additional information

Flammable vapors may accumulate in the container. Handle empty containers with care because residual vapors are flammable.

Ecology - waste materials : Avoid release to the environment.

## **SECTION 14: Transport information**

In accordance with ADR / RID / IMDG / IATA / ADN

US DOT (ground): UN1950, Aerosols, 2.1, Limited Quantity ICAO/IATA (air): UN1950, Aerosols, 2.1, Limited Quantity IMO/IMDG (water): UN1950, Aerosols, 2.1, Limited Quantity

Special Provisions: N82 - See 173.306 of this subchapter for classification criteria for flammable aerosols.

## 14.2. UN proper shipping name

Proper Shipping Name (DOT) : Aerosols

flammable, (each not exceeding 1 L capacity)

Transport hazard class(es) (DOT) : 2.1 - Class 2.1 - Flammable gas 49 CFR 173.115

Hazard labels (DOT) : 2.1 - Flammable gas



DOT Special Provisions (49 CFR 172.102) : N82 - See 173.306 of this subchapter for classification criteria for flammable aerosols.

DOT Packaging Exceptions (49 CFR 173.xxx) : 306
DOT Packaging Non Bulk (49 CFR 173.xxx) : None

14/07/2015 EN (English US) 5/7

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Packaging Bulk (49 CFR 173.xxx) : None

14.3. Additional information

Other information : No supplementary information available.

#### **Overland transport**

No additional information available

Transport by sea

DOT Vessel Stowage Location : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a

passenger vessel.

DOT Vessel Stowage Other : 25 - Shade from radiant heat,87 - Stow "separated from" Class 1 (explosives) except Division

14,126 - Segregation same as for Class 9, miscellaneous hazardous materials

Air transport

DOT Quantity Limitations Passenger aircraft/rail : 75 kg

(49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49 : 150 kg

CFR 175.75)

## **SECTION 15: Regulatory information**

#### 15.1. US Federal regulations

CITRASTAT RX ORANGE 7 OZ.	
SARA Section 311/312 Hazard Classes	Fire hazard Immediate (acute) health hazard Sudden release of pressure hazard

## D-Limonene (5989-27-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

#### 15.2. International regulations

#### **CANADA**

CITRASTAT RX ORANGE 7 OZ.		
WHMIS Classification	Class B Division 5 - Flammable Aerosol	
D-Limonene (5989-27-5)		
Listed on the Canadian DSL (Domestic Sustances List)		
WHMIS Classification	Class B Division 3 - Combustible Liquid Class D Division 2 Subdivision B - Toxic material causing other toxic effects	

### **EU-Regulations**

#### D-Limonene (5989-27-5)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

#### Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

Xi; R38 R43 R10

Full text of R-phrases: see section 16

## 15.2.2. National regulations

## **CITRASTAT RX ORANGE 7 OZ.**

All components are either listed on the US TSCA Inventory, or are not regulated under TSCA under 40 CFR 720.30.

#### D-Limonene (5989-27-5)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on the Korean ECL (Existing Chemicals List)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Canadian IDL (Ingredient Disclosure List)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on INSQ (Mexican national Inventory of Chemical Substances)

Listed on Turkish inventory of chemical

14/07/2015 EN (English US) 6/7

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 15.3. US State regulations

CITRASTAT RX ORANGE 7 OZ.	
U.S California - Proposition 65 - Carcinogens List	No
U.S California - Proposition 65 - Developmental Toxicity	No
U.S California - Proposition 65 - Reproductive Toxicity - Female	No
U.S California - Proposition 65 - Reproductive Toxicity - Male	No

#### **D-Limonene (5989-27-5)** U.S. - California -U.S. - California -U.S. - California -U.S. - California -No significant risk level Proposition 65 · Proposition 65 -Proposition 65 -Proposition 65 -(NSRL) Carcinogens List **Developmental Toxicity** Reproductive Toxicity -Reproductive Toxicity -Female Male

No

No

## **SECTION 16: Other information**

Other information : None.

No

Full text of H-phrases:

No

At Of Figure 365.	
Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment - Chronic Hazard Category 1
Asp. Tox. 1	Aspiration hazard Category 1
Compressed gas	Gases under pressure Compressed gas
Flam. Aerosol 1	Flammable aerosol Category 1
Flam. Liq. 3	Flammable liquids Category 3
Flam. Liq. 4	Flammable liquids Category 4
Skin Irrit. 2	Skin corrosion/irritation Category 2
Skin Sens. 1	Skin sensitization Category 1
H222	Extremely flammable aerosol
H226	Flammable liquid and vapor
H227	Combustible liquid
H280	Contains gas under pressure; may explode if heated
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects

NFPA health hazard : 1 - Exposure could cause irritation but only minor residual


injury even if no treatment is given.

2 - Must be moderately heated or exposed to relatively high NFPA fire hazard

temperature before ignition can occur.

NFPA reactivity : 0 - Normally stable, even under fire exposure conditions,

and are not reactive with water.



## **HMIS III Rating**

: 1 Slight Hazard - Irritation or minor reversible injury possible Health

Flammability : 2 Moderate Hazard : 1 Slight Hazard Physical : B

Personal Protection

SDS US (GHS HazCom 2012) - TCC

The Supplier identified in Section 1 of this MSDS has evaluated this product and certifies it to be labeled and packaged in compliance with the applicable provisions of the Federal Hazardous Substance Act as stated in 16 CFR 1500 and enforced by the Consumer Product Safety Commission, and where applicable the products that require Child Resistant Closures are packaged in accordance with the Poison Prevention Packaging Act as stated in 16 CFR 1700 and enforced by the Consumer Product Safety Commission. All closures have been tested in accordance with the latest protocols. No other testing is required to certify compliance with the above. The date of manufacture is stamped on the product

Disclaimer: The information and recommendations contained herein are based upon tests believed to be reliable. However, the manufacturer/distributor of this product does not guarantee their accuracy or completeness NOR SHALL ANY OF THIS INFORMATION CONSTITUTE A WARRANTY, WHETHER EXPRESSED OR IMPLIED, AS TO THE SAFETY OF THE GOODS, THE MERCHANTABILITY OF THE GOODS, OR THE FITNESS OF THE GOODS FOR A PARTICULAR PURPOSE. Adjustment to conform to actual conditions of usage may be required. The manufacturer/distributor assumes no responsibility for results obtained or for incidental or consequential damages, including lost profits, arising from the use of these data. No warranty against infringement of any patent, copyright or trademark is made or implied.

14/07/2015 EN (English US) 7/7