SAFETY DATA SHEETS

This SDS packet was issued with item: 073851458

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

073851375 073851391 073851417 073851441 073851474

The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).

073851409

Material Safety Data Sheet May be used to comply with	U.S. Department of Labor Occupational Safety and Health				
Administration			occupationa	. Satury and mouth	
OSHA's Hazard Communication St	(Non-Mandatory Form)				
29 CFR 1910.1200. Standard must			Form Approv		
consulted for specific requirements.		MOTE: DI	OMB No. 12		
DENTITY (As Used on Label and Lis		NOTE: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space			
Gentle Etch Etching Gel	must be marked to indicate that.				
Section I					
Manufacturer's Name	Emergency Telephone Number				
Temrex Corporation	(800) 645-1226				
Address (Number, Street, City, State,	Telephone Number for Information				
112 Albany Avenue		(516) 868	21313331313231		
D.O. D. 100		Date Prepa			
P.O. Box 182		January		no <i>l</i>)	
Europet NW 11500		Signature	of Preparer (option	121)	
Freeport, NY 11520		-			
Section II – Hazardous Ingredients/Iden	atity Information				
Section II - nazardous ingredients/ruer	inty momation			Other Limits	
Hazardous Components (Specific Chemi	cal Identity: Comr	non Name(s))	OSHA PEL	ACGIH TLV	
Recommended %(optional)					
Phosphoric Acid	N	V/A N/	A N/A	N/A	
Phosphoric Acid		14	<u>a</u> 19/6	11/14	
Section III – Physical/Chemical Charact	eristics				
Section III – Physical/Chemical Charact Boiling Point	eristics	Spe	ecific Gravity (H2O =	1)	
Section III – Physical/Chemical Charact Boiling Point Above 80°C	eristics		ca	<i>1)</i> 1.25	
Boiling Point	eristics				
Boiling Point Above 80°C Vapor Pressure (mm Hg.)	eristics	Me	ca elting Point	1.25	
Boiling Point Above 80°C Vapor Pressure (mm Hg.) Vapor Density (AIR = 1)	eristics	Me	ca	1.25	
Boiling Point Above 80°C Vapor Pressure (mm Hg.)	eristics	Me	ca elting Point	1.25	
Boiling Point Above 80°C Vapor Pressure (mm Hg.) Vapor Density (AIR = 1) N/A Solubility in Water		Me	ca elting Point	1.25	
Boiling Point Above 80°C Vapor Pressure (mm Hg.) Vapor Density (AIR = 1) N/A	Sc	Eva bluble.	ca elting Point	1.25	
Boiling Point Above 80°C Vapor Pressure (mm Hg.) Vapor Density (AIR = 1) N/A Solubility in Water Appearance and Odor	Sc Blue go	Me Eva	ca elting Point	1.25	
Boiling Point Above 80°C Vapor Pressure (mm Hg.) Vapor Density (AIR = 1) N/A Solubility in Water Appearance and Odor Section IV – Fire and Explosion Hazard	Sc Blue go Data	Dluble.	ca elting Point	1.25	
Boiling Point Above 80°C Vapor Pressure (mm Hg.) Vapor Density (AIR = 1) N/A Solubility in Water Appearance and Odor	So Blue go Data Flammable Li	Dluble.	ca elting Point aporation Rate (But)	1.25 // Acetate = 1)	
Boiling Point Above 80°C Vapor Pressure (mm Hg.) Vapor Density (AIR = 1) N/A Solubility in Water Appearance and Odor Section IV – Fire and Explosion Hazard Flash Point (Method Used)	So Blue go Data Flammable Li	Dluble.	ca elting Point aporation Rate (But)	1.25 // Acetate = 1)	
Boiling Point Above 80°C Vapor Pressure (mm Hg.) Vapor Density (AIR = 1) N/A Solubility in Water Appearance and Odor Section IV – Fire and Explosion Hazard Flash Point (Method Used) N/A Extinguishing Media	Sc Blue go Data Flammable Li N	Dluble.	ca elting Point aporation Rate (But)	1.25 // Acetate = 1)	
Boiling Point Above 80°C Vapor Pressure (mm Hg.) Vapor Density (AIR = 1) N/A Solubility in Water Appearance and Odor Section IV – Fire and Explosion Hazard Flash Point (Method Used) N/A	Sc Blue go Data Flammable Li N	Dluble. el; no odor. mits /A N/A	ca elting Point aporation Rate (But)	1.25 // Acetate = 1)	
Boiling Point Above 80°C Vapor Pressure (mm Hg.) Vapor Density (AIR = 1) N/A Solubility in Water Appearance and Odor Section IV – Fire and Explosion Hazard Flash Point (Method Used) N/A Extinguishing Media	Sc Blue go Data Flammable Li N	Dluble. el; no odor. mits /A	ca elting Point aporation Rate (But)	1.25 // Acetate = 1)	
Boiling Point Above 80°C Vapor Pressure (mm Hg.) Vapor Density (AIR = 1) N/A Solubility in Water Appearance and Odor Section IV – Fire and Explosion Hazard Flash Point (Method Used) N/A Extinguishing Media	Sc Blue go Data Flammable Li N	Dluble. el; no odor. mits /A N/A	ca elting Point aporation Rate (But)	1.25 // Acetate = 1)	
Boiling Point Above 80°C Vapor Pressure (mm Hg.) Vapor Density (AIR = 1) N/A Solubility in Water Appearance and Odor Section IV – Fire and Explosion Hazard Flash Point (Method Used) N/A Extinguishing Media	Sc Blue go Data Flammable Li N Non-F	Dluble. el; no odor. mits /A N/A	ca elting Point aporation Rate (But)	1.25 // Acetate = 1)	

Page 1

(Reproduce Locally) 1985 OSHA 174, Sept.

Section V – Reacti			Conditions to Avoid		
tability	Unstable				
	Stable				
ncompatibility (M	faterials to Avoid)	X			
icompationicy (iv		AI	caline materials; metals.		
lazardous Decom	position or Byproduct	s	None		
Hazardous Polymerization	May Occur		Conditions to Avoid		
	Will Not Occur	x			
ection VI - Healt	h Hazard Data				
	olution of sodium bicar		on? Skin . If not available, take milk nmediately with copious an	. Do not induce	Ingestion?
lealth Hazards (A	if skin is damaged or j cute and Chronic) to tissue on contact.				_
Carcinogenicity:	NTP?		IARC Monographs?		OSHA Regulated?
	N/A		N/A	N/A	
igns and Sympto	States and share an end of the state of the	kin ind			
Medical Condition	s Generally Aggravate	kin irri			
redical condition	is denerally Appravate	u sy L	None known.		
Emergency and Fi	rst Aid Procedures				
Section VII – Prec	autions for Safe Handl	ing and	Use		
Steps to Be Taken	in Case Material is Re	leased	or Spilled		
		_	N/A		
Waste Disposal N	lethod				
Precautions to Be	Taken in Handling and Routine pr		g ns applicable to acids.		
Other Precaution	S		s amounts of water.		
Section VIII – Con	trol Measures				
Respiratory Prote	ection (Specify Type)				
(anthilation	None required. Local Exhaust Special				
Venthilation	Local Exhaust		Sp	cuai	
	Mechanical (Gene	eral)	Ot	her	
Protective Gloves Not required if used according to directions.				Eye Protection Not required if used accordingly.	
	Clothing or Equipment				0.
			None required.		
Work/Hygienic P		ontact	with chip or mucoco, work	immediately	
	In case of (ontact	with skin or mucosa, wash	mineulately.	

Page 2

* U.S.G.P.O.: 1966 - 491 -

529/45775



PRODUCT # 7200, GENTLE ETCH

SECTION 1: IDENTIFICATION

PRODUCT NAME: 12 GRAM BLUE GEL ETCH SYRINGE

COMMON/CHEMICAL NAME: BLUE, 10%, PHOSPHORIC ACID ETCHING GEL

RECOMMENDED USE: DENTAL MATERIAL

MANUFACTURED BY: TEMREX CORPORATION, 300 BUFFALO AVE., FREEPORT, NY 11520

EMERGENCY TELEPHONE: 800-645-1226

GENERAL INFORMATION: +1 516 868 6221

SECTION 2: HAZARDS IDENTIFICATION

HAZARD CLASSIFICATION: FOR POTENTIAL HEALTH HAZARDS, SEE SECTION 11 BELOW

No other significant critical hazards to man or the environment are reasonably foreseen



SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

CHEMICAL NAME/COMMON NAME: GREEN, 33% PHOSPHORIC ACID ETCHING GEL

PRODUCT CONTENTS: ENAMEL CONDITIONER

HAZARDOUS INGREDIENTS: PHOSPHORIC ACID SOLUTION (SEE BELOW)

PHOSPHORIC ACID SOLUTION	HAZARDOUS SCALE	HAZARDOUS DATA
PROPER SHIPPING NAME: ABOVE	4 - EXTREME	HEALTH: 2
CAS: 7664-38-2	3 - HIGH	FLAMMABILITY: 0
UN DESIGNATION: UN1805	2 - MODERATE	REACTIVITY: 2
CLASS: 8, CORROSIVE	1 - SLIGHT	
PACKING GROUP: III	0 - INSIGNIFICANT	

SECTION 4: FIRST AID MEASURES

INHALATION: NO HARM ANTICIPATED FROM QUANTITIES AS PACKAGED

SKIN: RINSE WITH WATER, PROLONGED CONTACT MAY DESTROY TISSUE. SEEK MEDICAL ATTENTION IN CASE OF SERIOUS IRRITATION OR BURNS.

EYES: IMMEDIATELY RINSE WITH COPIOUS AMOUNTS OF WATER. SEEK MEDICAL ATTENTION AS SOON AS POSSIBLE.

INGESTION: CORROSIVE TO MOUTH AND THROAT – DO NOT INDUCE VOMITIN. SERVE MILK IF AVAILABLE OR SODIUM CARBONATE SOLUTION

PAGE 1 OF 4



SECTION 5: FIRE-FIGHTING MEASURES

SUITABLE EXTINGUISHING MEDIA: WATER CONTACT ACCEPTABLE EXTINGUISHING MEDIA WHICH SHOULD NOT BE USED: NONE SPECIAL EXPOSURE HAZARDS FROM COMBUSTION PRODUCTS: NONE IN QUANTITIES AS PACKAGED SPECIAL PROTECTIVE EQUIPMENT FOR FIRE FIGHTERS: NONE

SECTION 6: ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS AND EMERGENCY PROCEDURES: Avoid contact of skin or eyes. Wash hands with soap and water if contact occurs

ENVIRONMENTAL PRECAUTIONS AND METHODS FOR CONTAINMENT: DISPOSE IN DOT APPROVEDWASTE CONTAINERS

METHODS FOR CLEANING UP: DILUTE WITH LARGE AMOUNTS OF WATER AND DISPOSE

SECTION 7: HANDLING AND STORAGE

HANDLING PRECAUTIONS: AVOID PROXIMITY OF REACTIVE METALS AND ALKALINE SUBSTANCES

SAFE STORAGE CONDITIONS: STORE AT TEMPERATURES NOT EXCEEDING 83 DEGREES FAHRENHEIT (30 DEGREES CELSIUS)

OTHER RESTRICTIONS OR RECOMMENDATIONS: NONE

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

OSHA PERMISSIBLE EXPOSURE LIMITS: NOT ESTABLISHED

RESPIRATORY PROTECTION AND VENTILATION: NOT REQUIRED UNDER NORMAL HANDLING

PROTECTIVE CLOTHING OR EQUIPMENT: NOT REQUIRED

UNUSUAL WORK/HYGIENIC PRACTICES: IF CONTACT WITH SKIN OR EYES OCCURS, WASH IMMEDIATELY WITH COPIOUS AMOUNTS OF WATER

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: BLUE GEL

ODOR: NEGLIGIBLE

ODOR THRESHOLD: NOT ESTABLISHED

pH: 1

MELTING POINT/FREEZING POINT: NOT APPLICABLE

INITIAL BOILING POINT AND BOILING RANGE: 100 DEGREES CELSIUS

FLASH POINT: NOT APPLICABLE

EVAPORATING RATE: NOT ESTABLISHED

FLAMMABILITY (SOLID,GAS): NO

PAGE 2 OF 4



UPPER/LOWER FLAMMABILITY OR EXPLOSIVE LIMITS: NOT APPLICABLE

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES (con't)

VAPOR PRESSURE: < 760 mmHg at 100 degrees celsius

VAPOR DENSITY: <1

RELATIVE DENSITY: ~1.2

SOLUBILITY: SOLUBLE IN WATER

PARTITION CO-EFFICIENT: NOT ESTABLISHED

AUTO-IGNITION TEMPERATURE: NOT APPLICABLE

DECOMPOSITION TEMPERATURE: NOT ESTABLISHED

VISCOSITY: NOT ESTABLISHED

SECTION 10: STABILITY AND REACTIVITY

STABILITY: GENERALLY STABLE

CONDITIONS TO AVOID (STABILITY): NOT APPLICABLE

INCOMPATIBILITY (MATERIAL TO AVOID): REACTIVE METALS, ALKALINE SUBSTANCES

HAZARDOUS DECOMPOSITION OR BY-PRODUCTS: PHOSPHORIC ACID VAPORS AND PHOSPHORIC OXIDES, IF EXPOSED TO EXTREME HEAT

HAZARDOUS POLYMERIZATION: NOT APPLICABLE

CONDITIONS TO AVOID (POLYMERIZATION): AVOID TEMPERATURE ABOVE 83 DEGREES FAHRENHEIT (30 DEGREES CELSIUS)

SECTION 11: TOXICOLOGICAL INFORMATION

POTENTIAL ACUTE HEALTH EFFECTS: EYE AND SKIN IRRITATION UPON CONTACT. SKIN IRRITATION UPON PROLONGED EXPOSURE.

POTENTIAL CHRONIC HEALTH EFFECTS: POSSIBILITY OF SEVERE SKIN/EYE DAMAGE UPON PROLONGED OR REPEAT EXPOSURE

SIGNS AND SYMPTOMS OF EXPOSURE: SKIN/EYE IRRITATION

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: NONE KNOWN

CARCINOGENIC OR POTENTIAL CARCINOGENIC EFFECTS: NO INGREDIENT LISTED AS CARCINOGEN

OTHER POTENTIAL HEALTH EFFECTS: NONE KNOWN

SECTION 12: ECOLOGICAL INFORMATION

ECOLOGICAL INFORMATION: NO ECOLOGICAL DAMAGE OR IMPACT ANTICIPATED UPON EXPOSURE TO ENVIRONMENT, IN QUANTITIES AS PACKAGED.

SECTION 13: DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD: DO NOT DISPOSE IN SINK. DISPOSE IN ACCORDANCE WITH ALL FEDERAL, STATE AND LOCAL REGULATIONS.

PAGE 3 OF 4



SECTION 14: TRANSPORT INFORMATION

UN CLASSIFICATION: NOT APPLICABLE

IDENTIFICATION: NOT APPLICABLE

SPECIAL PROVISIONS FOR TRANSPORT: SEE CURRENT DANGEROUS GOODS REGULATIONS

SECTION 15: REGULATORY INFORMATION

US FDA DENTAL DEVICE: CLASS II PRODUCT

EC MEDICAL DEVICE DIRECTIVE: CLASS IIA PRODUCT

SECTION 16: OTHER INFORMATION

SOME OF THE INFORMATION PRESENTED AND CONCLUSIONS DRAWN HEREIN ARE FROM SOURCES OTHER THAN DIRECT TEST DATA ON THE PRODUCT ITSELF. THE INFORMATION FROM THIS SDS WAS OBTAINED FROM SOURCES OTHER THAN DIRECT TEST DATA ON THE PRODUCT ITSELF. THE INFORMATION IN THIS SDS WAS OBTAINED FROM SOURCES THAT WE BELIEVE ARE RELIABLE. HOWEVER, THE INFORMATION IS PROVIDED WITHOUT ANY WARRANTY, EXPRESS OR IMPLIED, REGARDING ITS CORRECTNESS. THE CONDITIONS OR METHOD OF HANDLING, STORAGE, USE AND DISPOSAL OF THE PRODUCT ARE BEYOND OUR CONTROL AND MAYBE BEYOND OUR KNOWLEDGE. FOR THIS AND OTHER REASONS, WE DO NOT ASSUME RESPONSIBILITY AND EXPRESSLY DISCLAIM LIABILITY FOR LOSS, DAMAGE OR EXPENSE ARISING OUT OF, OR IN ANY WAY CONNECTED WITH THE HANDLING, STORAGE, USE OR DISPOSAL OF THE PRODUCT. IF THE PRODUCT IS USED AS A COMPONENT IN ANOTHER PRODUCT OR USED IN A WAY OTHER THAN RECOMMENDED BY THE COMPANY, THIS SDS INFORMATION MAY NOT BE APPLICABLE.

SDS APPROVED BY: HABIB LAFIR, REGULATORY AFFAIRS SPECIALIST

PAGE 4 OF 4