SAFETY DATA SHEETS

This SDS packet was issued with item:

073851490

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

073851482 073851508 073851524

The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).

073851565

Material Safety Data Sheet	U.S. Department of Labor		
May be used to comply with	Occupational Safety and Health		
Administration			
OSHA's Hazard Communication Standard,	(Non-Mandatory Form)		
29 CFR 1910.1200. Standard must be	Form Approved		
consulted for specific requirements.	OMB No. 1218-0072		
IDENTITY (As Used on Label and List)	NOTE: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space		
Interface Light Cured Cavity Liner	must be marked to indicate that.		
Section I			
Manufacturer's Name	Emergency Telephone Number		
Temrex Corporation	(800) 645-1226		
Address (Number, Street, City, State, and ZIP Code)	Telephone Number for Information		
112 Albany Avenue	(516) 868-6221		
	Date Prepared		
P.O. Box 182	January 24, 2011		
Freeport, NY 11520	Signature of Preparer (optional)		
FIEepoit, 141 11020			

Section II – Hazardous Ingredients	/Identity Information
------------------------------------	-----------------------

	adus ingredients/identity information		Other Limits
Hazardous Components (Specific Chemical Identity: Common Name(s))		OSHA PEL	ACGIH TLV
Recommended	%(optional)		

None listed.

Specific Gravity (H2 Melting Point Evaporation Rate (B luble.	N/A N/A Butyl Acetate = 1) N/A
Melting Point Evaporation Rate (B luble. pecific odor.	N/A N/A Butyl Acetate = 1) N/A
Evaporation Rate (B luble. pecific odor.	Butyl Acetate = 1) N/A
luble.	N/A
pecific odor.	1
151	
151	
LEL N/A	UEL N/A
are all acceptable.	
	are all acceptable. ocedure.

Page 1

(Reproduce Locally) 1985 OSHA 174, Sept.

Obtained by Global Safety Management, Inc. www.globalsafetynet.com (Tel: 1-813-435-5161)

Section V – Reactiv Stability	Unstable	Conditions to	Avoid			
cability	Unstable	Conditions to	Avoid			
	Stable	Avoid exposu	re to elevated temperatur	es and high intensity light.		
		x				
ncompatibility (Me	aterials to Avoid)					
		adical initiator, whe	en stored in bulk.			
azardous Decomp	position or Byproducts					
terra and anno		None				
lazardous olymerization	May Occur	Conditions to	Avoid			
orymenzacion	Will Not Occur	Avoid extrem	e temperature or light wh	en stored in hulk		
	Win Not Occur	x	ie temperature of light with	ien stored in buik.		
ection VI – Health	Hazard Data					
Route(s) of Entry:	Inha	lation?	Skin?	Ingestion?		
	N/	A	Yes	Yes		
kin: Wash with co	pious amounts of water.	Eyes: Flush with	copious amounts of water			
ngestion: Acute to	oxic effects are unlikely.					
lealth Hazards (Ac						
	SW230172 SU039254	None known.				
Carcinogenicity:	NTP?	IARC I	Monographs?	OSHA Regulated?		
	N/A	N/A		N/A		
Signs and Sympton	ns of Exposure					
		None known.				
		None known.				
Emergency and Fir	st Aid Procedures	None				
Section VII – Preca	utions for Safe Handling					
	in Case Material is Relea					
	Wipe up; i	ncinerate large qua	antities.			
Waste Disposal Me						
		irge quantities are	involved.			
Precautions to Be	Taken in Handling and St					
	Avoid prolonged exposi	ure to temperature	es above 30°C and light.			
Other Precautions		None				
Section VIII - Cont	rol Measures	None				
	ction (Specify Type)					
		Not requir	ed.			
Venthilation	Local Exhaust		Special			
A CONTRACTOR OF THE	and the second second	N/A		N/A		
	Mechanical (General		Other			
	Consectioners and a state and	N/A		N/A		
Protective Gloves			Eye Protection	Eye Protection		
	only when working with	bulk quantities.	Only w	vith bulk quantities.		
Other Protective C	Clothing or Equipment					
		required under no	ormal handling.			
Work/Hygienic Pra				dimeter.		
	Avoid contact with skin		immediately with soap ar	nd water.		
		Page 2				

Page 2

* U.S.G.P.O.: 1966 - 491 -

529/45775