SAFETY DATA SHEETS

This SDS packet was issued with item: 074132403

N/A

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date: 6 August 2020

Revision: 6 August 2020

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

Trade name: BROWN ALUMINUM OXIDE GRAINS (#4-240)

· Other means of identification: No other identifiers

1.2 Relevant identified uses of the substance or mixture and uses advised against

Application of the substance / the mixture: Industrial uses.

· Uses advised against: No further relevant information available.

1.3 Details of the supplier of the Safety Data Sheet

Manufacturer/Supplier: K.C. Abrasive Company 3140 Dodge Road Kansas City, KS 66115 Phone: (913) 342-2900

1.4 Emergency telephone number:

ChemTel Inc. (800)255-3924 (North America) +1 (813)248-0585 (International)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

The product is not classified as hazardous according to OSHA GHS regulations within the United States. The product is not classified as hazardous according to the Globally Harmonized System (GHS).

The product is not classified as hazardous according to the CLP regulation.

• Additional information:

Product has less than 0.1% inhalable dust containing known and/or suspect carcinogens per established guidelines, and is therefore not classifiable as a carcinogen.

[•] 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

The product is not classified as hazardous according to OSHA GHS regulations within the United States. This product does not have a classification according to the CLP regulation.

- Hazard pictograms Not Regulated
- · Signal word Not Regulated
- · Hazard statements Not Regulated.
- · Precautionary statements Not Regulated.
- Additional information:

Safety data sheet available on request.

• **2.3 Other hazards** There are no other hazards not otherwise classified that have been identified.

• Results of PBT and vPvB assessment

• **PBT:** Not applicable.

vPvB: Not applicable.

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date: 6 August 2020

Revision: 6 August 2020

Trade name: BROWN ALUMINUM OXIDE GRAINS (#4-240)

(Cont'd. from page 1)

3.2 Mixtures				
· Components:				
CAS: 1344-28-1 EINECS: 215-691-6 Reg.nr.: 01-2119529248-35-XXXX	aluminium oxide substance with a Community workplace exposure limit	>90%		
CAS: 13463-67-7 EINECS: 236-675-5 Reg.nr.: 01-2119489379-17-XXXX	titanium dioxide Carc. 2, H351	<5%		
CAS: 7631-86-9 EINECS: 231-545-4 Reg.nr.: 01-2119379499-16-XXXX	silicon dioxide substance with a Community workplace exposure limit	<1%		
CAS: 1309-37-1 EINECS: 215-168-2 Reg.nr.: 01-2119457614-35-XXXX	Red Iron Oxide substance with a Community workplace exposure limit	<1%		

dioxide note that the substance must be respirable.

For the listed ingredient(s), the identity and/or exact percentages are being withheld as a trade secret. For the wording of the listed Hazard Statements refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact:
- Brush off loose particles from skin.
- Wash with soap and water.
- If skin irritation is experienced, consult a doctor.
- After eye contact:
- Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

- 4.2 Most important symptoms and effects, both acute and delayed
- Slight irritant effect on eyes.

Gastric or intestinal disorders when ingested.

Nausea in case of ingestion.

• **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

(Cont'd. on page 3)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date: 6 August 2020

Revision: 6 August 2020

Trade name: BROWN ALUMINUM OXIDE GRAINS (#4-240)

(Cont'd. from page 2)

[•] 5.1 Extinguishing media

· Suitable extinguishing agents:

The product is not flammable.

Use fire extinguishing methods suitable to surrounding conditions.

· For safety reasons unsuitable extinguishing agents: None.

5.2 Special hazards arising from the substance or mixture

No further relevant information available.

• 5.3 Advice for firefighters

Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

SECTION 6: Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures Avoid formation of dust.

For large spills, wear protective clothing.

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.

Ensure adequate ventilation

6.2 Environmental precautions No special measures required.

• 6.3 Methods and material for containment and cleaning up

Pick up mechanically.

Send for recovery or disposal in suitable receptacles.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling Prevent formation of dust.

· Information about fire - and explosion protection: No special measures required.

7.2 Conditions for safe storage, including any incompatibilities

Requirements to be met by storerooms and receptacles:

Storage area should be dry and well-ventilated.

Information about storage in one common storage facility:

Store away from foodstuffs.

Protect from humidity and water.

• 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

[•] 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

(Cont'd. on page 4)

Printing date: 6 August 2020

Revision: 6 August 2020

Trade name: BROWN ALUMINUM OXIDE GRAINS (#4-240)

1344-28-1 aluminiu	movido	(Cont'd. from page 3)
WEL (Great Britain)	Long-term value: 10* 4** mg/m ³ *inhalable dust **respirable dust	
PEL (USA)	Long-term value: 15*; 5** mg/m³ *Total dust; ** Respirable fraction	
REL (USA)	Long-term value: 10* 5** mg/m³ as Al*Total dust**Respirable/pyro powd./welding f.	
TLV (USA)	Long-term value: 1* mg/m³ as Al; *as respirable fraction	
13463-67-7 titanium	n dioxide	
	Long-term value: 10* 4** mg/m ³ *total inhalable **respirable	
PEL (USA)	Long-term value: 15* mg/m³ *total dust	
REL (USA)	See Pocket Guide App. A	
TLV (USA)	Long-term value: 10 mg/m ³ withdrawn from NIC	
7631-86-9 silicon d	ioxide	
	Long-term value: 6 mg/m ³	
OSHA PEL (USA)	Long-term value: 80 mg/m ³	
1309-37-1 Red Iron		
	Short-term value: 10* mg/m³ Long-term value: 5* 10** 4*** mg/m³ *fume (as Fe),**total respirable,***respirable	
PEL (USA)	Long-term value: 10* 15** 5*** mg/m ³ *Fume; Rouge: **Total dust, ***respirable	
REL (USA)	Long-term value: 5 mg/m³ Dust & fume, as Fe	
TLV (USA)	Long-term value: 5* mg/m³ *as respirable fraction	
The usual precaution Wash hands before Keep away from foor Avoid close or long t Avoid contact with th Respiratory protec Not required under r For large spills, resp An EU approved dus Protection of hands No chemical-protect	and hygienic measures: nary measures are to be adhered to when handling chemicals. breaks and at the end of work. dstuffs, beverages and feed. term contact with the skin. he eyes. tion: hormal conditions of use. biratory protection may be advisable. st respirator should be used for operations generating dust. s:	
		(Cont'd. on page 5

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date: 6 August 2020

Revision: 6 August 2020

Trade name: BROWN ALUMINUM OXIDE GRAINS (#4-240)

(Cont'd. from page 4)



Safety glasses

· Body protection: Protective work clothing

Limitation and supervision of exposure into the environment:

No further relevant information available.

· Risk management measures: No further relevant information available.

[•] 9.1 Information on basic physica	I and chemical properties
· Appearance	
Form:	Granulate - Non-fibrous
Colour: · Odour:	Brown Odourless
· Odour threshold:	Not determined.
 pH-value: Melting point/freezing point: 	Not applicable. 2038 °C (3.700,4 °F)
Initial boiling point and boiling range	
· Flash point:	Not applicable.
· Flammability (solid, gas):	Not determined.
· Auto/Self-ignition temperature:	Not determined.
· Decomposition temperature:	Not determined.
Explosive properties:	Product does not present an explosion hazard.
· Explosion limits	
Lower:	Not determined.
Upper:	Not determined.
• Oxidising properties	Non-oxidising.
· Vapour pressure:	Not applicable.
· Density:	
Relative density:	3,97
Vapour density:	Not applicable.
Evaporation rate:	Not applicable.
Solubility in / Miscibility with	
water:	Insoluble.
· Partition coefficient: n-octanol/wate	r: Not determined.
· Viscosity	
Dynamic:	Not applicable.
Kinematic:	Not applicable.
[•] 9.2 Other information	No further relevant information available.

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date: 6 August 2020

Revision: 6 August 2020

Trade name: BROWN ALUMINUM OXIDE GRAINS (#4-240)

(Cont'd. from page 5)

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

• Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

* 10.3 Possibility of hazardous reactions No dangerous reactions known.

10.4 Conditions to avoid Prevent formation of dust.

• **10.5 Incompatible materials** No further relevant information available.

• **10.6 Hazardous decomposition products** Toxic metal oxide smoke

SECTION 11: Toxicological information

11.1 Information on toxicological effects

• Acute toxicity: Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification: None.

· Primary irritant effect

• Skin corrosion/irritation: Slight irritant effect on skin and mucous membranes.

• Serious eye damage/irritation: Slight irritant effect on eyes.

• Respiratory or skin sensitisation: Based on available data, the classification criteria are not met.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer):

13463-67-7 titanium dioxide

• NTP (National Toxicology Program):

None of the ingredients are listed.

• OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

· Probable routes of exposure:

Ingestion.

Eye contact.

Skin contact.

• Germ cell mutagenicity: Based on available data, the classification criteria are not met.

· Carcinogenicity:

Contains known or suspect carcinogens when inhaled. Product is in non-inhalable form and is nonclassifiable as a carcinogen.

• Reproductive toxicity: Based on available data, the classification criteria are not met.

· STOT-single exposure: Based on available data, the classification criteria are not met.

• STOT-repeated exposure: Based on available data, the classification criteria are not met.

• Aspiration hazard: Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

[·] 12.1 Toxicity

(Cont'd. on page 7)

2B

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date: 6 August 2020

Revision: 6 August 2020

Trade name: BROWN ALUMINUM OXIDE GRAINS (#4-240)

(Cont'd. from page 6)

· Aquatic toxicity: Generally not hazardous for water

• 12.2 Persistence and degradability No further relevant information available.

· 12.3 Bioaccumulative potential No further relevant information available.

• **12.4 Mobility in soil** No further relevant information available.

· Additional ecological information:

· General notes:

Negative ecological effects are, according to the current state of knowledge, not expected.

12.5 Results of PBT and vPvB assessment

· PBT: Not applicable.

· **vPvB:** Not applicable.

• 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

[•] 13.1 Waste treatment methods

· Recommendation

Contact waste processors for recycling information.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

· Uncleaned packaging:

• **Recommendation:** Disposal must be made according to official regulations.

SECTION 14: Transport information		
· 14.1 UN-Number · DOT, ADR, IMDG, IATA	Not Regulated	
 14.2 UN proper shipping name DOT, ADR, IMDG, IATA 	Not Regulated	
[•] 14.3 Transport hazard class(es)		
· DOT, ADR, IMDG, IATA · Class	Not Regulated	
 14.4 Packing group DOT, ADR, IMDG, IATA 	Not Regulated	
 14.5 Environmental hazards: Marine pollutant: 	No	
¹ 14.6 Special precautions for user	Not applicable.	
 14.7 Transport in bulk according to An of Marpol and the IBC Code 	nex II Not applicable.	

(Cont'd. on page 8)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date: 6 August 2020

Revision: 6 August 2020

Trade name: BROWN ALUMINUM OXIDE GRAINS (#4-240)

(Cont'd. from page 7)

SECTION 15: Regulatory information		
 15.1 Safety or mixture United State SARA 	v, health and environmental regulations/legislation specific for the substances (USA)	anc
· Section 355	(extremely hazardous substances):	
	ngredients are listed.	
Aluminum ox	(Specific toxic chemical listings): ide listing is only relevant to fibrous forms and is not applicable to the product as supplie	d.
1344-28-1 a	luminium oxide	
· TSCA (Toxic	: Substances Control Act):	
All ingredient		
Chemicals k Reference to product as si		ble
13463-67-7	titanium dioxide	
	nown to cause reproductive toxicity for females:	
None of the i	ngredients are listed.	
· Chemicals k	nown to cause reproductive toxicity for males:	
None of the i	ngredients are listed.	
· Chemicals k	nown to cause developmental toxicity:	
None of the i	ngredients are listed.	
· EPA (Enviro	nmental Protection Agency)	
None of the i	ngredients are listed.	
· IARC (Intern	ational Agency for Research on Cancer)	
13463-67-7	titanium dioxide	2E
NIOSH-Ca (I	National Institute for Occupational Safety and Health)	
13463-67-7	titanium dioxide	
· Canadian D	omestic Substances List (DSL)	
All ingredient		
· Othor require	ations, limitations and prohibitive regulations	
•	of very high concern (SVHC) according to REACH, Article 57	
	ngredients are listed.	

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Cont'd. on page 9)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date: 6 August 2020

Revision: 6 August 2020

Trade name: BROWN ALUMINUM OXIDE GRAINS (#4-240)

(Cont'd. from page 8) · Relevant phrases H351 Suspected of causing cancer. Route of exposure: Inhalation. Abbreviations and acronyms: ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistant, Bio-accumulable, Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative Carc. 2: Carcinogenicity - Category 2 Sources Website, European Chemicals Agency (echa.europa.eu) Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do) Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org) Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6 Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5. Safety Data Sheets, Individual Manufacturers SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com