# **SAFETY DATA SHEETS**

# This SDS packet was issued with item:

074591566

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

070473439 070504035 070720896 070952267 071026863 071085281 074591426 074591434 074591442 074591459 074591467 074591475 074591541 074591558 074591574 074591582 074591590 273045771



# **SAFETY DATA SHEET**

Issue Date 26-Sept-2014 Revision Date 21-Oct-2015 Version 2

## 1. IDENTIFICATION

**Product Identifier** 

Product Name JET SET-4 POWDER

Other means of identification

**SDS#** 023

**Product Code** 3810, 3812, 3820, 38H0, 3830, 3850, 3870, 3893

Recommended use of the chemical and restrictions on use

Recommended Use Fabrication of provisional crowns and bridges

Details of the supplier of the safety data sheet

Supplier Address Lang Dental Mfg. Co., Inc.

175 Messner Dr. Wheeling, IL 60090

USA

**Emergency telephone number** 

Company Phone Number 847-215-6622

**Emergency Telephone (INFOTRAC)** 352-323-3500 (International)

800-535-5053 (North America)

Authorized European Representative MediMark® Europe SARL

11, rue Emile Zola – BP 2332 38033 Grenoble Cedex 2

France

Tel: +33 476 86 43 22 Fax: +33 476 17 19 82

Email: info@medimark-europe.com

# 2. HAZARDS IDENTIFICATION

# **Classification**

Skin sensitization Category 1

<u>Signal word</u> Warning

Hazard statements H317 May cause an allergic skin reaction.



Physical StatePowderAppearanceFine, white or pigmentedOdorFaint odor in bulk

**Precautionary Statements - Prevention** 

P261 Avoid breathing dust, fumes, gas, mist, vapors or spray.
P264 Wash hands and exposed skin thoroughly after handling.

Jet Set-4 Powder 023 v.2 Page 1 of 6

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

#### **Precautionary Statements - Response**

P302+P352 IF ON SKIN: Wash with soap and water.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P363 Wash contaminated clothing before reuse.

## Precautionary Statements - Disposal

P501 Dispose of contents/container to an approved waste disposal plant.

## 3. COMPOSITION / INFORMATION ON INGREDIENTS

| Chemical Name    | CAS No    | Weight - % | Trade Secret |
|------------------|-----------|------------|--------------|
| Polymer          | 9011-14-7 | < 90       | *            |
| Polymer          | 9003-42-3 | < 90       | *            |
| Benzoyl Peroxide | 94-36-0   | < 2        |              |

<sup>\*</sup>Specific chemical weight has been withheld as a trade secret.

# 4. FIRST AID MEASURES

#### First aid measures

**Inhalation** Remove to fresh air. Get medical attention if discomfort persists.

Eye contact Rinse immediately with plenty of water, including under the eyelids, for at least 15 minutes. If irritation persists,

get medical advice / attention.

Ingestion Do NOT induce vomiting. Drink plenty of water or milk immediately. If vomiting, continue to offer water or milk.

Never give anything by mouth to an unconscious person. Call a physician or poison control center

immediately and provide an estimate of when and how much material was ingested.

Skin Contact Wash with soap and water. If irritation persists, call a physician. Take off contaminated clothing and wash

before reuse.

## Most important symptoms and effects, both acute and delayed

**Symptoms** Skin contact may aggravate an existing dermatitis. Direct contact with eyes may cause temporary irritation.

#### Indication of any immediate medical attention and special treatment needed

## 5. FIRE-FIGHTING MEASURES

#### **Extinguishing Media**

**Suitable:** Water, carbon dioxide (CO<sub>2</sub>), dry chemical

**Unsuitable:** Avoid extinguishing methods which may generate dust clouds.

#### Specific hazards arising from the chemical

For bulk size: Polymer dust is combustible. The explosive limits of the polymer particles suspended in air are approximately those of coal dust.

## Protective equipment and precautions for firefighters

Self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear

Jet Set-4 Powder 023 v.2 Page 2 of 6

# **6. ACCIDENTAL RELEASE MEASURES**

#### Personal precautions, protective equipment and emergency procedures

thoroughly before reuse.

#### Methods and material for containment and clean-up

**Method for containment** Prevent further leakage or spillage if safe to do so.

Method for clean-up Sweep up to avoid slipping hazard. Keep airborne particulates at a minimum when cleaning up

spills. Clean up in accordance with all applicable regulations. Wash all affected areas with plenty of

warm water and soap.

## 7. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on safe handling Use only in well-ventilated areas. Avoid contact with skin, eyes or clothing. Avoid breathing dust or

fume. Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly

after handling. Do not eat, drink or smoke when using this product.

## Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed to prevent water absorption and contamination. Store in a dry, cool

and well-ventilated place away from direct sunlight or other sources of light or intense heat.

Temperature not to exceed 35°C.

Packaging materials Keep in original container.

Incompatible materials Strong oxidizing agents

# 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

## **Exposure guidelines**

| Chemical Name    | ACGIH TLV                | OSHA PEL                           | NIOSH IDLH                   |
|------------------|--------------------------|------------------------------------|------------------------------|
| Benzoyl peroxide | TWA: 5 mg/m <sup>3</sup> | TWA: 5 mg/m <sup>3</sup>           | IDLH: 1500 mg/m <sup>3</sup> |
| 94-36-0          | _                        | TWA: 5 mg/m <sup>3</sup> (vacated) | TWA: 5 mg/m <sup>3</sup>     |

#### Appropriate engineering controls Apply technical measures to comply with the occupational exposure limits. When working with

large quantities of product, provide adequate ventilation (e.g. local exhaust ventilation, fans). Ensure that an eyewash station, sink or washbasin is available in case of exposure to eyes. Use good local exhaust at processing equipment, including buffers, sanders, grinders and polishers.

## Individual protection measures, such as personal protective equipment

Eye / face protection Depending on the use of this product, safety glasses or goggles may be worn. If necessary, refer to

US OSHA 29 CFR SS1910.133, Canadian standards or the European Standard EN 166. Ensure

that an eyewash station, sink or washbasin is available in case of exposure to eyes.

Skin and body protection If anticipated that prolonged and repeated skin contact will occur during use of this product, wear

gloves for routine industrial use. If necessary, refer to US OSHA 29 CFR SS1910.138 or the

appropriate standards of Canada or the EC member states.

Jet Set-4 Powder 023 v.2 Page 3 of 6

Respiratory protection No special respiratory protection is required under typical circumstances of use or handling. If

necessary, use only respiratory protection authorized per US OSHA requirement in 29 CFR SS

1910.134, or applicable US state regulations, or the appropriate standards of Canada, its

provinces, EC member states or Australia. VENTILATION: Local exhaust at processing equipment.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

Physical statePowderOdorFaint odor in bulkAppearanceFineOdor thresholdNot determined

**Color** White or pigmented

<u>Property</u> <u>Values</u> <u>Remarks / Method</u>

pH Not determined
Melting point / freezing point Not determined
Boiling point / boiling range
Flash point 304°C / 577°F
Evaporation rate Not applicable
Flammability (solid, gas) Non-flammable

Flammability limits in air Upper flammability limit Not applicable Lower flammability limit Not applicable Vapor pressure Not applicable Vapor density Not applicable Specific gravity Not determined Water solubility Insoluble in water Solubility in other solvents Not determined Partition coefficient Not determined Auto ignition temperature Not determined **Decomposition temperature** Not determined Kinematic viscosity Not determined Dynamic viscosity Not determined **Explosive properties** Not determined **Oxidizing properties** Not determined

# 10. STABILITY AND REACTIVITY

Reactivity Not reactive under normal conditions

<u>Chemical stability</u> Stable under recommended storage conditions

<u>Possibility of hazardous reactions</u> None under normal processing

Hazardous polymerization Does not occur.

Conditions to avoidHeating above 240°C / 464°FIncompatible materialsStrong oxidizing agents

Hazardous decomposition products Methacrylate monomer, oxides of carbon when burned

## 11. TOXICOLOGICAL INFORMATION

## Information on likely routes of exposures

**Product information** This product has not been tested on animals to obtain toxicology data.

Inhalation Not expected to be an inhalation hazard under normal conditions of intended use

Eye contact Avoid contact with eyes.

Skin contact Avoid contact with skin.

Ingestion Do not taste or swallow.

Jet Set-4 Powder 023 v.2 Page 4 of 6

## **Component information**

| Ī | Chemical Name    | ORAL LD50        | DERMAL LD50 | INHALATION LC50 |
|---|------------------|------------------|-------------|-----------------|
| Ī | Benzoyl peroxide | 6400 mg/kg (rat) | -           | -               |
|   | 94-36-0          |                  |             |                 |

## Information on physical, chemical and toxicological effects

Symptoms See Section 4.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity Not classifiable as a human carcinogen (IARC group 3)

Numerical measures of toxicity - Product Not determined

The following values are calculated based on chapter 3.1 of the GHS document.

ATEmix (oral) 6250 mg/kg

# 12. ECOLOGICAL INFORMATION

Ecotoxicity There is no specific data available for this product; however, very large releases may be harmful or fatal to overexposed

aquatic life

 Persistence and degradability
 Not determined

 Bioaccumulation
 Not determined

 Mobility
 Not determined

 Other adverse effects
 Not determined

# 13. DISPOSAL CONSIDERATIONS

## Waste treatment methods

**Disposal of wastes**Follow all local and national government regulations in disposing material or contaminated

packaging.

| Chemical Name               | California Hazardous Waste Status |
|-----------------------------|-----------------------------------|
| Benzoyl peroxide<br>94-36-0 | 6400 mg/kg (rat)                  |

Contaminated Packaging For bulk only: Reuse of empty drums or containers is not recommended. Employees should be

advised of the potential hazards due to residual material associated with empty containers. Dispose of all empty containers properly in accordance with federal, state and local regulations.

| Chemical Name    | California Hazardous Waste Status |
|------------------|-----------------------------------|
| Benzoyl peroxide | Toxic, Ignitable, Reactive        |
| 94-36-0          |                                   |

# 14. TRANSPORTATION INFORMATION

**DOT** Not regulated

<u>IATA</u> Not regulated

IMDG Not regulated

Jet Set-4 Powder 023 v.2 Page 5 of 6

# 15. REGULATORY INFORMATION

## **International Inventories**

TSCA For use in FDA regulated products only United States Toxic Substances Control Act, Section 8(b) Inventory

DSL Listed Canadian Domestic Substances List

**EU Regulations** EC No. 1272/2008 (CLP) Classification, Labeling, Packaging

Medical Devices Directive 93/42/EEC - Class I Medical Devices

## **US Federal Regulations**

| Chemical Name    | CAS     | Weight % | SARA 313 - Threshold |
|------------------|---------|----------|----------------------|
|                  |         |          | Values %             |
| Benzoyl peroxide | 94-36-0 | 1        | 1.0                  |

## **US State Regulations**

## **US State Right-to-know Regulations**

| Chemical Name    | New Jersey | Massachusetts | Pennsylvania |
|------------------|------------|---------------|--------------|
| Benzoyl peroxide | X          | X             | X            |
| 94-36-0          |            |               |              |

## 16. OTHER INFORMATION

| HMIS | Health Hazards | Flammability | Physical Hazards |
|------|----------------|--------------|------------------|
|      | 1              | 1            | 0                |

**Issue Date** 26-Sept-2014 **Revision Date** 21-Oct-2015

Revision Note Section 1 - add EU representative; Update component classification in sections 2, 3, 8, 11, 12, 13, 15

Information to be updated in due course Hazard pictograms listed in this SDS to be added to product label

### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release. It is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

Jet Set-4 Powder 023 v.2 Page 6 of 6