

SAFETY DATA SHEETS

This SDS packet was issued with item:

074789053

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

074789152

The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).

074789285

MSDS Name: SUPERVEST RF 60X150GM

Manufacturer Name: Matech, Inc.

KIT NUMBER: 74789517

Product Codes:

74789517

Components:	
:	Supervest RF Liquid (Blue)

Matech, Inc.

NFPA

Supervest RF Liquid (Blue)

0

1



SECTION 1 : Chemical Product and Company Identification

MSDS Name: Supervest RF Liquid (Blue)

For information in North America, call: (818) 367-2472

Manufacturer MSDS Revision Date:

01-01-12

Material Safety Data Sheet

May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be consulted for specific requirements.

U.S. Department of Labor

Occupational Safety and Health Administration (Non-Mandatory Form)

Form Approved

OMB No. 1218-0072

Signature of Preparer (optional): WINSTON TSAI



TOP

SECTION 2 : Hazardous Ingredients/Identity Information

Chemical Name			
AMORPHOUS SILICA			

OSHA PEL TWA: 6 mg/m³

ACGIH TLV TWA: 10 mg/m³

Chemical Name			
TITRATABLE ALKALI			

OSHA PEL TWA: NONE ESTABLISHED

ACGIH TLV TWA: NONE ESTABLISHED



TOP

SECTION 3 : Physical And Chemical Characteristics

Physical State/Appearance:

LIQUID

Color:

BLUE

Odor:

ODORLESS

Vapor Pressure:

48 mmHg: 38 deg C/100 deg F

Vapor Density:

(AIR = 1): VAPOR IS WATER

Boiling Point:

760 mmHg: 202 deg F/100 deg C

Melting Point:

0 deg C/32 deg F

Solubility:

In Water: 100%

Specific Gravity:

(H₂O = 1): 1.21-1.3

Evaporation Point:

(Butyl Acetate = 1): < 1

FlashPoint:

WILL NOT BURN

Upper Flammable Explosive Limit:

Not Applicable

Lower Flammable Explosive Limit:

Not Applicable



SECTION 4 : Fire And Explosion Hazards

Fire:

Flammable Limits: Not Applicable

Flash Point:

WILL NOT BURN

Flash Point Method:

WILL NOT BURN

Upper Flammable or Explosive Limit: Not Applicable

Lower Flammable or Explosive Limit: Not Applicable

Extinguishing Media:

Not Applicable

Fire Fighting Instructions:

NONE

Unusual Fire Hazards:

NONE



SECTION 5 : Health Hazards

Applies to All Ingredients:

Potential Health Effects:

Eye Contact:

May cause irritation with discomfort, tearing or blurring of vision.

Skin Contact:

May cause irritation with discomfort or rash.

Inhalation:

May cause temporary lung irritation with cough, discomfort, and difficulty breathing. Individual with pre-existing lung diseases may have increased susceptibility to the toxicity of excessive exposure.



SECTION 6 : Emergency And First Aid Procedures

Eye Contact:

Flush with plenty of water for at least 15 minutes.

Inhalation:

Remove to fresh air immediately. If not breathing give artificial respiration. If breathing is difficult, give oxygen and call a physician.

Ingestion:

Induce vomiting immediately as directed by a medical person and call a physician.
Never give anything by mouth to an unconscious person.



TOP

SECTION 7 : Reactivity Data**Chemical Stability:**

Stable

Incompatibilities with Other Materials:

(Materials to Avoid): NO KNOWN HAZARDOUS INCOMPATIBILITY

Hazardous Polymerization:

Will Not Occur

Hazardous Decomposition Products:

NO KNOWN HAZARDOUS DECOMPOSITION



TOP

SECTION 8 : Precautions For Safe Handling**Spill Cleanup Measures:**

FLUSH WITH WATER TO A CHEMICAL SEWER

Other Precautions:

NONE

Storage:

KEEP CONTAINERS TIGHTLY CLOSED. STORE AT TEMPERATURES ABOVE 35 Deg C
TO AVOID IRREVERSIBLE PRECIPITATION OF SILICA.

Hygiene Practices:

GENERAL HYGIENE

Waste Disposal:

COMPLY WITH ALL FEDERAL, STATE AND LOCAL REGULATIONS



TOP

SECTION 9 : Control Measures**Local Exhaust:**

Yes

Hand Protection Description:

Protective Gloves: RUBBER

Eye/Face Protection:

GLASSES/GOGGLES FOR SPLASH PROTECTION

Respiratory Protection:

(Specify Type): GOOD VENTILATION

Other Protective:

EYE WASH STATION

Work/Hygienic Practices: GENERAL HYGIENE



TOP

SECTION 10 : Other Information

Applies to all ingredients:

OSHA 29 CFR 1200:

Material Safety Data Sheet

May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be consulted for specific requirements.

MSDS Revision Date:

01-01-12

MSDS Author:

Signature of Preparer (optional): WINSTON TSAI

Copyright© 1996-2009 Actio Corporation. All Rights Reserved.

Material Safety Data Sheet

May be used to comply with
OSHA's Hazard Communication Standard,
29 CFR 1910.1200. Standard must be
consulted for specific requirements.

U.S. Department of Labor



Occupational Safety and Health Administration
(Non-Mandatory Form)
Form Approved
OMB No. 1218-0072

IDENTITY (As Used on Label and List)	Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.
SUPERVEST LIQUID (CLEAR)	

Section I

Manufacturer's Name MATECH, INC.	Emergency Telephone Number (818) 367-2472
Address (Number, Street, City, State, and ZIP Code) 13000 SAN FERNANDO ROAD	Telephone Number for Information (818) 367-2472
SYLMAR, CA 91342	Date Prepared 06-01-13
	Signature of Preparer (optional) WINSTON TSAI

Section II - Hazard Ingredients/Identity Information

Hazardous Components (Specific Chemical Identity; Common Name(s))	OSHA PEL	ACGIH TLV	Other Limits Recommended	%(optional)
AMORPHOUS SILICA	6mg/m ³	10mg/m ³		
TITRATABLE ALKALI	NONE ESTABLISHED			

Section III - Physical/Chemical Characteristics

Boiling Point 760 mmHg	202°F/100°C	Specific Gravity (H ₂ O = 1)	1.21 – 1.3
Vapor Pressure (mm Hg.) 48 mmHg	38°C/100°F	Melting Point	0°C / 32°F
Vapor Density (AIR = 1)	VAPOR IS WATER	Evaporation Rate (Butyl Acetate = 1)	<1
Solubility in Water 100%			
Appearance and Odor CLEAR TO OPALESCENT LIQUID/ODORLESS			

Section IV - Fire and Explosion Hazard Data

Flash Point (Method Used) WILL NOT BURN	Flammable Limits N/A	LEL N/A	UEL N/A
Extinguishing Media N/A			
Special Fire Fighting Procedures NONE			
Unusual Fire and Explosion Hazards NONE			

Section V - Reactivity Data

Stability	Unstable		Conditions to Avoid
	Stable	X	
Incompatibility (<i>Materials to Avoid</i>) NO KNOWN HAZARDOUS INCOMPATIBILITY			
Hazardous Decomposition or Byproducts NO KNOWN HAZARDOUS DECOMPOSITION			
Hazardous Polymerization	May Occur		Conditions to Avoid
	Will Not Occur	X	

Section VI - Health Hazard Data

EFFECT OF: EYE CONTACT: May cause irritation with discomfort, tearing or blurring of vision.

SKIN CONTACT: May cause irritation with discomfort or rash.

INHALATION: May cause temporary lung irritation with cough, discomfort, and difficulty breathing. Individual with pre-existing lung diseases may have increased susceptibility to the toxicity of excessive exposure.

FIRST AID: EYE CONTACT: Flush with plenty of water for at least 15 minutes.

INHALATION: Remove to fresh air immediately. If not breathing give artificial respiration. If breathing is difficult, give oxygen and call a physician.

INGESTION: Induce vomiting immediately as directed by a medical person and call a physician. Never give anything by mouth to an unconscious person.

Section VII - Precautions for Safe Handling and Use

Steps to Be Taken in Case Material is Released or Spilled FLUSH WITH WATER TO A CHEMICAL SEWER
Waste Disposal Method COMPLY WITH ALL FEDERAL, STATE AND LOCAL REGULATIONS
Precautions to Be taken in Handling and Storing KEEP CONTAINERS TIGHTLY CLOSED. STORE AT TEMPERATURES ABOVE 35°C TO AVOID IRREVERSIBLE PRECIPITATION OF SILICA.
Other Precautions NONE

Section VIII - Control Measures

Respiratory Protection (<i>Specify Type</i>)		
Ventilation	Local Exhaust X	Special
	Mechanical (<i>General</i>)	Other
Protective Gloves	RUBBER	Eye Protection GLASSES/GOGGLES FOR SPLASH PROTECTION
Other Protective Clothing or Equipment	EYE WASH STATION	
Work/Hygienic Practices	GENERAL HYGIENE	

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), 29CFR1910/1200 and GHS Rev. 3

Effective date: 01.06.2016

Trade Name: SuperVest Normal Expansion Liquid

1 Identification of the substance/mixture and of the supplier

1.1 Product identifier

Trade Name: SuperVest Normal Expansion Liquid

Synonyms:

Product number: SuperVest Normal Expansion Liquid

1.2 Application of the substance / the mixture: Dental Materials

1.3 Details of the supplier of the Safety Data Sheet

Manufacturer

MATECH, INC.
13000 SAN FERNANDO ROAD
SYLMAR, CA 91342
(818) 367-2472

Emergency telephone number:

Matech, Inc.
818-367-2472

2 Hazards identification

2.1 Classification of the substance or mixture:

In compliance with EC regulation No. 1272/2008, 29CFR1910/1200 and GHS Rev. 3 and amendments.

The substance is not classified as hazardous according to the Globally Harmonized System (GHS).

Hazard-determining components of labeling: None.

2.2 Label elements:

None.

Hazard pictograms: None

Signal word: None

Hazard statements: None

Precautionary statements: None

Additional information: None.

Hazard description

Hazards Not Otherwise Classified (HNOC): None

Information concerning particular hazards for humans and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

Classification system:

The classification is according to EC regulation No. 1272/2008, 29CFR1910/1200 and GHS Rev. 3 and amendments, and extended by company and literature data. The classification is in accordance with the latest editions of international substances lists, and is supplemented by information from technical literature and by information provided by the company.

3 Composition/information on ingredients

3.1 Chemical characterization: None

3.2 Description: None

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), 29CFR1910/1200 and GHS Rev. 3

Effective date: 01.06.2016

Trade Name: SuperVest Normal Expansion Liquid

3.3 Hazardous components (percentages by weight)

Identification	Chemical Name	Classification	Wt. %
CAS number: 7732-18-5	Water, distilled or of similar purity		<70
CAS number: 7631-86-9	Amorphous silicon dioxide, chemically prepared		<30

3.4 Additional Information: None.

4 First aid measures

4.1 Description of first aid measures

General information: None.

After inhalation:

Maintain an unobstructed airway.

Loosen clothing as necessary and position individual in a comfortable position.

After skin contact:

Rinse affected area with soap and water.

If symptoms develop or persist, seek medical attention.

After eye contact:

Rinse/flush exposed eye(s) gently using water for 15-20 minutes.

If symptoms develop or persist, seek medical attention.

After swallowing:

Seek medical attention if irritation, discomfort, or vomiting persists.

Rinse mouth thoroughly.

4.2 Most important symptoms and effects, both acute and delayed

None

4.3 Indication of any immediate medical attention and special treatment needed:

No additional information.

5 Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents:

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

For safety reasons unsuitable extinguishing agents: None

5.2 Special hazards arising from the substance or mixture:

Thermal decomposition can lead to release of irritating gases and vapors.

5.3 Advice for firefighters

Protective equipment:

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Refer to Section 8.

5.4 Additional information:

Avoid contact with skin, eyes and clothing.

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), 29CFR1910/1200 and GHS Rev. 3

Effective date: 01.06.2016

Trade Name: SuperVest Normal Expansion Liquid

Avoid inhaling gases, fumes, dust, mist and vapor.

6 Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Ensure air handling systems are operational.
Ensure adequate ventilation.

6.2 Environmental precautions:

Prevent from reaching drains, sewer or waterway.
Should not be released into the environment.

6.3 Methods and material for containment and cleaning up:

Always obey local regulations.
Absorb liquid spill with vermiculite or other inert material.
Wear protective eye wear, gloves and clothing.

6.4 Reference to other sections: None

7 Handling and storage

7.1 Precautions for safe handling:

Do not eat, drink, smoke or use personal products when handling chemical substances.
Do not taste or swallow.

7.2 Conditions for safe storage, including any incompatibilities:

Keep container tightly sealed.
Store in a cool, well-ventilated area.
Store away from incompatible materials.

7.3 Specific end use(s):

No additional information.

8 Exposure controls/personal protection



8.1 Control parameters:

7631-86-9, Amorphous silicon dioxide, chemically prepared, OSHA 80 mg/m³ TWA.
7631-86-9, Amorphous silicon dioxide, chemically prepared, NIOSH 6 mg/m³ TWA.

8.2 Exposure controls

Appropriate engineering controls:

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of use or handling.

Respiratory protection:

If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), 29CFR1910/1200 and GHS Rev. 3

Effective date: 01.06.2016

Trade Name: SuperVest Normal Expansion Liquid

established), an approved respirator must be worn.

Protection of skin:

Wear appropriate clothing to prevent any possibility of skin contact.

Select glove material impermeable and resistant to the substance.

Eye protection:

Safety glasses or goggles are appropriate eye protection.

General hygienic measures:

Avoid contact with skin, eyes and clothing.

Wash hands before breaks and at the end of work.

9 Physical and chemical properties

Appearance (physical state, color):	Clear to opalescent liquid	Explosion limit lower: Explosion limit upper:	Not determined or not available. Not determined or not available.
Odor:	Odorless	Vapor pressure at 20°C:	48 mmHg
Odor threshold:	Not determined or not available.	Vapor density:	Not determined or not available.
pH-value:	Not determined or not available.	Relative density:	1.21-1.3
Melting/Freezing point:	32°F / 0 °C	Solubilities:	100%
Boiling point/Boiling range:	212 °F / 100 °C	Partition coefficient (n-octanol/water):	Not determined or not available.
Flash point (closed cup):	<1	Auto/Self-ignition temperature:	Not determined or not available.
Evaporation rate:	Not determined or not available.	Decomposition temperature:	Not determined or not available.
Flammability (solid, gaseous):	Not determined or not available.	Viscosity:	a. Kinematic: Not determined or not available. b. Dynamic: Not determined or not available.
Density at 20°C:	Not determined or not available.		

10 Stability and reactivity

10.1 Reactivity:

Nonreactive under normal conditions.

10.2 Chemical stability:

Stable under normal conditions of use and storage.

10.3 Possibility hazardous reactions:

None identified.

10.4 Conditions to avoid:

Incompatible materials.

10.5 Incompatible materials:

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), 29CFR1910/1200 and GHS Rev. 3

Effective date: 01.06.2016

Trade Name: SuperVest Normal Expansion Liquid

Strong acids, bases, and oxidizing agents.

10.6 Hazardous decomposition products:

Thermal decomposition can lead to release of irritating gases and vapors.

11 Toxicological information**11.1 Information on toxicological effects:****Acute Toxicity:****Oral:**

Amorphous silicon dioxide, chemically prepared: LD50 - 3,160 mg/kg (Rat) Sigma-Aldrich.

Chronic Toxicity: No additional information.**Skin corrosion/irritation:** No additional information.**Serious eye damage/irritation:** No additional information.**Respiratory or skin sensitization:** No additional information.**Carcinogenicity:** No additional information.**IARC (International Agency for Research on Cancer):** None of the ingredients are listed.**NTP (National Toxicology Program):** None of the ingredients are listed.**Germ cell mutagenicity:** No additional information.**Reproductive toxicity:** No additional information.**STOT-single and repeated exposure:** No additional information.**Additional toxicological information:** No additional information.**12 Ecological information****12.1 Toxicity:** No additional information.**12.2 Persistence and degradability:** No additional information.**12.3 Bioaccumulative potential:** No additional information.**12.4 Mobility in soil:** No additional information.**General notes:** No additional information.**12.5 Results of PBT and vPvB assessment:****PBT:** No additional information.**vPvB:** No additional information.**12.6 Other adverse effects:** No additional information.**13 Disposal considerations****13.1 Waste treatment methods (consult local, regional and national authorities for proper disposal)****Relevant Information:**

It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities. (US 40CFR262.11).

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), 29CFR1910/1200 and GHS Rev. 3

Effective date: 01.06.2016

Trade Name: SuperVest Normal Expansion Liquid
--

14 Transport information

14.1 UN Number: ADR, ADN, DOT, IMDG, IATA	Not regulated								
14.2 UN Proper shipping name: ADR, ADN, DOT, IMDG, IATA	Not regulated.								
14.3 Transport hazard classes: ADR, ADN, DOT, IMDG, IATA	<table> <tr> <td>Class:</td><td>None</td></tr> <tr> <td>Label:</td><td>None</td></tr> <tr> <td>LTD. QTY:</td><td>None</td></tr> </table> <hr style="border-top: 1px dashed black;"/> <table> <tr> <td style="width: 50%; vertical-align: top;"> US DOT Limited Quantity Exception: Bulk: RQ (if applicable): None Proper shipping Name: Not regulated. Hazard Class: None Packing Group: Not regulated. Marine Pollutant (if applicable): No Comments: None </td><td style="width: 50%; vertical-align: top;"> Non Bulk: RQ (if applicable): None Proper shipping Name: Not regulated. Hazard Class: None Packing Group: Not regulated. Marine Pollutant (if applicable): No Comments: None </td></tr> </table>	Class:	None	Label:	None	LTD. QTY:	None	US DOT Limited Quantity Exception: Bulk: RQ (if applicable): None Proper shipping Name: Not regulated. Hazard Class: None Packing Group: Not regulated. Marine Pollutant (if applicable): No Comments: None	Non Bulk: RQ (if applicable): None Proper shipping Name: Not regulated. Hazard Class: None Packing Group: Not regulated. Marine Pollutant (if applicable): No Comments: None
Class:	None								
Label:	None								
LTD. QTY:	None								
US DOT Limited Quantity Exception: Bulk: RQ (if applicable): None Proper shipping Name: Not regulated. Hazard Class: None Packing Group: Not regulated. Marine Pollutant (if applicable): No Comments: None	Non Bulk: RQ (if applicable): None Proper shipping Name: Not regulated. Hazard Class: None Packing Group: Not regulated. Marine Pollutant (if applicable): No Comments: None								
14.4 Packing group: ADR, ADN, DOT, IMDG, IATA	Not regulated.								
14.5 Environmental hazards:	None								
14.6 Special precautions for user: Danger code (Kemler): EMS number: Segregation groups:	None None None None								
14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:	Not applicable.								
14.8 Transport/Additional information: Transport category: Tunnel restriction code: UN "Model Regulation":	None None Not regulated								

15 Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture.
North American

SARA

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), 29CFR1910/1200 and GHS Rev. 3

Effective date: 01.06.2016

Trade Name: SuperVest Normal Expansion Liquid

Section 313 (specific toxic chemical listings): None of the ingredients are listed.
Section 302 (extremely hazardous substances): None of the ingredients are listed.

CERCLA (Comprehensive Environmental Response, Clean up and Liability Act) Reportable Spill Quantity: None of the ingredients are listed.

TSCA (Toxic Substances Control Act):

Inventory:

7631-86-9 Silica.

Rules and Orders: Not applicable.

Proposition 65 (California):

Chemicals known to cause cancer: None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for females: None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for males: None of the ingredients are listed.

Chemicals known to cause developmental toxicity: None of the ingredients are listed.

Canadian

Canadian Domestic Substances List (DSL):

7631-86-9 Silica.

EU

REACH Article 57 (SVHC): None of the ingredients are listed.

Germany MAK: Not classified.

Asia Pacific

Australia

Australian Inventory of Chemical Substances (AICS):

7631-86-9 Silica.

China

Inventory of Existing Chemical Substances in China (IECSC):

7631-86-9 Silica.

Japan

Inventory of Existing and New Chemical Substances (ENCS):

7631-86-9 Silica.

Korea

Existing Chemicals List (ECL):

7631-86-9 Silica.

New Zealand

New Zealand Inventory of Chemicals (NZOIC):

7631-86-9 Silica.

Philippines

Philippine Inventory of Chemicals and Chemical Substances (PICCS):

7631-86-9 Silica.

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), 29CFR1910/1200 and GHS Rev. 3

Effective date: 01.06.2016

Trade Name: SuperVest Normal Expansion Liquid
--

<p>Taiwan</p> <p>Taiwan Chemical Substance Inventory (TSCI): 7631-86-9 Silica.</p>
--

16 Other information

Abbreviations and Acronyms:

CAS Chemical Abstracts Service (division of the American Chemical Society).
 TLV Threshold Limit Value.
 TDG Transportation of Dangerous Goods.
 TWA Time-Weighted Average.
 VOC Volatile Organic Compound.
 WEEL Workplace Environmental Exposure Limit (see AIHA).
 vPvBs Very Persistent and Very Bioaccumulative substances.
 STEL Short-Term Exposure Limit.
 SNUR Significant New Use Rule (see TSCA).
 NFPA National Fire Protection Association (USA).
 N/A Not Applicable.
 ACGIH American Conference of Governmental Industrial Hygienists.
 PBTs Persistent, Bioaccumulative and Toxic substances.
 PEL Permissible Exposure Limit.
 SARA Superfund Amendments and Reauthorization Act (USA).
 RCRA Resource Conservation and Recovery Act (USA).
 DOT US Department of Transportation.
 HMIS Hazardous Materials Identification System (USA).
 LC50 Median Lethal Concentration.
 IATA International Air Transportation Association.
 LD50 Median Lethal Dose.
 n.o.s. Not Otherwise Specified.
 TSCA Toxic Substances Control Act (USA).

Summary of Phrases

Hazard statements: None

Precautionary statements: None

Manufacturer Statement:

It is the responsibility of the user to comply with all applicable laws and regulations applicable to this material. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. The information contained herein is, to the best of our knowledge and belief, accurate. This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations. The user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The responsibility to provide a safe workplace remains with the user.

NFPA: 1-0-0

HMIS: 1-0-0

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), 29CFR1910/1200 and GHS Rev. 3

Effective date: 01.07.2016**Trade Name:** SuperVest RF Liquid**1 Identification of the substance/mixture and of the supplier****1.1 Product identifier****Trade Name:** SuperVest RF Liquid**Synonyms:****Product number:** SuperVest RF Liquid**1.2 Application of the substance / the mixture:** Dental Materials**1.3 Details of the supplier of the Safety Data Sheet****Manufacturer**MATECH, INC.
13000 SAN FERNANDO ROAD
SYLMAR, CA 91342
(818) 367-2472**Emergency telephone number:****Matech, Inc.**
818-367-2472**2 Hazards identification****2.1 Classification of the substance or mixture:**

In compliance with EC regulation No. 1272/2008, 29CFR1910/1200 and GHS Rev. 3 and amendments.

The substance is not classified as hazardous according to the Globally Harmonized System (GHS).

Hazard-determining components of labeling: None.**2.2 Label elements:**

None.

Hazard pictograms: None**Signal word:** None**Hazard statements:** None**Precautionary statements:** None**Additional information:** None.**Hazard description****Hazards Not Otherwise Classified (HNOC):** None**Information concerning particular hazards for humans and environment:**

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

Classification system:

The classification is according to EC regulation No. 1272/2008, 29CFR1910/1200 and GHS Rev. 3 and amendments, and extended by company and literature data. The classification is in accordance with the latest editions of international substances lists, and is supplemented by information from technical literature and by information provided by the company.

3 Composition/information on ingredients**3.1 Chemical characterization:** None**3.2 Description:** None

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), 29CFR1910/1200 and GHS Rev. 3

Effective date: 01.07.2016

Trade Name: SuperVest RF Liquid

3.3 Hazardous components (percentages by weight)

Identification	Chemical Name	Classification	Wt. %
CAS number: 7732-18-5	Water, distilled or of similar purity		<60
CAS number: 7631-86-9	Amorphous silicon dioxide, chemically prepared		<40

3.4 Additional Information: None.

4 First aid measures

4.1 Description of first aid measures

General information: None.

After inhalation:

Maintain an unobstructed airway.

Loosen clothing as necessary and position individual in a comfortable position.

After skin contact:

Rinse affected area with soap and water.

If symptoms develop or persist, seek medical attention.

After eye contact:

Rinse/flush exposed eye(s) gently using water for 15-20 minutes.

If symptoms develop or persist, seek medical attention.

After swallowing:

Seek medical attention if irritation, discomfort, or vomiting persists.

Rinse mouth thoroughly.

4.2 Most important symptoms and effects, both acute and delayed

None

4.3 Indication of any immediate medical attention and special treatment needed:

No additional information.

5 Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents:

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

For safety reasons unsuitable extinguishing agents: None

5.2 Special hazards arising from the substance or mixture:

Thermal decomposition can lead to release of irritating gases and vapors.

5.3 Advice for firefighters

Protective equipment:

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Refer to Section 8.

5.4 Additional information:

Avoid contact with skin, eyes and clothing.

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), 29CFR1910/1200 and GHS Rev. 3

Effective date: 01.07.2016

Trade Name: SuperVest RF Liquid

Avoid inhaling gases, fumes, dust, mist and vapor.

6 Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Ensure air handling systems are operational.
Ensure adequate ventilation.

6.2 Environmental precautions:

Prevent from reaching drains, sewer or waterway.
Should not be released into the environment.

6.3 Methods and material for containment and cleaning up:

Always obey local regulations.
Absorb liquid spill with vermiculite or other inert material.
Wear protective eye wear, gloves and clothing.

6.4 Reference to other sections: None

7 Handling and storage

7.1 Precautions for safe handling:

Do not eat, drink, smoke or use personal products when handling chemical substances.
Do not taste or swallow.

7.2 Conditions for safe storage, including any incompatibilities:

Keep container tightly sealed.
Store in a cool, well-ventilated area.
Store away from incompatible materials.

7.3 Specific end use(s):

No additional information.

8 Exposure controls/personal protection



8.1 Control parameters:

7631-86-9, Amorphous silicon dioxide, chemically prepared, OSHA 80 mg/m³ TWA.
7631-86-9, Amorphous silicon dioxide, chemically prepared, NIOSH 6 mg/m³ TWA.

8.2 Exposure controls

Appropriate engineering controls:

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of use or handling.

Respiratory protection:

If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), 29CFR1910/1200 and GHS Rev. 3

Effective date: 01.07.2016

Trade Name: SuperVest RF Liquid

established), an approved respirator must be worn.

Protection of skin:

Wear appropriate clothing to prevent any possibility of skin contact.

Select glove material impermeable and resistant to the substance.

Eye protection:

Safety glasses or goggles are appropriate eye protection.

General hygienic measures:

Avoid contact with skin, eyes and clothing.

Wash hands before breaks and at the end of work.

9 Physical and chemical properties

Appearance (physical state, color):	Clear to opalescent liquid	Explosion limit lower: Explosion limit upper:	Not determined or not available. Not determined or not available.
Odor:	Odorless	Vapor pressure at 20°C:	48 mmHg
Odor threshold:	Not determined or not available.	Vapor density:	Not determined or not available.
pH-value:	Not determined or not available.	Relative density:	1.21-1.3
Melting/Freezing point:	32°F / 0 °C	Solubilities:	100%
Boiling point/Boiling range:	212 °F / 100 °C	Partition coefficient (n-octanol/water):	Not determined or not available.
Flash point (closed cup):	Not determined or not available.	Auto/Self-ignition temperature:	Not determined or not available.
Evaporation rate:	<1	Decomposition temperature:	Not determined or not available.
Flammability (solid, gaseous):	Not determined or not available.	Viscosity:	a. Kinematic: Not determined or not available. b. Dynamic: Not determined or not available.
Density at 20°C:	Not determined or not available.		

10 Stability and reactivity

10.1 Reactivity:

Nonreactive under normal conditions.

10.2 Chemical stability:

Stable under normal conditions of use and storage.

10.3 Possibility hazardous reactions:

None identified.

10.4 Conditions to avoid:

Incompatible materials.

10.5 Incompatible materials:

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), 29CFR1910/1200 and GHS Rev. 3

Effective date: 01.07.2016

Trade Name: SuperVest RF Liquid

Strong acids, bases, and oxidizing agents.

10.6 Hazardous decomposition products:

Thermal decomposition can lead to release of irritating gases and vapors.

11 Toxicological information**11.1 Information on toxicological effects:****Acute Toxicity:****Oral:**

Amorphous silicon dioxide, chemically prepared: LD50 - 3,160 mg/kg (Rat) Sigma-Aldrich.

Chronic Toxicity: No additional information.**Skin corrosion/irritation:** No additional information.**Serious eye damage/irritation:** No additional information.**Respiratory or skin sensitization:** No additional information.**Carcinogenicity:** No additional information.**IARC (International Agency for Research on Cancer):** None of the ingredients are listed.**NTP (National Toxicology Program):** None of the ingredients are listed.**Germ cell mutagenicity:** No additional information.**Reproductive toxicity:** No additional information.**STOT-single and repeated exposure:** No additional information.**Additional toxicological information:** No additional information.**12 Ecological information****12.1 Toxicity:** No additional information.**12.2 Persistence and degradability:** No additional information.**12.3 Bioaccumulative potential:** No additional information.**12.4 Mobility in soil:** No additional information.**General notes:** No additional information.**12.5 Results of PBT and vPvB assessment:****PBT:** No additional information.**vPvB:** No additional information.**12.6 Other adverse effects:** No additional information.**13 Disposal considerations****13.1 Waste treatment methods (consult local, regional and national authorities for proper disposal)****Relevant Information:**

It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities. (US 40CFR262.11).

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), 29CFR1910/1200 and GHS Rev. 3

Effective date: 01.07.2016

Trade Name: SuperVest RF Liquid

14 Transport information

14.1 UN Number: ADR, ADN, DOT, IMDG, IATA	Not regulated																		
14.2 UN Proper shipping name: ADR, ADN, DOT, IMDG, IATA	Not regulated.																		
14.3 Transport hazard classes: ADR, ADN, DOT, IMDG, IATA	<table> <tr> <td>Class:</td><td>None</td></tr> <tr> <td>Label:</td><td>None</td></tr> <tr> <td>LTD. QTY:</td><td>None</td></tr> </table>	Class:	None	Label:	None	LTD. QTY:	None												
Class:	None																		
Label:	None																		
LTD. QTY:	None																		
<table> <tr> <td colspan="2">US DOT</td></tr> <tr> <td>Limited Quantity Exception:</td><td>None</td></tr> <tr> <td>Bulk:</td><td>Non Bulk:</td></tr> <tr> <td>RQ (if applicable): None</td><td>RQ (if applicable): None</td></tr> <tr> <td>Proper shipping Name: Not regulated.</td><td>Proper shipping Name: Not regulated.</td></tr> <tr> <td>Hazard Class: None</td><td>Hazard Class: None</td></tr> <tr> <td>Packing Group: Not regulated.</td><td>Packing Group: Not regulated.</td></tr> <tr> <td>Marine Pollutant (if applicable): No</td><td>Marine Pollutant (if applicable): No</td></tr> <tr> <td>Comments: None</td><td>Comments: None</td></tr> </table>		US DOT		Limited Quantity Exception:	None	Bulk:	Non Bulk:	RQ (if applicable): None	RQ (if applicable): None	Proper shipping Name: Not regulated.	Proper shipping Name: Not regulated.	Hazard Class: None	Hazard Class: None	Packing Group: Not regulated.	Packing Group: Not regulated.	Marine Pollutant (if applicable): No	Marine Pollutant (if applicable): No	Comments: None	Comments: None
US DOT																			
Limited Quantity Exception:	None																		
Bulk:	Non Bulk:																		
RQ (if applicable): None	RQ (if applicable): None																		
Proper shipping Name: Not regulated.	Proper shipping Name: Not regulated.																		
Hazard Class: None	Hazard Class: None																		
Packing Group: Not regulated.	Packing Group: Not regulated.																		
Marine Pollutant (if applicable): No	Marine Pollutant (if applicable): No																		
Comments: None	Comments: None																		
14.4 Packing group: ADR, ADN, DOT, IMDG, IATA	Not regulated.																		
14.5 Environmental hazards:	None																		
14.6 Special precautions for user:	None																		
Danger code (Kemler):	None																		
EMS number:	None																		
Segregation groups:	None																		
14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:	Not applicable.																		
14.8 Transport/Additional information:																			
Transport category:	None																		
Tunnel restriction code:	None																		
UN "Model Regulation":	Not regulated																		

15 Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture.
North American

SARA

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), 29CFR1910/1200 and GHS Rev. 3

Effective date: 01.07.2016

Trade Name: SuperVest RF Liquid

Section 313 (specific toxic chemical listings): None of the ingredients are listed.
Section 302 (extremely hazardous substances): None of the ingredients are listed.

CERCLA (Comprehensive Environmental Response, Clean up and Liability Act) Reportable Spill Quantity: None of the ingredients are listed.

TSCA (Toxic Substances Control Act):

Inventory:

7631-86-9 Silica.

Rules and Orders: Not applicable.

Proposition 65 (California):

Chemicals known to cause cancer: None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for females: None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for males: None of the ingredients are listed.

Chemicals known to cause developmental toxicity: None of the ingredients are listed.

Canadian

Canadian Domestic Substances List (DSL):

7631-86-9 Silica.

EU

REACH Article 57 (SVHC): None of the ingredients are listed.

Germany MAK: Not classified.

Asia Pacific

Australia

Australian Inventory of Chemical Substances (AICS):

7631-86-9 Silica.

China

Inventory of Existing Chemical Substances in China (IECSC):

7631-86-9 Silica.

Japan

Inventory of Existing and New Chemical Substances (ENCS):

7631-86-9 Silica.

Korea

Existing Chemicals List (ECL):

7631-86-9 Silica.

New Zealand

New Zealand Inventory of Chemicals (NZOIC):

7631-86-9 Silica.

Philippines

Philippine Inventory of Chemicals and Chemical Substances (PICCS):

7631-86-9 Silica.

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), 29CFR1910/1200 and GHS Rev. 3

Effective date: 01.07.2016

Trade Name: SuperVest RF Liquid
--

<p>Taiwan</p> <p>Taiwan Chemical Substance Inventory (TSCI): 7631-86-9 Silica.</p>
--

16 Other information

Abbreviations and Acronyms:

CAS Chemical Abstracts Service (division of the American Chemical Society).
 TLV Threshold Limit Value.
 TDG Transportation of Dangerous Goods.
 TWA Time-Weighted Average.
 VOC Volatile Organic Compound.
 WEEL Workplace Environmental Exposure Limit (see AIHA).
 vPvBs Very Persistent and Very Bioaccumulative substances.
 STEL Short-Term Exposure Limit.
 SNUR Significant New Use Rule (see TSCA).
 NFPA National Fire Protection Association (USA).
 N/A Not Applicable.
 ACGIH American Conference of Governmental Industrial Hygienists.
 PBTs Persistent, Bioaccumulative and Toxic substances.
 PEL Permissible Exposure Limit.
 SARA Superfund Amendments and Reauthorization Act (USA).
 RCRA Resource Conservation and Recovery Act (USA).
 DOT US Department of Transportation.
 HMIS Hazardous Materials Identification System (USA).
 LC50 Median Lethal Concentration.
 IATA International Air Transportation Association.
 LD50 Median Lethal Dose.
 n.o.s. Not Otherwise Specified.
 TSCA Toxic Substances Control Act (USA).

Summary of Phrases

Hazard statements: None

Precautionary statements: None

Manufacturer Statement:

It is the responsibility of the user to comply with all applicable laws and regulations applicable to this material. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. The information contained herein is, to the best of our knowledge and belief, accurate. This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations. The user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The responsibility to provide a safe workplace remains with the user.

NFPA: 1-0-0

HMIS: 1-0-0