

SAFETY DATA SHEETS

This SDS packet was issued with item:

075022645

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

075014907 075017405 075021399 075021506 075021530 075021548 075021662 075021860 075021886 075022280
075022603 075022611 075022629 075022637 075022652 075022660 075022678 075022686 075022694 075022702
075022710 075022728 075022736 075022744 075022751 075022769 075022777 075022785 075022918 075022926
075022934 075022942 075022959 075022967 075022975 075022983 075022991 075023007 075023015 075023023
075023031 075023049 075023056 075023064 075023072 075023213 075023221 075023239 075023247 075023254
075023262 075023270 075023288 075023296 075023304 075023312 075023320 075023338 075023346 075023353
075023361 075023379 075023387 075023395 075023403 075023411 075023429 075023437 075023445 075023452
075023460 075023478 075023486 075023494 075023502 075023510 075023528 075023536 075023544 075023551
075023569 075023742 375493134

The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).

071095462



Safety Data Sheet

Copyright, 2022, 3M Company.

All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

Document Group: 26-5783-1
Issue Date: 07/20/22

Version Number: 6.05
Supersedes Date: 06/23/21

SECTION 1: Identification

1.1. Product identifier

3M™ Filtek™ Supreme Ultra Universal Restorative (6028, 6029, 5916)

1.2. Recommended use and restrictions on use

Recommended use

Dental Product, Restorative

Restrictions on use

For use only by dental professionals

1.3. Supplier's details

MANUFACTURER: 3M
DIVISION: Oral Care Solutions Division
ADDRESS: 3M Center, St. Paul, MN 55144-1000, USA
Telephone: 1-888-3M HELPS (1-888-364-3577)

1.4. Emergency telephone number

1-800-364-3577 or (651) 737-6501 (24 hours)

SECTION 2: Hazard identification

This document has been prepared in accordance with the U.S. OSHA Hazard Communication Standard, which requires the inclusion of all known hazards of the product or ingredients regardless of the potential risk. The risks of the hazards communicated in this document may vary depending on the potential for exposure.

2.1. Hazard classification

Skin Sensitizer: Category 1.

2.2. Label elements

Signal word

Warning

Symbols

Exclamation mark |

Pictograms

**Hazard Statements**

May cause an allergic skin reaction.

Precautionary Statements**Prevention:**

Avoid breathing dust/fume/gas/mist/vapors/spray.

Wear protective gloves.

Contaminated work clothing must not be allowed out of the workplace.

Response:

IF ON SKIN: Wash with plenty of soap and water.

If skin irritation or rash occurs: Get medical advice/attention.

Wash contaminated clothing before reuse.

Disposal:

Dispose of contents/container in accordance with applicable local/regional/national/international regulations.

SECTION 3: Composition/information on ingredients

| Ingredient | C.A.S. No. | % by Wt |
|--|-------------|------------------------|
| Silane Treated Ceramic | 444758-98-9 | 60 - 80 Trade Secret * |
| Bisphenol A Diglycidyl Ether Dimethacrylate (BISGMA) | 1565-94-2 | 1 - 10 Trade Secret * |
| Bisphenol A Polyethylene Glycol Diether Dimethacrylate (BISMA-6) | 41637-38-1 | 1 - 10 Trade Secret * |
| Diurethane Dimethacrylate (UDMA) | 72869-86-4 | 1 - 10 Trade Secret * |
| Silane Treated Silica | 248596-91-0 | 1 - 10 Trade Secret * |
| Polyethylene Glycol Dimethacrylate (PEGDMA) | 25852-47-5 | < 5 Trade Secret * |
| Silane Treated Zirconia | None | 1 - 5 Trade Secret * |
| Triethylene glycol dimethacrylate | 109-16-0 | < 1 Trade Secret * |
| Phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide | 162881-26-7 | < 0.05 Trade Secret * |

*The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

SECTION 4: First aid measures

4.1. Description of first aid measures**Inhalation:**

Remove person to fresh air. If you feel unwell, get medical attention.

Skin Contact:

Immediately wash with soap and water. Remove contaminated clothing and wash before reuse. If signs/symptoms develop, get medical attention.

Eye Contact:

Flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. If signs/symptoms persist, get medical

attention.

If Swallowed:

Rinse mouth. If you feel unwell, get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Allergic skin reaction (redness, swelling, blistering, and itching).

4.3. Indication of any immediate medical attention and special treatment required

Not applicable

SECTION 5: Fire-fighting measures**5.1. Suitable extinguishing media**

In case of fire: Use a fire fighting agent suitable for ordinary combustible material such as water or foam to extinguish.

5.2. Special hazards arising from the substance or mixture

None inherent in this product.

Hazardous Decomposition or By-Products**Substance**

Carbon monoxide

Carbon dioxide

Condition

During Combustion

During Combustion

5.3. Special protective actions for fire-fighters

Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

Evacuate area. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapors, in accordance with good industrial hygiene practice. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue. Seal the container. Dispose of collected material as soon as possible in accordance with applicable local/regional/national/international regulations.

SECTION 7: Handling and storage**7.1. Precautions for safe handling**

A no-touch technique is recommended. If skin contact occurs, wash skin with soap and water. Acrylates may penetrate commonly-used gloves. If product contacts glove, remove and discard glove, wash hands immediately with soap and water and then re-glove. Avoid breathing dust/fume/gas/mist/vapors/spray. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Avoid contact with oxidizing agents (eg. chlorine, chromic acid etc.) Do not get in eyes.

7.2. Conditions for safe storage including any incompatibilities

Store away from heat. Store away from oxidizing agents.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

No occupational exposure limit values exist for any of the components listed in Section 3 of this SDS.

8.2. Exposure controls

8.2.1. Engineering controls

Use in a well-ventilated area.

8.2.2. Personal protective equipment (PPE)

Eye/face protection

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended:

Safety Glasses with side shields

Skin/hand protection

See Section 7.1 for additional information on skin protection.

Respiratory protection

None required.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state

Solid

Color

Tooth

Specific Physical Form:

Paste

Odor

Slight Acrylate

Odor threshold

No Data Available

pH

Not Applicable

Melting point

No Data Available

Boiling Point

Not Applicable

Flash Point

No flash point

Evaporation rate

Not Applicable

Flammability (solid, gas)

Not Classified

Flammable Limits(LEL)

Not Applicable

Flammable Limits(UEL)

Not Applicable

Vapor Pressure

Not Applicable

Vapor Density

Not Applicable

Density

1.9 g/cm³

Specific Gravity

1.9 [Ref Std:WATER=1]

Solubility In Water

No Data Available

Solubility- non-water

No Data Available

Partition coefficient: n-octanol/ water

Not Applicable

Autoignition temperature

No Data Available

Decomposition temperature

No Data Available

Viscosity

No Data Available

Molecular weight

No Data Available

Volatile Organic Compounds

Not Applicable

VOC Less H2O & Exempt Solvents

Not Applicable

SECTION 10: Stability and reactivity

10.1. Reactivity

This material is considered to be non reactive under normal use conditions.

10.2. Chemical stability

Stable.

10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

10.4. Conditions to avoid

Heat

10.5. Incompatible materials

Strong oxidizing agents

10.6. Hazardous decomposition products

| <u>Substance</u> | <u>Condition</u> |
|------------------|------------------|
| None known. | |

Refer to section 5.2 for hazardous decomposition products during combustion.

SECTION 11: Toxicological information

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labeling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

This document has been prepared in accordance with the U.S. OSHA Hazard Communication Standard, which requires the inclusion of all known hazards of the product or ingredients regardless of the potential risk. The risks of the hazards communicated in this document may vary depending on the potential for exposure.

The information below represents toxicological information associated with the individual components of the uncured product. Once properly mixed and/or cured, the product is safe for its intended use.

11.1. Information on Toxicological effects

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

Inhalation:

Respiratory Tract Irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

Skin Contact:

Contact with the skin during product use is not expected to result in significant irritation. Allergic Skin Reaction (non-photo

induced): Signs/symptoms may include redness, swelling, blistering, and itching.

Eye Contact:

Contact with the eyes during product use is not expected to result in significant irritation.

Ingestion:

May be harmful if swallowed.

Gastrointestinal Irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea.

Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

Acute Toxicity

| Name | Route | Species | Value |
|--|-----------|------------------------|---|
| Overall product | Ingestion | | No data available; calculated ATE >2,000 - =5,000 mg/kg |
| Silane Treated Ceramic | Dermal | | LD50 estimated to be > 5,000 mg/kg |
| Silane Treated Ceramic | Ingestion | | LD50 estimated to be 2,000 - 5,000 mg/kg |
| Silane Treated Silica | Dermal | | LD50 estimated to be > 5,000 mg/kg |
| Silane Treated Silica | Ingestion | | LD50 estimated to be > 5,000 mg/kg |
| Diurethane Dimethacrylate (UDMA) | Dermal | Professional judgement | LD50 estimated to be > 5,000 mg/kg |
| Bisphenol A Polyethylene Glycol Diether Dimethacrylate (BISMA-6) | Dermal | Rat | LD50 > 2,000 mg/kg |
| Bisphenol A Polyethylene Glycol Diether Dimethacrylate (BISMA-6) | Ingestion | Rat | LD50 > 35,000 mg/kg |
| Diurethane Dimethacrylate (UDMA) | Ingestion | Rat | LD50 > 5,000 mg/kg |
| Bisphenol A Diglycidyl Ether Dimethacrylate (BISGMA) | Dermal | Professional judgement | LD50 estimated to be > 5,000 mg/kg |
| Bisphenol A Diglycidyl Ether Dimethacrylate (BISGMA) | Ingestion | Rat | LD50 > 11,700 mg/kg |
| Silane Treated Zirconia | Dermal | | LD50 estimated to be > 5,000 mg/kg |
| Silane Treated Zirconia | Ingestion | | LD50 estimated to be 2,000 - 5,000 mg/kg |
| Polyethylene Glycol Dimethacrylate (PEGDMA) | Dermal | Rabbit | LD50 15,500 mg/kg |
| Polyethylene Glycol Dimethacrylate (PEGDMA) | Ingestion | Rat | LD50 9,400 mg/kg |
| Triethylene glycol dimethacrylate | Dermal | Professional judgement | LD50 estimated to be > 5,000 mg/kg |
| Triethylene glycol dimethacrylate | Ingestion | Rat | LD50 10,837 mg/kg |
| Phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide | Dermal | Rat | LD50 > 2,000 mg/kg |
| Phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide | Ingestion | Rat | LD50 > 2,000 mg/kg |

ATE = acute toxicity estimate

Skin Corrosion/Irritation

| Name | Species | Value |
|--|------------------------|---------------------------|
| Silane Treated Ceramic | similar compounds | No significant irritation |
| Silane Treated Silica | Professional judgement | No significant irritation |
| Bisphenol A Polyethylene Glycol Diether Dimethacrylate (BISMA-6) | Rabbit | Minimal irritation |
| Bisphenol A Diglycidyl Ether Dimethacrylate (BISGMA) | Rabbit | No significant irritation |
| Silane Treated Zirconia | Rabbit | No significant irritation |

| | | |
|--|------------|---------------------------|
| Polyethylene Glycol Dimethacrylate (PEGDMA) | Rabbit | Mild irritant |
| Triethylene glycol dimethacrylate | Guinea pig | Mild irritant |
| Phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide | Rabbit | No significant irritation |

Serious Eye Damage/Irritation

| Name | Species | Value |
|--|------------------------|---------------------------|
| Silane Treated Ceramic | similar compounds | Mild irritant |
| Silane Treated Silica | Professional judgement | No significant irritation |
| Bisphenol A Polyethylene Glycol Diether Dimethacrylate (BISMA-6) | Rabbit | No significant irritation |
| Bisphenol A Diglycidyl Ether Dimethacrylate (BISGMA) | In vitro data | No significant irritation |
| Silane Treated Zirconia | Rabbit | Mild irritant |
| Polyethylene Glycol Dimethacrylate (PEGDMA) | Rabbit | Moderate irritant |
| Triethylene glycol dimethacrylate | Professional judgement | Moderate irritant |
| Phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide | Rabbit | No significant irritation |

Skin Sensitization

| Name | Species | Value |
|--|-------------------|----------------|
| Silane Treated Ceramic | similar compounds | Not classified |
| Bisphenol A Polyethylene Glycol Diether Dimethacrylate (BISMA-6) | Guinea pig | Not classified |
| Diurethane Dimethacrylate (UDMA) | Guinea pig | Sensitizing |
| Bisphenol A Diglycidyl Ether Dimethacrylate (BISGMA) | Mouse | Not classified |
| Polyethylene Glycol Dimethacrylate (PEGDMA) | Guinea pig | Not classified |
| Triethylene glycol dimethacrylate | Human and animal | Sensitizing |
| Phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide | Guinea pig | Sensitizing |

Respiratory Sensitization

For the component/components, either no data are currently available or the data are not sufficient for classification.

Germ Cell Mutagenicity

| Name | Route | Value |
|--|----------|--|
| Bisphenol A Polyethylene Glycol Diether Dimethacrylate (BISMA-6) | In Vitro | Not mutagenic |
| Bisphenol A Diglycidyl Ether Dimethacrylate (BISGMA) | In Vitro | Not mutagenic |
| Silane Treated Zirconia | In Vitro | Some positive data exist, but the data are not sufficient for classification |
| Triethylene glycol dimethacrylate | In Vitro | Some positive data exist, but the data are not sufficient for classification |
| Phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide | In Vitro | Not mutagenic |

Carcinogenicity

| Name | Route | Species | Value |
|------------------------|------------|-------------------|--|
| Silane Treated Ceramic | Inhalation | similar compounds | Some positive data exist, but the data are not sufficient for classification |

| | | | |
|-----------------------------------|------------|-------------------------|--|
| Silane Treated Zirconia | Inhalation | Multiple animal species | Some positive data exist, but the data are not sufficient for classification |
| Triethylene glycol dimethacrylate | Dermal | Mouse | Not carcinogenic |

Reproductive Toxicity

Reproductive and/or Developmental Effects

| Name | Route | Value | Species | Test Result | Exposure Duration |
|--|-----------|--|---------|-----------------------|-------------------|
| Bisphenol A Diglycidyl Ether Dimethacrylate (BISGMA) | Ingestion | Not classified for development | Rat | NOAEL 1,000 mg/kg/day | during gestation |
| Triethylene glycol dimethacrylate | Ingestion | Not classified for female reproduction | Mouse | NOAEL 1 mg/kg/day | 1 generation |
| Triethylene glycol dimethacrylate | Ingestion | Not classified for male reproduction | Mouse | NOAEL 1 mg/kg/day | 1 generation |
| Triethylene glycol dimethacrylate | Ingestion | Not classified for development | Mouse | NOAEL 1 mg/kg/day | 1 generation |

Target Organ(s)

Specific Target Organ Toxicity - single exposure

| Name | Route | Target Organ(s) | Value | Species | Test Result | Exposure Duration |
|---|------------|------------------------|--|------------------------|---------------------|-------------------|
| Polyethylene Glycol Dimethacrylate (PEGDMA) | Inhalation | respiratory irritation | Some positive data exist, but the data are not sufficient for classification | similar health hazards | NOAEL Not available | |

Specific Target Organ Toxicity - repeated exposure

| Name | Route | Target Organ(s) | Value | Species | Test Result | Exposure Duration |
|--|------------|--|----------------|-------------------------|-----------------------|-----------------------|
| Silane Treated Ceramic | Inhalation | pulmonary fibrosis | Not classified | similar compounds | NOAEL Not available | |
| Bisphenol A Diglycidyl Ether Dimethacrylate (BISGMA) | Ingestion | endocrine system hematopoietic system liver heart skin gastrointestinal tract bone, teeth, nails, and/or hair immune system muscles nervous system eyes kidney and/or bladder respiratory system vascular system | Not classified | Rat | NOAEL 1,000 mg/kg/day | 90 days |
| Silane Treated Zirconia | Inhalation | pulmonary fibrosis | Not classified | Multiple animal species | NOAEL Not available | |
| Silane Treated Zirconia | Inhalation | respiratory system | Not classified | Human | NOAEL Not available | occupational exposure |
| Triethylene glycol dimethacrylate | Dermal | kidney and/or bladder blood | Not classified | Mouse | NOAEL 833 mg/kg/day | 78 weeks |

Aspiration Hazard

For the component/components, either no data are currently available or the data are not sufficient for classification.

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

SECTION 12: Ecological information

Ecotoxicological information

Please contact the address or phone number listed on the first page of the SDS for additional ecotoxicological information on this material and/or its components.

Chemical fate information

Please contact the address or phone number listed on the first page of the SDS for additional chemical fate information on this material and/or its components.

SECTION 13: Disposal considerations

13.1. Disposal methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Dispose of completely cured (or polymerized) material in a permitted industrial waste facility. As a disposal alternative, incinerate uncured product in a permitted waste incineration facility. If no other disposal options are available, waste product that has been completely cured or polymerized may be placed in a landfill properly designed for industrial waste.

EPA Hazardous Waste Number (RCRA): Not regulated

SECTION 14: Transport Information

For Transport Information, please visit <http://3M.com/Transportinfo> or call 1-800-364-3577 or 651-737-6501.

SECTION 15: Regulatory information

15.1. US Federal Regulations

Contact 3M for more information.

EPCRA 311/312 Hazard Classifications:

Physical Hazards

Not applicable

Health Hazards

Respiratory or Skin Sensitization

Additional TSCA Information

| Components | CAS No | Additional Information |
|-----------------------|-------------|-----------------------------------|
| Silane Treated Silica | 248596-91-0 | Allowed use(s): Coating additive. |

15.2. State Regulations

Contact 3M for more information.

15.3. Chemical Inventories

This material contains one or more substances not listed on the TSCA Inventory. Commercial use of this material is regulated by the FDA.

Contact 3M for more information.

15.4. International Regulations

Contact 3M for more information.

This SDS has been prepared to meet the U.S. OSHA Hazard Communication Standard, 29 CFR 1910.1200.

SECTION 16: Other information

NFPA Hazard Classification

Health: 2 **Flammability:** 1 **Instability:** 0 **Special Hazards:** None

National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.

Document Group: 26-5783-1

Version Number: 6.05

Issue Date: 07/20/22

Supersedes Date: 06/23/21

DISCLAIMER: The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. 3M MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

3M provides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information, 3M makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the SDS available directly from 3M.

3M USA SDSs are available at www.3M.com