SAFETY DATA SHEETS

This SDS packet was issued with item: 075033527

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

070213900 075033501 075033519 075033535 075033543 075033550 075033568 273034874

The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).

075032602 075033337 075033345 075033352 075033360 075033378 075033386 075033394 273011066



Safety Data Sheet

Copyright, 2018, 3M Company.

All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

| Document Group: | 16-1922-0 | Version Number: | 7.01 |
|-----------------|-----------|------------------|----------|
| Issue Date: | 06/05/18 | Supercedes Date: | 02/25/16 |

SECTION 1: Identification

1.1. Product identifier

 $3M^{\mbox{tm}}$ espetm relyxm veneer try-in paste

Product Identification Numbers

LE-F100-0702-1, 70-2010-3189-8, 70-2010-3190-6, 70-2010-3191-4, 70-2010-3192-2, 70-2010-3193-0, 70-2010-3194-8

1.2. Recommended use and restrictions on use

Recommended use Dental Product, Veneer try-in paste Restrictions on use For use only by dental professionals

1.3. Supplier's details

| MANUFACTURER: | 3M |
|------------------|-----------------------------------------|
| DIVISION: | Oral Care Solutions Division |
| ADDRESS: | 3M Center, St. Paul, MN 55144-1000, USA |
| Telephone: | 1-888-3M HELPS (1-888-364-3577) |

1.4. Emergency telephone number

1-800-364-3577 or (651) 737-6501 (24 hours)

SECTION 2: Hazard identification

This document has been prepared in accordance with the U.S. OSHA Hazard Communication Standard, which requires the inclusion of all known hazards of the product or ingredients regardless of the potential risk. The risks of the hazards communicated in this document may vary depending on the potential for exposure.

2.1. Hazard classification

Not classified as hazardous according to OSHA Hazard Communication Standard, 29 CFR 1910.1200.

2.2. Label elements Signal word Not applicable.

Symbols

Not applicable.

Pictograms

Not applicable.

SECTION 3: Composition/information on ingredients

| Ingredient | C.A.S. No. | % by Wt |
|---------------------|------------|------------------------|
| POLYETHYLENE GLYCOL | 25322-68-3 | 80 - 95 Trade Secret * |
| CERAMIC POWDER | 66402-68-4 | 5 - 15 Trade Secret * |
| TITANIUM DIOXIDE | 13463-67-7 | < 2 Trade Secret * |

*The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation:

Remove person to fresh air. If you feel unwell, get medical attention.

Skin Contact:

Wash with soap and water. If signs/symptoms develop, get medical attention.

Eye Contact:

Flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. If signs/symptoms persist, get medical attention.

If Swallowed:

Rinse mouth. If you feel unwell, get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

See Section 11.1. Information on toxicological effects.

4.3. Indication of any immediate medical attention and special treatment required

Not applicable

SECTION 5: Fire-fighting measures

5.1. Suitable extinguishing media

In case of fire: Use a fire fighting agent suitable for ordinary combustible material such as water or foam to extinguish.

5.2. Special hazards arising from the substance or mixture

None inherent in this product.

Hazardous Decomposition or By-Products

Substance

Carbon monoxide Carbon dioxide <u>Condition</u> During Combustion During Combustion

5.3. Special protective actions for fire-fighters

Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapors, in accordance with good industrial hygiene practice. Observe precautions from other sections.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue. Dispose of collected material as soon as possible in accordance with applicable local/regional/national/international regulations.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid prolonged or repeated skin contact. Do not eat, drink or smoke when using this product. Wash thoroughly after handling.

7.2. Conditions for safe storage including any incompatibilities

No special storage requirements.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

| Ingredient | C.A.S. No. | Agency | Limit type | Additional Comments |
|---------------------|------------|--------|-----------------------------|-------------------------|
| TITANIUM DIOXIDE | 13463-67-7 | ACGIH | TWA:10 mg/m3 | A4: Not class. as human |
| | | | | carcin |
| TITANIUM DIOXIDE | 13463-67-7 | OSHA | TWA(as total dust):15 mg/m3 | |
| POLYETHYLENE GLYCOL | 25322-68-3 | AIHA | TWA(as particulate):10 | |
| | | | mg/m3 | |

ACGIH : American Conference of Governmental Industrial Hygienists

AIHA : American Industrial Hygiene Association

CMRG : Chemical Manufacturer's Recommended Guidelines

OSHA : United States Department of Labor - Occupational Safety and Health Administration

TWA: Time-Weighted-Average

STEL: Short Term Exposure Limit

CEIL: Ceiling

8.2. Exposure controls

8.2.1. Engineering controls

Use in a well-ventilated area.

8.2.2. Personal protective equipment (PPE)

Eye/face protection

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended: Safety Glasses with side shields

Skin/hand protection

See Section 7.1 for additional information on skin protection.

Respiratory protection

None required.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| General Physical Form: | Solid | |
|-----------------------------------------|-------------------------------------|--|
| Specific Physical Form: | Paste | |
| Odor, Color, Grade: | Characteristic odor, various shades | |
| Odor threshold | No Data Available | |
| рН | Not Applicable | |
| Melting point | No Data Available | |
| Boiling Point | Not Applicable | |
| Flash Point | Not Applicable | |
| Evaporation rate | Not Applicable | |
| Flammability (solid, gas) | Not Classified | |
| Flammable Limits(LEL) | Not Applicable | |
| Flammable Limits(UEL) | Not Applicable | |
| Vapor Pressure | Not Applicable | |
| Vapor Density | Not Applicable | |
| Density | 1.3 g/cm3 | |
| Specific Gravity | 1.3 [<i>Ref Std</i> :WATER=1] | |
| Solubility in Water | Appreciable | |
| Solubility- non-water | No Data Available | |
| Partition coefficient: n-octanol/ water | Not Applicable | |
| Autoignition temperature | No Data Available | |
| Decomposition temperature | No Data Available | |
| Viscosity | No Data Available | |
| Molecular weight | No Data Available | |
| Percent volatile | Not Applicable | |
| | | |

SECTION 10: Stability and reactivity

10.1. Reactivity

This material is considered to be non reactive under normal use conditions.

10.2. Chemical stability

Stable.

10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

10.4. Conditions to avoid

None known.

10.5. Incompatible materials None known.

10.6. Hazardous decomposition products

Substance

None known.

Condition

Refer to section 5.2 for hazardous decomposition products during combustion.

SECTION 11: Toxicological information

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labeling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

This document has been prepared in accordance with the U.S. OSHA Hazard Communication Standard, which requires the inclusion of all known hazards of the product or ingredients regardless of the potential risk. The risks of the hazards communicated in this document may vary depending on the potential for exposure. The information below represents toxicological information associated with the individual components of the uncured product. Once properly mixed and/or cured, the product is safe for its intended use.

11.1. Information on Toxicological effects

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

Inhalation:

This product may have a characteristic odor; however, no adverse health effects are anticipated.

Skin Contact:

Contact with the skin during product use is not expected to result in significant irritation.

Eye Contact:

Contact with the eyes during product use is not expected to result in significant irritation.

Ingestion:

Gastrointestinal Irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea.

Additional Health Effects:

Carcinogenicity:

Exposures needed to cause the following health effect(s) are not expected during normal, intended use: Contains a chemical or chemicals which can cause cancer.

| Ingredient | CAS No. | Class Description | Regulation |
|------------------|------------|-------------------------------|---------------------------------------------|
| TITANIUM DIOXIDE | 13463-67-7 | Grp. 2B: Possible human carc. | International Agency for Research on Cancer |

Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

3MTM ESPETM RELYXTM VENEER TRY-IN PASTE 06/05/18

Acute Toxicity

| Ingestion Dermal | | No data available; calculated ATE >5,000 mg/kg |
|---------------------|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|
| Dermal | | |
| Derma | Rabbit | LD50 > 20,000 mg/kg |
| Ingestion | Rat | LD50 32,770 mg/kg |
| Dermal | | LD50 estimated to be $> 5,000 \text{ mg/kg}$ |
| Ingestion | | LD50 estimated to be 2,000 - 5,000 mg/kg |
| Dermal | Rabbit | LD50 > 10,000 mg/kg |
| Inhalation- | Rat | LC50 > 6.82 mg/l |
| Dust/Mist | | |
| (4 hours) | | |
| Ingestion | Rat | LD50 > 10,000 mg/kg |
| | Ingestion Dermal Ingestion Dermal Inhalation- Dust/Mist (4 hours) | Ingestion Rat Dermal Ingestion Dermal Rabbit Inhalation- Rat Dust/Mist (4 hours) |

ATE = acute toxicity estimate

Skin Corrosion/Irritation

| Name | Species | Value |
|---------------------|---------|---------------------------|
| | | |
| POLYETHYLENE GLYCOL | Rabbit | Minimal irritation |
| CERAMIC POWDER | Rabbit | No significant irritation |
| TITANIUM DIOXIDE | Rabbit | No significant irritation |

Serious Eye Damage/Irritation

| Name | Species | Value |
|---------------------|---------|---------------------------|
| POLYETHYLENE GLYCOL | Rabbit | Mild irritant |
| CERAMIC POWDER | Rabbit | Mild irritant |
| TITANIUM DIOXIDE | Rabbit | No significant irritation |

Skin Sensitization

| Name | Species | Value |
|---------------------|---------|----------------|
| POLYETHYLENE GLYCOL | Guinea | Not classified |
| | pig | |
| TITANIUM DIOXIDE | Human | Not classified |
| | and | |
| | animal | |

Respiratory Sensitization

For the component/components, either no data are currently available or the data are not sufficient for classification.

Germ Cell Mutagenicity

| Name | Route | Value |
|---------------------|----------|------------------------------------------------------------------------------|
| | | |
| POLYETHYLENE GLYCOL | In Vitro | Not mutagenic |
| POLYETHYLENE GLYCOL | In vivo | Not mutagenic |
| CERAMIC POWDER | In Vitro | Some positive data exist, but the data are not sufficient for classification |
| TITANIUM DIOXIDE | In Vitro | Not mutagenic |
| TITANIUM DIOXIDE | In vivo | Not mutagenic |

Carcinogenicity

| Name | Route | Species | Value |
|---------------------|------------|----------|------------------------------------------------|
| POLYETHYLENE GLYCOL | Ingestion | Rat | Not carcinogenic |
| CERAMIC POWDER | Inhalation | Multiple | Some positive data exist, but the data are not |
| | | animal | sufficient for classification |
| | | species | |
| TITANIUM DIOXIDE | Ingestion | Multiple | Not carcinogenic |
| | | animal | |
| | | species | |
| TITANIUM DIOXIDE | Inhalation | Rat | Carcinogenic |

Reproductive Toxicity

Reproductive and/or Developmental Effects

| Name | Route | Value | Species | Test Result | Exposure Duration |
|---------------------|------------------|----------------------------------------------------|---------|-------------------------------------|----------------------|
| POLYETHYLENE GLYCOL | Ingestion | Not classified for female reproduction | Rat | NOAEL 1,125 mg/kg/day | during gestation |
| POLYETHYLENE GLYCOL | Ingestion | Not classified for male reproduction | Rat | NOAEL 5699 +/- 1341 mg/kg/day | 5 days |
| POLYETHYLENE GLYCOL | Not Specified | Not classified for reproduction and/or development | | NOEL N/A | |
| POLYETHYLENE GLYCOL | Ingestion | Not classified for development | Mouse | NOAEL 562 mg/animal/da y | during gestation |

Target Organ(s)

Specific Target Organ Toxicity - single exposure

| Name | Route | Target Organ(s) | Value | Species | Test Result | Exposure Duration |
|------------------------|------------|------------------------|----------------|---------|---------------------|----------------------|
| POLYETHYLENE GLYCOL | Inhalation | respiratory irritation | Not classified | Rat | NOAEL 1.008 mg/l | 2 weeks |

Specific Target Organ Toxicity - repeated exposure

| Name | Route | Target Organ(s) | Value | Species | Test Result | Exposure Duration |
|------------------------|------------|-----------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|-------------------------------|-----------------------------|--------------------------|
| POLYETHYLENE GLYCOL | Inhalation | respiratory system | Not classified | Rat | NOAEL 1.008 mg/l | 2 weeks |
| POLYETHYLENE GLYCOL | Ingestion | kidney and/or bladder heart endocrine system hematopoietic system liver nervous system | Not classified | Rat | NOAEL 5,640 mg/kg/day | 13 weeks |
| CERAMIC POWDER | Inhalation | pulmonary fibrosis | Not classified | Multiple animal species | NOAEL not available | |
| CERAMIC POWDER | Inhalation | respiratory system | Not classified | Human | NOAEL not available | occupational exposure |
| TITANIUM DIOXIDE | Inhalation | respiratory system | Some positive data exist, but the data are not sufficient for classification | Rat | LOAEL 0.01 mg/l | 2 years |
| TITANIUM DIOXIDE | Inhalation | pulmonary fibrosis | Not classified | Human | NOAEL Not available | occupational exposure |

Aspiration Hazard

For the component/components, either no data are currently available or the data are not sufficient for classification.

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

SECTION 12: Ecological information

Ecotoxicological information

Please contact the address or phone number listed on the first page of the SDS for additional ecotoxicological information on this material and/or its components.

Chemical fate information

Please contact the address or phone number listed on the first page of the SDS for additional chemical fate information on this material and/or its components.

SECTION 13: Disposal considerations

13.1. Disposal methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Incinerate in a permitted waste incineration facility. As a disposal alternative, utilize an acceptable permitted waste disposal facility. If no other disposal options are available, waste product may be placed in a landfill properly designed for industrial waste.

EPA Hazardous Waste Number (RCRA): Not regulated

SECTION 14: Transport Information

For Transport Information, please visit http://3M.com/Transportinfo or call 1-800-364-3577 or 651-737-6501.

SECTION 15: Regulatory information

15.1. US Federal Regulations

Contact 3M for more information.

EPCRA 311/312 Hazard Classifications:

Physical Hazards

Not applicable

Health Hazards

Not applicable

15.2. State Regulations

Contact 3M for more information.

15.3. Chemical Inventories

This material contains one or more substances not listed on the TSCA Inventory. Commercial use of this material is regulated by the FDA.

Contact 3M for more information.

15.4. International Regulations

Contact 3M for more information.

This SDS has been prepared to meet the U.S. OSHA Hazard Communication Standard, 29 CFR 1910.1200.

SECTION 16: Other information

NFPA Hazard Classification

Health: 0 Flammability: 1 Instability: 0 Special Hazards: None

National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.

| Document Group: | 16-1922-0 | Version Number: | 7.01 |
|-----------------|-----------|------------------|----------|
| Issue Date: | 06/05/18 | Supercedes Date: | 02/25/16 |

DISCLAIMER: The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued.3MMAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE.User is responsible for determining whether the 3Mproduct is fit for a particular purpose and suitable for user's method of use or application.Given the variety of factors that can affect the use and application of a3Mproduct, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the 3Mproduct to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

3Mprovides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information, 3Mmakes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the SDS available directly from 3M

3M USA SDSs are available at www.3M.com