

## SAFETY DATA SHEETS

**This SDS packet was issued with item:**

075343322

N/A

Material Safety Data Sheet      MILLENNIUM POUR DENTURE ACRYLIC      Page 1 of 5

Section I - Product and Company Identification

Product Name:	MILLENNIUM POUR DENTURE ACRYLIC	MSDS Initial Approval Date:	05/19/06
Chemical Name:	N/A	MSDS Prepared by:	JRR
Family:	Acrylic Polymer	Manufacturer:	Mizzy
			A division of Keystone Industries
			616 Hollywood Ave, Cherry Hill, NJ 08002
Product Use:	Dental Polymer	Emergency Phone Numbers:	(800) 535-5053
		Information Contacts:	(856) 663-4700

Section II - Composition/Information on Ingredients

Chemical Identity	CAS #s	EINECS#	INCI Name (or other substance name)	Exposure OSHA TWA/STEL	Limits ACGIH TWA/STEL	Carcinogen IARC/NTP/OSHA	%
Poly (methyl methacrylate)	9011-14-7	N/E	Polymethyl Methacrylate	N/E	N/E	Group 3/no/no	98-100
Diethyl Phthalate	84-66-2	201-550-6	Diethyl phthalate	5 mg/m3	5 mg/m3	Not Listed	0-1
Dibenzoyl Peroxide	94-36-0	202-327-6	Benzoyl Peroxide	5 mg/m3	5 mg/m3	3/no/no	0-0.2
May Contain:							
Titanium Dioxide	13453-67-7	236-675-5	CI77891	15 mg/m3	10 mg/m3	Not Listed	0-1
N/E - None Established	N/DA - No Data Available						
N/R - Not Reviewed	N/A - Not Applicable						

Hazard Symbols: Xi  
Risk Phrases: R36/37/38    Safety Phrases: S18, S22, S24/25, S38  
This product is not considered hazardous by OSHA Hazard Communication Standard

Section III - Hazards Identification

EMERGENCY OVERVIEW

This information is based on findings from related or similar materials.

- May cause allergic skin reaction.
- May cause eye irritation.
- Dust may cause irritation of the nose, throat, and lungs.
- This product may contain particulates, not otherwise classified (Nuisance Dust)

Potential Health Effects, Signs and Symptoms of Exposure:

Primary Route of Entry	Eyes or skin (No absorption); inhalation of dust.
Eye	Higher concentration can irritate eyes. May cause eye irritation or damage.
Skin	Repeated or prolonged exposure may cause allergic skin rashes.
Ingestion	Higher concentration can irritate respiratory system.
Inhalation	Possible temporary discomfort due to inhalation of dust concentration above the permissible exposure limit. Dust may cause irritation of the nose, throat, and lungs.
Sub-Chronic Effects	Effects of Acute and Chronic Over Exposure: It is not known to cause significant health problems. It is considered an inert or nuisance dust. Avoid inhalation of dust. Keep dust out of eyes to prevent possible irritation.

NOTE: Refer to Section 11, Toxicological Information for Details

Section IV - First Aid Measures

First Aid for Eye	Flush with plenty of water for 15 minutes, occasionally lifting the upper and lower eyelids. Get medical aid if symptoms persist.
First Aid for Skin	Wash thoroughly with soap and water. Obtain medical aid if discomfort persists.
First Aid for Inhalation	In case of exposure to a high concentration of polymer dust, remove person to fresh air. If breathing has stopped, administer artificial respiration and seek medical attention.
First Aid for Ingestion	Never give anything by mouth to an unconscious person. Get medial aid. Do NOT induce vomiting. If conscious and alert, rinse mouth and drink 2 to 4 cupfuls of milk or water.

**Material Safety Data Sheet****MILLENNIUM POUR DENTURE ACRYLIC**

Page 2 of 5

**Section V - Fire Fighting Measures**

Flash Point (°F/°C)	Flammable Limit (vol%)	Auto-ignition Temperature (vol%)
572°F/304°C (Tag Closed Cup)	LEL: 20 g/m <sup>3</sup> (dust cloud) UEL: N.A.	N/E

**Method:**

Extinguishing Media:	Water spray, water foam, carbon dioxide, dry chemical.
Fire Fighting Instructions:	Avoid extinguishing methods that generate dust clouds. Water streams can disperse dust into air, producing a fire hazard and possible explosion hazard. Fire-fighters should wear self-contained breathing apparatus.
Unusual Hazards:	Polymer dust is combustible but not easily ignited. The explosive limits of the polymer particles suspended in air are approximately those of coal dust.

**Section VI - Accidental Release Measures**

Spill or Release Procedures	Sweep up to avoid slipping hazard. Keep airborne particulates at a minimum when cleaning up spills.
-----------------------------	---

**Section VII - Handling and Storage**

Handling	Observe precautions found on the label. Wash face and hands thoroughly with soap and water after handling and before eating, drinking or smoking. Avoid prolonged or repeated contact with skin. Avoid contamination. Use only with adequate ventilation.
Storage	Store in cool, dry place away from heat, sparks, flame and direct sunlight. Close container after each use. Ground all metal containers when transferring. Use explosion-proof equipment. Store away from combustibles and incompatible materials.
Explosion Hazard	Polymer dust is combustible, explosive limits of the polymer particles suspended in air are approximately those of coal dust.

**Section VIII - Exposure Controls / Personal Protective Equipment**

Engineering Controls	Use good local exhaust at processing equipment, including buffers, sanders, grinders and polishers. High temperature processing equipment should be well ventilated. Use explosion-proof equipment. Provide ventilation if necessary to control exposure levels below airborne exposure limits.
----------------------	---

**Personal Protective Equipment**

General	Dust collectors are recommended for handling powder in bulk. To identify additional Personal Protective Equipment (PPE) requirements, it is recommended that a hazard assessment in accordance with the OSHA PPE Standard (29CFR1910.132), or European Standard EN166 be conducted before using this product. Provide eye wash stations and safety showers.
Eye/ Face Protection	Use safety glasses and have eye flushing equipment immediately available.
Skin Protection	Minimize contamination by following good industrial practice. Although wearing gloves is an option, wearing nitrile, neoprene, pvc, latex or other impermeable gloves is recommended.
Respiratory Protection	A NIOSH/MSHA approved air purifying respirator with a minimum rating of N95 may be permissible under certain limited circumstances where airborne concentrations are expected to exceed exposure limits. Protection provided by air purifying respirators is limited. Wear a NIOSH/MSHA or European Standard EN 149 approved full-facepiece airline respirator in the positive pressure mode with emergency escape provisions. Follow OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149.

Material Safety Data Sheet

MILLENNIUM POUR DENTURE ACRYLIC

Page 3 of 5

Section IX - Physical and Chemical Properties

Appearance	Odor & Odor Threshold	pH	Specific Gravity	Viscosity	% Volatile
Clear, pink, or reddish-pink free flowing powder	Faint odor in bulk.	N/A	N/A	N/A	0.0

Boiling Point/ Freezing Point	Decomposition Temperature	Octanol/Water Partitioning Coefficient Log Po/w	Vapor Pressure:	Vapor Density	Evaporation Rate	Ignition	Solubility In Water (20°C)
N/A	392°F/200°C	N/A	N/A	N/A	N/A	N/A	insoluble

Flash Point (°F/°C)	Flammable Limit (vol%)	Auto-ignition Temperature (vol%)
580°F/304°C (Tag Closed Cup)	LEL: 20 g/m <sup>3</sup> (dust cloud) UEL: N.A.	N/E

Section X - Stability and Reactivity

<b>Stability:</b> Stable	<b>Incompatibility (Materials to Avoid):</b> Strong oxidizing agents
<b>Hazardous Decomposition Products:</b> Methyl methacrylate monomers and Carbon Dioxide	<b>Hazardous Polymerization:</b> will not occur
<b>Conditions to Avoid:</b> Heating above 200°C/392°F	

Section XI - Toxicological Information

Acute Oral Toxicity	Acute Dermal Toxicity	Acute Inhalation Toxicity	Irritation - skin	Irritation - Eye
N/DA	N/DA	N/DA	mild	mild

Sensitization	Mutagenicity	Sub-chronic Toxicity
N/DA	None	None

Section XII - Ecological Information

Ecotoxicological Information

Acute Toxicity to Fish	Acute Toxicity to Invertebrates	Acute Toxicity to Algae	Bioconcentration	Toxicity to Sewage Bacteria
N/DA	N/DA	N/DA	N/DA	N/DA

Chemical Fate Information

Biodegradability	N/DA
Chemical Oxygen Demand	N/DA

Section XIII - Disposable Considerations

Follow Federal, State and Local regulations for disposal. For EU Member States, please refer to any relevant Community provisions relating to waste. In their absence, it is useful to remind the user that national or regional provisions may be in force.

Section XIV - Transport Information

DOT (49 CFR 172)	
Proper Shipping Name:	Non-Regulated Material
Identification Number:	N/A
Marine Pollutant:	No
Special Provisions:	N/A

**Material Safety Data Sheet****MILLENNIUM POUR DENTURE ACRYLIC**

Page 4 of 5

<b>Emergency Response Guidebook (ERG) #:</b>	N/A
<b>IATA (DGR):</b>	
Proper Shipping Name:	Non-Regulated Material
Class or Division:	N/A
UN or ID Number:	N/A
Packaging Instructions:	
<b>Emergency Response Guidance (ICAO)#:</b>	
<b>IMO (IMDG):</b>	
Proper Shipping Name:	Non-Regulated Material
Class or Division:	N/A
UN or ID Number:	N/A
Special Provisions & Stowage/Segregation:	None
<b>Emergency Schedule (EmS)#:</b>	
<b>Other Information:</b>	<b>Flash point &gt; 100°C</b>


**Section XV - Regulatory Information****US Federal Regulations**

Clean Air Act: HAP/ODS	This product contains the following hazardous air pollutants (HAP's) or ozone depleting substances (ODS's), as defined by the U. S. Clean Air Act: <ul style="list-style-type: none"><li>NONE</li></ul>
Clean Water Act: Priority Pollutant	This product contains the following chemicals listed under the U.S. Clean Water Act Priority Pollutant List: <ul style="list-style-type: none"><li>Diethyl phthalate, CAS# 84-66-2</li></ul> None of the chemicals are listed as a Toxic Pollutant under the CWA.
FDA: Food Packaging Status	This product has not been cleared by the FDA for use in food packaging and/or other applications as an indirect food additive.
Occupational Safety and Health Act	This product is not considered a hazardous chemical under the OSHA Hazard Communication Standard.
RCRA	This product contains the following chemicals considered to be hazardous waste under RCRA (40 CFR 261): <ul style="list-style-type: none"><li>Diethyl phthalate, CAS# 84-66-2, RCRA Code: U088</li></ul>
SARA Title III: Section 302	This product contains the following chemicals regulated under Sec. 302 as extremely hazardous substances: <ul style="list-style-type: none"><li>Diethyl phthalate, CAS#: 84-66-2, RQ= 1000 lbs. (454 kg)</li></ul>
SARA Title III: Section 304	This product contains no chemicals regulated under Sec. 304 as extremely hazardous chemicals for emergency release notification ("CERCLA" List).
SARA Title III: Section 311-312:	This product does not contain hazardous substances under the OSHA Hazard Communication Standard, and is not regulated under Section 311-312 (40 CFR 370).
SARA Title III: Section 313:	This product contains the following chemicals outlined in SARA Title III: Section 313: <ul style="list-style-type: none"><li>Benzoyl Peroxide CAS #94-36-0.</li></ul>
TSCA Section 8(b): Inventory:	This product contains chemicals listed on the TSCA inventory or otherwise complies with TSCA premanufacture notification requirements.

**State Regulations**

CA Right-to-Know Law:	Benzoyl Peroxide CAS #94-36-0, Diethyl phthalate CAS# 84-66-2
MA Right-to-Know Law:	Benzoyl Peroxide CAS #94-36-0, Diethyl phthalate CAS# 84-66-2
NJ Right-to-Know Law:	Benzoyl Peroxide CAS #94-36-0, Diethyl phthalate CAS# 84-66-2
PA Right-to-Know Law:	Benzoyl Peroxide CAS #94-36-0, Diethyl phthalate CAS# 84-66-2
FL Right-to-Know Law:	Benzoyl Peroxide CAS #94-36-0, Diethyl phthalate CAS# 84-66-2
MN Right-to-Know Law:	Benzoyl Peroxide CAS #94-36-0, Diethyl phthalate CAS# 84-66-2


International Regulations

CDSL: Canadian Inventory (on Canadian Transitional List)	Polymethyl methacrylate CAS# 9011-14-7 is on the DSL List. WHMIS = n/da Benzoyl Peroxide, CAS# 94-36-0 is on the DSL list. WHMIS = C, D2B, B4 Diethyl phthalate, CAS# 84-66-2 is on the DSL list, WHMIS = n/da Titanium dioxide, CAS# 13463-67-7 is not on the DSL list.
EINECS: European Inventory:  	<ul style="list-style-type: none"> <li>HAZARD SYMBOLS: <b>Xi</b>: <i>Irritant</i></li> <li>RISK PHRASES: <b>R36/37/38</b>: <i>Irritating to eyes, respiratory system and skin</i></li> <li>SAFETY PHRASES: <b>S18</b>: <i>Handle and open container with care</i>, <b>S22</b>: <i>do not breath dust</i>, <b>S24/25</b>: <i>avoid contact with skin and eyes</i>, <b>S38</b>: <i>in case of insufficient ventilation, wear suitable respiratory equipment</i>.</li> </ul>

Section XVI - Other Information

Hazard Rating System (Pictograms)

NFPA:




← Flammability

Health →

← Reactivity

HMIS:



\* - Respiratory protection may be necessary depending on conditions of use. Refer to Section VIII of this MSDS for respiratory protection guidelines.

OSHA PEL for nuisance dust:

15 mg/m<sup>3</sup> (total dust)

5 mg/m<sup>3</sup> (respirable dust)

ACGIH PEL for nuisance dust:

10 mg/m<sup>3</sup>

Revised Sections since Last Version:	5/19/06 Initial Issue
Section 1 Revisions	11/6/07 SWR
Overall revision to updated format including safety and risk phrases	10/1/10 SWR/JRR

The information presented herein was obtained from sources considered to be reliable. However, this information is provided without any warranty, expressed or implied, regarding its correctness or suitability for consumers intended use and/or application. For this and other reasons, we assume no responsibility and expressly disclaim liability for loss, damage or expense arising out of any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared expressly for this product. Use the materials only as directed. If the product is used as a component of another product, the information contained within the MSDS may not be applicable. If one could have any concerns with or problems understanding this MSDS form, please direct all questions to INFOTRAC, Chemical Emergency Resources System at 1(800) 535-5053.