

SAFETY DATA SHEETS

This SDS packet was issued with item:

075347307

N/A

Material Safety Data Sheet

ORANGE SOLVENT

Page 1 of 1

Section 1 – Identification

Product Name: ORANGE SOLVENT

Manufacturer: Mizzy

A division of Keystone Industries

52 W King St

Myerstown, PA 17067

Chemical Name: N/A

Emergency Phone Numbers: (800) 535 - 5053

Information Contacts: (800) 333-3131

Family: Petroleum hydrocarbons

Product Use: PIP Solvent

Product #: 6120800

Section 2 – Hazards Identification

EMERGENCY OVERVIEW

This information is based on findings from related or similar materials.

- May cause eye and skin irritation
- May cause digestive and respiratory tract irritation
- Please read entire MSDS for additional information

Potential Health Effects, Signs and Symptoms of Exposure:

Primary Route of Entry Inhalation, ingestion and skin. **Target Organs:** Kidneys, central nervous system, liver.

Eye Eye contact may cause moderate to high irritation.

Skin May cause slight redness. Contains a potential skin sensitizer.

Ingestion Ingestion will produce a cathartic (laxative) effect and may be irritating to the digestive tract. Aspiration into the lungs will cause lipoid pneumonia.

Inhalation Can cause nose, throat and respiratory tract irritation, coughing and headache. Aspiration of liquid into lungs can cause lung damage or death.

Sub-Chronic Effects Prolonged or repeated exposure can cause drying, defatting and dermatitis of skin or oil acne.

NOTE: Refer to Section 11, Toxicological Information for Details

Section 3- Composition/Information on Ingredients

Chemical Identity	CAS Numbers	EINECS #	INCI Name	Exposure OSHA TWA/STEL	Limits ACGIH TWA/STEL	Carcinogen IARC/NTP/OSHA	%
Mineral Oil	8042-47-5	232-455-8				No/No/No	80-90%
D-Limonene	5989-27-5						2-10%
Lanolin USP	8006-54-0	232-348-6	Lanolin	N/E	N/E	Not Listed	0-2%
N/E – None Established	N/DA – No Data Available						
N/R – Not Reviewed	N/A – Not Applicable						

Mineral Oil: Hazard Symbol – NDA Risk Phrases – None Safety Phrases – S 24/25

D-Limonene: Hazard Symbol: Xi, N Risk Phrases: R10, R38, R43, R50/53 Safety Phrases: S24, S37, S60, S61

Lanolin USP: Hazard Symbol – NDA Risk Phrases – R65 Safety Phrases – S2, S23, S24, S62

See Section 16 for Risk and Safety Phrase Key

Section 4 – First Aid Measures

First Aid for Eye Remove contact lenses at once. Immediately flush with large amounts of water, occasionally lifting upper and lower lids, for 15-20 minutes. Get medical attention if irritation persists.

First Aid for Skin Wash affected area with large amounts of soap and water for approximately 15 –20 minutes. Get medical attention if irritation persists.

First Aid for Inhalation Remove to fresh air immediately. If symptoms persist, seek medical attention.

First Aid for Ingestion Rinse mouth with water, then drink one glass of water. Contact doctor immediately. Never give anything by mouth if victim is unconscious, rapidly losing consciousness or convulsing. Do not induce vomiting. If spontaneous vomiting is about to occur, place victim's head below knees. If victim is drowsy or unconscious, place on the left side with head down. Get immediate medical attention

Revised Date: 8/27/09 | Replaces Date: 9/06

Section 5 – Fire Fighting Measures

Flash Point (°F/°C)	Flammable Limit (vol%)	Auto-ignition Temperature (vol%)
309°F/154°C	LEL: N.AV UEL: N.AV.	N.AV

Method:

Extinguishing Media: Carbon dioxide, foam and dry chemical.

Fire Fighting

Instructions: Firefighters should wear self-contained breathing apparatus. Use water-spray to keep containers cool.

Unusual Hazards: Combustible liquid. Keep away from heat, sparks and open flame. Guard against spontaneous combustion of improperly discarded oily rags. When heated above its flash point temperature, this material will release vapors which, if exposed to an ignition source, can ignite. In enclosed spaces vapors can ignite with explosive force. Mists or sprays may burn at temperatures below the flash point.

Section 6 – Accidental Release Measures

Spill or Release Procedures: Use protective gloves to avoid skin contact. Small spills can be wiped up. Large spills should be absorbed by dirt, sand or other absorbent material suitable for disposal. Do not hose spills down drains, sewers or waterways. Product may be toxic to aquatic organisms. Move leaking containers to well ventilated area. No smoking. Eliminate any source of ignition. Minimal inhalation. Use NIOSH/MSHA approved respiratory protective device. Caution: slippery on floor.

Section 7 – Handling and Storage

Handling: Use with adequate ventilation. Avoid contact with eyes, skin and clothing. Wash thoroughly after handling.

Storage: Store in sprinkler equipped warehouse. Avoid contact with incompatible chemicals. Store in tightly sealed, full containers. Best to store in glass, tin-lined, stainless steel or epoxy-lined containers to preserve quality. Product may expand slightly in storage causing pressure to build in container. Open container carefully if product appears to be under pressure.

Explosion Hazard: Combustible liquid. Keep away from heat, sparks and open flame. Guard against spontaneous combustion of improperly discarded oily rags.

Section 8 – Exposure Controls / Personal Protection

Engineering Controls: Ventilate adequately

Personal Protective Equipment

General: Local exhaust should be adequate. Mechanical ventilation otherwise recommended if necessary.

Eye/ Face Protection: Wear ANSI approved chemical worker goggles. Use ANSI approved eye wash and deluge shower.

Skin Protection: Wear impervious gloves and other clothing to prevent repeated and prolonged contact with substance.

Respiratory Protection: Not normally required, but if vapor concentration becomes high, use NIOSH/MSHA approved self-contained air mask.

Section 9 – Physical and Chemical Properties

Section 9 - Physical and Chemical Properties									
Appearance		Odor & Odor Threshold	pH	VOC (g/L)	Specific Gravity		Viscosity	% Volatile	
Clear liquid, variable colorless to yellow cast		Strong citrus odor	7 approx		(H ₂ O=1): 0.85		N.DA, mPas @ 20°C	95%+	
Boiling Point/Freezing Point	Decomposition Temperature	Octanol/Water Partitioning Coefficient Log Po/w	Vapor Pressure:	Vapor Density	Evaporation Rate	Ignition	Solubility In Water (20°C)		
420°F/232°C	N/A	N/DA	<.01	(Air=1)	N.A.V.	N/DA	Negligible		

Revised Date: 8/27/09 | Replaces Date: 9/06

Flash Point (°F/°C)	Flammable Limit (vol%)	Auto-ignition Temperature (vol%)
309°F/154°C	LEL – N/DA UEL – N/DA	N/A

Section 10 – Stability and Reactivity

Stability:

Stable

Incompatibility (Materials to Avoid):

Strong oxidizing agents and acidic agents, including acidic clays, peroxides, halogens, vinyl chloride and iodine pentafluoride.

Hazardous Decomposition Products:

Smoke may be acrid and fumes irritating. Burning generates carbon monoxide, carbon dioxide and smoke. Product is not an oxygen donor.

Hazardous Polymerization:

No

Conditions to Avoid:

Excessive heat, open flames and ignition sources. Polymerization catalysts such as aluminum chloride and acidic clays.

Section 11 – Toxicological Information

Acute Oral Toxicity	Acute Dermal Toxicity	Acute Inhalation Toxicity	Irritation – skin	Irritation – Eye
Oral (rat): LD50>5 G/KG	Dermal (Rabbit) LD50: 9400mg/kg	Inhalation (Rabbit) LC50:2500mg/m3	Mild: 500mg/24H (Rabbit)	Mild: 550mg/24H (Rabbit)

Sensitization	Mutagenicity	Sub-chronic Toxicity
No sensitizing effects known	Mutagenic effects have been observed on tests with bacteria and laboratory animals.	Prolonged or repeated exposure can cause drying, defatting and dermatitis of skin.

RTECS #:

Section 12 – Ecological Information

Ecotoxicological Information

Acute Toxicity to Fish	Acute Toxicity to Invertebrates	Acute Toxicity to Algae	Bioconcentration	Toxicity to Sewage Bacteria
Very toxic for fish	N/DA	N/DA	N/DA	N/DA

Chemical Fate Information

Biodegradability	
Chemical Oxygen Demand	

To the best of our knowledge, the ecotoxicological and chemical fate properties have not been thoroughly investigated. Do not allow to enter drinking water supplies, wastewater, or soil.

Section 13 – Disposal Considerations

Incinerate or dispose of in accordance with local, state and federal regulations. For EU Member States, please refer to any relevant community provisions relating to waste. In their absence, it is useful to remind the user that national or regional provisions may be in force.

Section 14 – Transport Information

DOT (49 CFR 172)	
Proper Shipping Name:	Non-Regulated Material
Identification Number:	N/A
Marine Pollutant:	No
Special Provisions:	None

Revised Date: 8/27/09 | Replaces Date: 9/06

Material Safety Data Sheet

ORANGE SOLVENT

Page 4 of 4

Emergency Response Guidebook (ERG) #:	N/A
IATA (DGR):	
Proper Shipping Name:	Non-Regulated Material
Class or Division:	N/A
UN or ID Number:	N/A
Packaging Instructions:	None
Emergency Response Guidance (ICAO)#:	N/A
IMO (IMDG):	
Proper Shipping Name:	Non-Regulated Material
Class or Division:	N/A
UN or ID Number:	N/A
Special Provisions & Stowage/Segregation:	None
Emergency Schedule (EmS)#:	N/A
Other Information:	Flash point = 309°F/154°C

Section 15 – Regulatory Information

US Federal Regulations

Clean Air Act: HAP/ODS	This product contains the following hazardous air pollutants (HAPs): <ul style="list-style-type: none"> NONE There are no ODS's (ozone depleting substances) as defined by the U. S. Clean Air Act.
Clean Water Act: Priority Pollutant	This product contains the following chemicals listed under the U. S. Clean Water Act Priority Pollutant and Hazardous Substance List: <ul style="list-style-type: none"> None
FDA: Food Packaging Status	This product has not been cleared by the FDA for use in food packaging and / or other applications as an indirect food additive.
Occupational Safety and Health Act	This product is not considered to be hazardous under the OSHA Hazard Communication Standard.
RCRA	This product contains chemicals considered to be hazardous waste under RCRA (40CFR 261): <ul style="list-style-type: none"> None
SARA Title III: Section 302 (RQ)	This product contains no chemicals regulated under Section 302 as extremely hazardous substances.
SARA Title III: Section 302 (TPQ)	This product contains no chemicals regulated under Section 302-304 as extremely hazardous chemicals for emergency release notification ("CERCLA" List):
SARA Title III: Section 311-312:	This product is not considered to be hazardous under the OSHA Hazard Communication Standard.
SARA Title III: Section 313:	This product contains the following chemicals which are subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372: <ul style="list-style-type: none"> None
TSCA Section 8(b): Inventory:	This product contains chemicals listed on the TSCA inventory or otherwise complies with TSCA pre-manufacture notification requirements.
TSCA Significant New Use Rule:	None of the chemicals in this material have a SNUR under TSCA.

State Regulations


CA Right-to-Know Law:	NONE
California No Significant Risk Level:	NONE
MA Right-to-Know Law:	NONE
NJ Right-to-Know Law:	NONE
PA Right-to-Know Law:	NONE
FL Right-to-Know Law:	NONE
MN Right-to-Know Law:	NONE

Revised Date: 8/27/09 | Replaces Date: 9/06

International Regulations

CDSL: Canadian Inventory (on Canadian Transitional List)	Lanolin CAS #8006-54-0 is listed on the Canadian DSL/NDSL list D-Limonene CAS #5989-27-5 is listed on the Canadian DSL/NDSL list, B3, D2B
---	--

Labeling according to EC directives – 1999/45/EC

European Community: 	Orange Solvent: <ul style="list-style-type: none"> HAZARD SYMBOLS: Xi: Irritant RISK PHRASES: R38 Irritating to skin, R43 May cause sensitization by skin contact, R65 Harmful: may cause lung damage if solvent is aspirated into lungs SAFETY PHRASES: S2 Keep out of reach of children, S23 Do not breathe vapor/mist, S24/25 Avoid contact with skin and eyes, S37 Wear suitable gloves, S61 Avoid release to the environment. Refer to instructions/safety data sheets, S62 If swallowed, do not induce vomiting; seek medical advice immediately and show this container or label.
--	---

Section 16 – Other Information

EU Classes and Risk / Safety Phrases for Referenced Ingredients (See Section 2):

Hazard Symbol:

Xi – Irritants

N – Dangerous for the environment



Risk Phrases:

R10 Flammable, R38 Irritating to skin, R43 May cause sensitization by skin contact, R50/53 Very toxic to aquatic organisms, may cause long term adverse effects in the aquatic environment, R65 Harmful: may cause lung damage if solvent is aspirated into lungs

Safety Phrases:

S2 Keep out of reach of children, S23 Do not breathe vapor/mist, S24/25 Avoid contact with skin and eyes, S37 Wear suitable gloves, S60 This material and its container must be disposed of as hazardous waste, S61 Avoid release to the environment. Refer to instructions/safety data sheets, S62 If swallowed, do not induce vomiting; seek medical advice immediately and show this container or label.

Hazard Rating System (Pictograms)

NFPA:	HMIS:
 <p>Health → 1 1 ← Flammability</p> <p>→ 0 ← Reactivity</p>	 <p>1 Health</p> <p>1 Flammability</p> <p>0 Reactivity</p>

Revision History:

MSDS Prepared by	
	7/02
SWR	9/06 reviewed
SWR	8/27/09 overall format revision

The information presented herein was obtained from sources considered to be reliable. However, this information is provided without any warranty, expressed or implied, regarding its correctness or suitability for consumers intended use and/or application. For this and other reasons, we assume no responsibility and expressly disclaim liability for loss, damage or expense arising out of any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared expressly for this product. Use the materials only as directed. If the product is used as a component of another product, the information contained within the MSDS may not be applicable. If there are any problems or concerns understanding this MSDS form, please direct all questions to INFOTRAC, Chemical Emergency Resources System at 1(800) 535-5053.



SAFETY DATA SHEET

NAME OF PRODUCT: ORANGE SOLVENT Wax and Impression Material Solvent

FILE NO.: SDS575

SDS DATE: 06/19/2014



SECTION 1: IDENTIFICATION

PRODUCT NAME: ORANGE SOLVENT Wax and Impression Material Solvent
PRODUCT CODES: 0921575
IDENTIFIED USES: Dentistry
USES ADVISED AGAINST: Non-dental use
MANUFACTURER: Harry J. Bosworth Company
ADDRESS: 7227 North Hamlin Avenue, Skokie, Illinois 60076-3999, USA
TELEPHONE: 847-679-3400
FAX: 847-679-2080
EMAIL: hjbinfo@bosworth.com
EMERGENCY PHONE: 800-535-5053 (US and Canada)
352-323-3500 (International)

SECTION 2: HAZARDS IDENTIFICATION

CLASSIFICATION: Flammable liquids (Category 3)
Specific target organ toxicity - single exposure (Category 3), Central nervous system

LABELING: FDA regulated device - exempt from Regulation (US) 29 CFR 1910.1200.

PICTOGRAM:  

SIGNAL WORD: Warning

HAZARD STATEMENTS: H226 Flammable liquid and vapor.
H336 May cause drowsiness or dizziness.

PRECAUTIONARY STATEMENTS: P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
P234 Keep only in original container.
P235+P410 Keep cool. Protect from sunlight.
P240 Ground/bond container and receiving equipment.
P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment.
P242 Use only non-sparking tools.
P243 Take precautionary measures against static discharge.
P261 Avoid breathing dust/fume/gas/mist/vapors/spray.
P264 Wash thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.
P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+P313 IF exposed or concerned: Get medical advice/ attention.
P312 Call a POISON CENTER or doctor/ physician if you feel unwell.
P321 Specific treatment (see supplemental first aid instructions on this label).
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P337+P313 If eye irritation persists: Get medical advice/attention.
P370+P378 In case of fire: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide for extinction.
P391 Collect spillage.
P402 Store in a dry place.
P403+P233 Store in a well-ventilated place. Keep container tightly closed.
P501 Dispose of contents/container to an approved waste disposal plant.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

COMPONENT	CAS NO.	%WT	OSHA PEL - TWA	ACGIH TLV - TWA	CLASSIFICATION
-----------	---------	-----	----------------	-----------------	----------------

PREPARED BY: SS

PAGE 1 OF 4



SAFETY DATA SHEET

NAME OF PRODUCT: ORANGE SOLVENT Wax and Impression Material Solvent

FILE NO.: SDS575

SDS DATE: 06/19/2014

1-Methoxy-2-propanol	107-98-2	60-100	100 ppm	100 ppm	Flam. Liq. 3; STOT SE 3; H226, H336
----------------------	----------	--------	---------	---------	-------------------------------------

For full text of H-statements mentioned in this section, see section 16.

SECTION 4: FIRST-AID MEASURES

INHALATION:	Move person into fresh air. If not breathing, give artificial respiration. If symptoms persist, get medical attention.
SKIN:	Wash off with soap and plenty of water. Get medical attention if irritation develops and persists.
EYE:	Rinse thoroughly with plenty of water for at least 15 minutes. Get medical attention if irritation develops and persists.
INGESTION:	Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

SECTION 5: FIRE-FIGHTING MEASURES

SUITABLE EXTINGUISHING MEDIA:	Water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
HAZARDOUS DECOMPOSITION PRODUCTS:	Oxides of carbon.
SPECIAL HAZARDS:	Flash back possible over considerable distance. Container explosion may occur under fire conditions. Vapors may form explosive mixture with air. May form peroxides of unknown stability.
ADVICE FOR FIREFIGHTERS:	Fight fires from safe distance or protected areas. Cool containers of material exposed to heat with cold water spray. Wear self contained breathing apparatus for firefighting if necessary.

SECTION 6: ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS:	Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.
ENVIRONMENTAL PRECAUTIONS:	Prevent further leakage or spillage if safe to do so. Do not let product enter drains.
CONTAINMENT AND CLEANUP:	Soak up with inert absorbent material and collect with an electrically protected vacuum cleaner or by wet-brushing. Place in suitable, closed container for disposal according to official regulations.

SECTION 7: HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING:	Product is intended for dental use only. Handling of this product should be by trained dental healthcare professionals only. Observe normal care for working with chemicals. Avoid contact with the eyes and skin. Avoid inhalation of vapor or mist. Keep away from sources of ignition - No smoking. Take measures to prevent the buildup of electrostatic charge. Keep away from foodstuffs, beverages and animal feed.
CONDITIONS FOR SAFE STORAGE:	Store only in the original package. Keep container tightly sealed in a dry and well-ventilated place. Protect from heat and direct sunlight. Store away from food and beverages.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROLS:	Handle in accordance with good industrial hygiene and safety practice. Use with adequate general or local exhaust ventilation to maintain exposure levels below the occupational exposure limits. Local exhaust ventilation is preferred since it prevents contamination dispersion into the work area by controlling it at its source. Provide eyewash and safety shower if contact or splash hazard exists. Wash hands before breaks and at the end of work.
EYE/FACE PROTECTION:	Safety glasses.
SKIN PROTECTION:	Glove material impermeable and resistant to the product.
BODY PROTECTION:	Protective work clothing.
RESPIRATORY PROTECTION:	NIOSH (US) or CEN (EU) approved respirators and components.
ENVIRONMENTAL EXPOSURE:	Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE/COLOR:	Clear, colorless to straw yellow liquid
ODOR:	Citrus
BOILING POINT:	244 - 246°F (118 - 119°C)
FLASH POINT:	93°F (34°C)
EVAPORATION RATE (BuAc = 1.0):	0.83
PREPARED BY:	SS



SAFETY DATA SHEET

NAME OF PRODUCT: ORANGE SOLVENT Wax and Impression Material Solvent

UPPER FLAMMABILITY LIMIT: 16
LOWER FLAMMABILITY LIMIT: 1.8
VAPOR PRESSURE: 10.9 mmHg @ 77°F (25°C)
VAPOR DENSITY (AIR=1.0): 3.11
RELATIVE DENSITY (H₂O=1.0): 0.92 g/cm³
WATER SOLUBILITY: Completely miscible

FILE NO.: SDS575

SDS DATE: 06/19/2014

SECTION 10: STABILITY AND REACTIVITY

CHEMICAL STABILITY: Stable under recommended storage conditions.
HAZARDOUS REACTIONS: Vapors may form explosive mixture with air.
CONDITIONS TO AVOID: Heat, flames, sparks. Extremes of temperature and direct sunlight.
INCOMPATIBLE MATERIALS: Strong oxidizing agents.
HAZARDOUS DECOMPOSITION PRODUCTS: Oxides of carbon.

SECTION 11: TOXICOLOGICAL INFORMATION

POTENTIAL HEALTH EFFECTS: **EYES:** May cause eye irritation with redness, tearing and stinging.
SKIN: May cause skin irritation with redness, swelling and itching. Repeated or prolonged contact may cause drying, defatting of the skin and dermatitis.
INGESTION: May cause mucous membrane and gastrointestinal irritation with nausea, vomiting and diarrhea. May cause nervous system depression with symptoms of headache, dizziness, nausea, vomiting, weakness, fatigue, confusion, and unconsciousness.
INHALATION: May cause mucous membrane and respiratory irritation and central nervous system depression with symptoms of headache, dizziness, drowsiness, nausea, vomiting, and unconsciousness. High vapor concentrations may cause burning sensation of the nose and throat and watering of the eyes.
CARCINOGENICITY: **OSHA:** No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or possible carcinogen by OSHA.
ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.
NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

SECTION 12: ECOLOGICAL INFORMATION

ADVERSE EFFECTS: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

SECTION 13: DISPOSAL CONSIDERATIONS

PRODUCT: Contact a licensed professional waste disposal service to dispose of this material. Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Disposal must be made according to official regulations.
CONTAMINATED PACKAGING: Dispose of as unused product.

SECTION 14: TRANSPORT INFORMATION

UN NUMBER: UN3092
PROPER SHIPPING NAME: 1-Methoxy-2-propanol
HAZARD CLASS: 3
PACKING GROUP: III
LABEL STATEMENT: Flammable Liquid

SECTION 15: REGULATORY INFORMATION

US FEDERAL REGULATIONS

TSCA: This product is an FDA regulated device and not subject to TSCA regulations.

PREPARED BY: SS

PAGE 3 OF 4



SAFETY DATA SHEET

FILE NO.: SDS575

NAME OF PRODUCT: ORANGE SOLVENT Wax and Impression Material Solvent

SDS DATE: 06/19/2014

CERCLA:

This product is an FDA regulated device and not subject to reporting requirements. There may be specific reporting requirements at the local, regional, or state level.

SARA 313 TOXIC CHEMICALS:

The following components are subject to reporting levels established by SARA Title III, Section 313 (40 CFR 372): *None*.

SARA 311/312 HAZARDS:

This product is an FDA regulated device and not subject to reporting requirements.

INTERNATIONAL REGULATIONS

CANADIAN ENVIRONMENTAL

PROTECTION ACT:

This product is a medical device and not subject to chemical notification requirements.

EUROPEAN INVENTORY OF EXISTING

COMMERCIAL CHEMICAL SUBSTANCES

(EINECS):

This product is a medical device and not subject to chemical notification requirements.

SECTION 16: OTHER INFORMATION

FULL TEXT OF H STATEMENTS REFERRED TO UNDER SECTION 3

Flam. Liq.

Flammable liquids

H226

Flammable liquid and vapor.

H336

May cause respiratory irritation.

STOT SE

Specific target organ toxicity – single exposure

NFPA RATING

Health Hazard

2

Fire Hazard

3

Reactivity Hazard

0

PREPARATION INFORMATION: This SDS was prepared in accordance with the requirements of the OSHA Hazard Communication Standard (29 CFR 1910.1200) and is to be used only for this product.

DISCLAIMER: To the best of our knowledge, the information contained herein is accurate. However, The Harry J. Bosworth Company does not assume any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown health hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.