SAFETY DATA SHEETS

This SDS packet was issued with item: 075488572

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

075488580 273000509 273000510

DisCide Ultra Disinfecting Spray

Product Identifier: DisCide Ultra Disinfecting Spray			Product P/N: 3565G, 3565Q, 3564	WHMIS Classification: Class B
Product Use: For disinfecting surf	faces			EPA#: 10492-5
Manufacturer's Name: Palmero Health Care			Supplier's Name: Palmero Health Care	
Street Address: 120 Goodwin Place			Street Address: 120 Goodwin Place	
City: Stratford	State: CT		City: Stratford	State: CT
Postal Code: 06615	Emergency Teler	hone: 800-255-3924	Postal Code: 06615	Emergency Telephone:
Date MSDS Prepared: 5/20/2013	MSDS #: 150		MSDS Prepared By: BD	800-255-3924 Phone Number: 203-377-6424
SECTION 2 -	COMPO	SITION/INF	ORMATION ON IN	GREDIENTS
Hazardous/Ingredients (specific):		CAS Number	PEL	TLV
Isopropyl Alcohol	63.25%	67-63-0	400 ppm	500 ppm
Quaternary Ammonium Chlorides	<1		Not Applicable	Not Applicable
Inert Ingredients	36.51%		Not Applicable	Not Applicable
122 I				
· · · · · · · · · · · · · · · · · · ·	SECTION	3 - HAZARI	DIDENTIFICATION	í)
Route of Entry:	√ Skin Contac	ct V Skin Absorpt	ion √Eye Contact √Inha	alation 🛛 Ingestion
Potential Health Effects: Mild irri Swallowing isopropyl alcohol may Medical conditions generally aggr	cause drowsine	ss, unconsciousness a	and death.	
tissue. Chronic: Not determined				
	SECTIC	N 4 - FIRST	AID MEASURES	
tissue. Chronic: Not determined	Distance of	1962 - 20 C C C C C C C C C C C C C C C C C C		
tissue. Chronic: Not determined Skin Contact: Wash with soap and Eye Contact: Hold eye open and r	d water. If irritat rinse slowly and	ion persists, obtain n gently with plenty of	nedical attention cool water for 15-20 minutes.	[5] T. C. K. C. C. S.
	d water. If irritat rinse slowly and itinue rinsing eye	ion persists, obtain n gently with plenty of	nedical attention cool water for 15-20 minutes.	[5] T. C. C. C. S.

DisCide	Ultra	Disinfecting	Spray
---------	-------	--------------	-------

ſ

CEC 0.81 ACLIDEC

	SECHOR	V 5 - FIRE FI	GHTING ME	ASURES		
Flammable: V Yes 🛛 No	If yes, under	which conditions:	Excess heat and open f	lame WARNIN	IG! This produ	ct is flammable
Means of Extinction: Dry chemic	al or alcohol t	ype foam. Use wate	r spray to cool fire exp	osed surfaces	and to protec	t personnel.
Respiratory protection required f	or fire fighting	personnel. Stay up	wind if possible. Cool e	xposed tanks	with water	
Flashpoint ("F) and Method: 81	°F Closed Cup	; 27.22"C	Upper Flamma (% by volu		10.4 10.6 1.4 1	ammable Limit vy volume)
	_		12.0	6		2.0
Hazardous Combustion Products	: Isopropyl ale	cohol				
NFPA Legend: Insignificar 0 1	nt - Extre 2 3	me 4	HMIS Legend:	4=Extreme 1=Slight	3=Serious 0=Minimal	2=Moderate
V NFPA 30 Class IC	6 Hea	lth=1 Fire=3	Reactivity=0	Prote	ctive Equipme	nt=Not Applicable
SEC	TION 6 -	ACCIDENT	IAL RELEASE	MEASU	JRES	
	SECTIO	N 7 - HAND	LING AND ST	ORAGE		
Materials: Blood and other body infectious waste disposal. When Storage Requirements: Keep clo contaminate water, food, or feed	applying prod	uct to electrical equi ndle or store near fl	ipment, ensure the equ ame, heat, or strong o	lipment is gro kidants. Adec	unded. Juate ventilatio	
SECTION 8	- EXPO	SURE CONT	TROL/PERSO	NAL PR	OTECTIO	ON
Exposure Limits:		I TLV	O OSHA PEL	🗇 Other (specify)	
Specific Engineering Controls (su Mechanical: Explosion-proof vent				2 Velocity > 6() fpm in confin	ed space.
Personal Protective Equipment:	V Gloves	C Respirator	v Eye 🗇 Foots	wear 🗖 (Clothing	Other
If checked, please specify type: V HCV infected blood or body fluids fluids.						
SECTIO	DN 9 - P	HYSICAL AN	ND CHEMICA	L PROP	ERTIES	
Physical State: Liquid			ance: Clear alcohol wit	STORES N		old (ppm): 22
Specific Gravity (water=1): 0.8	7	Vapor Density (ai	r=1): 2.1		Vapor Pressu 33mm Hg at 2	
Evaporation Rate (butyl acetate=	1): 2.83	Boiling Point (°F):	Not Applicable			t (°F): Not Applicable
pH: 6.88		Viscosity: 3.6583	3 Cst/s		Solubility in V water	Water: > 10% in

r humans - ECOLO er courses or lo DISPOSA card container in eral, State, and	If yes, which ones? he, or oxidizers ed in a fire involving isopropyl alcohol OGICAL INFORMATION iquid will temporarily damage eye tissue. winess, headache and incoordination may also occur. Swallowing Respiratory Sensitization: Not Applicable Carcinogenicity-ACGIH: No Teratogenicity: No Mutagenicity: No SICAL INFORMATION	
r humans - ECOLO ter courses or lo DISPOSA ard container in eral, State, and	ne, or oxidizers ed in a fire involving isopropyl alcohol OGICAL INFORMATION iquid will temporarily damage eye tissue. owiness, headache and incoordination may also occur. Swallowing Respiratory Sensitization: Not Applicable Carcinogenicity-ACGIH: No Teratogenicity: No Mutagenicity: No Mutagenicity: No SICAL INFORMATION w areas between the sense of the s	
r humans	ed in a fire involving isopropyl alcohol OGICAL INFORMATION iquid will temporarily damage eye tissue. winess, headache and incoordination may also occur. Swallowing Respiratory Sensitization: Not Applicable Carcinogenicity-ACGIH: No Teratogenicity: No Mutagenicity: No SICAL INFORMATION w areas BLE CONSIDERATIONS trash. Disposal of Infectious Materials: Blood and other body flu	
r humans - ECOLO er courses or lo DISPOSA card container in eral, State, and	OGICAL INFORMATION iquid will temporarily damage eye tissue. winess, headache and incoordination may also occur. Swallowing Respiratory Sensitization: Not Applicable Carcinogenicity-ACGIH: No Teratogenicity: No Mutagenicity: No GICAL INFORMATION w areas BLE CONSIDERATIONS h trash. Disposal of Infectious Materials: Blood and other body flu	
e, and throat. Dre e, and throat. Dre r humans - ECOLO ter courses or lo DISPOSA card container in eral, State, and	iquid will temporarily damage eye tissue.	
e, and throat. Dre e, and throat. Dre r humans - ECOLO ter courses or lo DISPOSA card container in eral, State, and	iquid will temporarily damage eye tissue.	
e,and throat. Dre r humans - ECOLO ter courses or lo DISPOSA tard container in eral, State, and	winess, headache and incoordination may also occur. Swallowing Respiratory Sensitization: Not Applicable Carcinogenicity-ACGIH: No Teratogenicity: No Mutagenicity: No GICAL INFORMATION w areas BLE CONSIDERATIONS h trash. Disposal of Infectious Materials: Blood and other body flu	
r humans - ECOLO ter courses or lo DISPOSA ard container in eral, State, and	Respiratory Sensitization: Not Applicable Carcinogenicity-ACGIH: No Teratogenicity: No Mutagenicity: No GICAL INFORMATION w areas BLE CONSIDERATIONS h trash. Disposal of Infectious Materials: Blood and other body flu	
r humans - ECOLO ter courses or lo DISPOSA ard container in eral, State, and	Respiratory Sensitization: Not Applicable Carcinogenicity-ACGIH: No Teratogenicity: No Mutagenicity: No GICAL INFORMATION w areas BLE CONSIDERATIONS h trash. Disposal of Infectious Materials: Blood and other body flu	
- ECOLO ter courses or lo DISPOSA tard container in eral, State, and	Carcinogenicity-ACGIH: No Teratogenicity: No Mutagenicity: No GICAL INFORMATION w areas BLE CONSIDERATIONS h trash. Disposal of Infectious Materials: Blood and other body flu	
- ECOLO ter courses or lo DISPOSA tard container in eral, State, and	Teratogenicity: No Mutagenicity: No GICAL INFORMATION w areas BLE CONSIDERATIONS h trash. Disposal of Infectious Materials: Blood and other body flu	
er courses or lo DISPOSA ard container in eral, State, and	Mutagenicity: No GICAL INFORMATION w areas BLE CONSIDERATIONS n trash. Disposal of Infectious Materials: Blood and other body flu	
er courses or lo DISPOSA ard container in eral, State, and	GICAL INFORMATION w areas BLE CONSIDERATIONS h trash. Disposal of Infectious Materials: Blood and other body flu	
er courses or lo DISPOSA ard container in eral, State, and	w areas BLE CONSIDERATIONS a trash. Disposal of Infectious Materials: Blood and other body flu	
er courses or lo DISPOSA ard container in eral, State, and	w areas BLE CONSIDERATIONS a trash. Disposal of Infectious Materials: Blood and other body flu	
er courses or lo DISPOSA ard container in eral, State, and	w areas BLE CONSIDERATIONS a trash. Disposal of Infectious Materials: Blood and other body flu	
DISPOSA ard container in eral, State, and	BLE CONSIDERATIONS	
- TRANS	PORT INFORMATION	
	DOT √IMO √ICAO 🗇 Other	
als nos (ISO	PROPYL ALCOHOL); Class 3 ; Packing Group III	
1015, 11.0.5. (130)		
- REGUL/	ATORY INFORMATION	
	OSHA: Not Applicable	
	TSCA: Not Applicable	
in a mental set of a little of a	 the Controlled Products Regulations (CFR) and the MSDS contains all of equired by CFR.	
16 - OTH	ER INFORMATION	
7	nazard criteria of i information re	

Page 3 of 3

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date 04.13.2018

Revision: 04.13.2018 SECTION 1: Identification of the substance/mixture and of the company/ undertaking 1.1 Product identifier **SDS 150** Trade name: DisCide Ultra Disinfecting Spray • Article number: 3564, 3565G/Q • 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. · Application of the substance / the mixture Surface disinfectant • 1.3 Details of the supplier of the Safety Data Sheet Manufacturer/Supplier: Palmero Health Care 120 Goodwin Place Stratford, CT 06615 Phone: (203) 377-6424 Email: customerservice@palmerohealth.com 1.4 Emergency telephone number: ChemTel Inc. (800)255-3924, +1 (813)248-0585

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 Classifications listed are applicable to the OSHA GHS Hazard Communication Standard (29CFR1910.1200).

۳, flame

Flam. Liq. 2 H225 Highly flammable liquid and vapour.



Eye Irrit. 2 H319 Causes serious eye irritation.

STOT SE 3 H336 May cause drowsiness or dizziness.

· Additional information:

There are no other hazards not otherwise classified that have been identified. 0 % of the mixture consists of component(s) of unknown toxicity.

2.2 Label elements

- Labelling according to Regulation (EC) No 1272/2008

The product is additionally classified and labelled according to the Globally Harmonized System within the United States (GHS).

The product is classified and labelled according to the CLP regulation.

(Cont'd. on page 2)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date 04.13.2018

Revision: 04.13.2018

		(Cont'd. from pag
Hazard pictog	ams	
GHS02 GHS07		
Signal word Da	anger	
Hazard-determ	ining components of labelling:	
propan-2-ol		
Hazard statem		
	mmable liquid and vapour.	
	erious eye irritation.	
	e drowsiness or dizziness.	
Precautionary		
P210	Keep away from heat, hot surfaces, sparks, open flames a	nd other ignition sources. I
P261	smoking. Avoid breathing vapors.	
P280	Wear protective gloves / eye protection.	
P233	Keep container tightly closed.	
	53 IF ON SKIN (or hair): Take off immediately all contamina	ted clothing. Rinse skin w
	water/shower.	toa oloaning. Tanoo olan w
P305+P351+P3	38 IF IN EYES: Rinse cautiously with water for several minute	s. Remove contact lenses
	present and easy to do. Continue rinsing.	
P370+P378	In case of fire: Use for extinction: CO2, powder or water sp	ray.
P403+P235	Store in a well-ventilated place. Keep cool.	
P501	Dispose of contents/container in accordance with local/re	egional/national/internatior
	regulations.	
NFPA ratings (scale 0 - 4)	
	th = 1	
Fire Rea	= 3 ctivity = 0	
HMIS-ratings (scale 0 - 4)	
He	alth = 1	
Fire		
REACTIVITY 0 Re	activity = 0	
2.3 Other haza		
	and vPvB assessment	
• PBT: Not applie	cable. icable.	

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

• **Description:** Mixture of substances listed below with nonhazardous additions.

(Cont'd. on page 3)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date 04.13.2018

Revision: 04.13.2018

	(Cont'd.	from page
Dangerous components:		
CAS: 67-63-0 EINECS: 200-661-7 Index number: 603-117-00-0	propan-2-ol Flam. Liq. 2, H225 Eye Irrit. 2, H319; STOT SE 3, H336	50-100
CAS: 85665-42-5 EINECS: 288-131-1	Quaternary ammonium compounds, benzyl-C7-17-alkyldimethyl, chlorides Acute Tox. 4, H302; Acute Tox. 4, H312; Skin Irrit. 2, H315; Eye Irrit. 2, H319	≤ 2,5%
	Hazard Statements refer to section 16. The identity and exact percentages are being withheld as a trade secr	et.
SECTION 4: First aid m	neasures	
A 4 Decembrations of firmt old a		
4.1 Description of first aid r	neasures	
Conoral information:		
Take affected persons out int	o the fresh air.	
Immediately remove any cloth	to the fresh air. hing soiled by the product.	
Take affected persons out int Immediately remove any cloth After inhalation: Supply fres	o the fresh air.	
Take affected persons out int Immediately remove any cloth After inhalation: Supply fres After skin contact:	to the fresh air. hing soiled by the product. h air; consult doctor in case of complaints.	
Take affected persons out int Immediately remove any cloth After inhalation: Supply fres After skin contact: Immediately wash with water	to the fresh air. hing soiled by the product. h air; consult doctor in case of complaints. and soap and rinse thoroughly.	
Take affected persons out int Immediately remove any cloth After inhalation: Supply fres After skin contact: Immediately wash with water If skin irritation is experienced	to the fresh air. hing soiled by the product. h air; consult doctor in case of complaints. and soap and rinse thoroughly.	
Take affected persons out int Immediately remove any cloth After inhalation: Supply fres After skin contact: Immediately wash with water If skin irritation is experienced After eye contact:	to the fresh air. hing soiled by the product. h air; consult doctor in case of complaints. and soap and rinse thoroughly.	
Take affected persons out int Immediately remove any cloth After inhalation: Supply fres After skin contact: Immediately wash with water If skin irritation is experienced After eye contact: Protect unharmed eye.	to the fresh air. hing soiled by the product. h air; consult doctor in case of complaints. and soap and rinse thoroughly. d, consult a doctor.	
Take affected persons out int Immediately remove any cloth After inhalation: Supply fres After skin contact: Immediately wash with water If skin irritation is experienced After eye contact: Protect unharmed eye. Remove contact lenses if wor	to the fresh air. hing soiled by the product. h air; consult doctor in case of complaints. and soap and rinse thoroughly. d, consult a doctor.	
Take affected persons out int Immediately remove any cloth After inhalation: Supply fres After skin contact: Immediately wash with water If skin irritation is experienced After eye contact: Protect unharmed eye. Remove contact lenses if wor Rinse opened eye for several	to the fresh air. hing soiled by the product. h air; consult doctor in case of complaints. and soap and rinse thoroughly. d, consult a doctor. rn.	
Take affected persons out int Immediately remove any cloth After inhalation: Supply fres After skin contact: Immediately wash with water If skin irritation is experienced After eye contact: Protect unharmed eye. Remove contact lenses if wor Rinse opened eye for several	to the fresh air. hing soiled by the product. h air; consult doctor in case of complaints. and soap and rinse thoroughly. d, consult a doctor. rn. I minutes under running water. If symptoms persist, consult a doctor	
Take affected persons out int Immediately remove any cloth After inhalation: Supply fres After skin contact: Immediately wash with water If skin irritation is experienced After eye contact: Protect unharmed eye. Remove contact lenses if wor Rinse opened eye for several After swallowing: Rinse out mouth and then drin Do not induce vomiting; call for	to the fresh air. hing soiled by the product. h air; consult doctor in case of complaints. and soap and rinse thoroughly. d, consult a doctor. rn. I minutes under running water. If symptoms persist, consult a doctor nk plenty of water. or medical help immediately.	- -
Take affected persons out int Immediately remove any cloth After inhalation: Supply fres After skin contact: Immediately wash with water If skin irritation is experienced After eye contact: Protect unharmed eye. Remove contact lenses if wor Rinse opened eye for several After swallowing: Rinse out mouth and then drin Do not induce vomiting; call for	to the fresh air. hing soiled by the product. h air; consult doctor in case of complaints. and soap and rinse thoroughly. d, consult a doctor. rn. I minutes under running water. If symptoms persist, consult a doctor nk plenty of water.	
Take affected persons out int Immediately remove any cloth After inhalation: Supply fres After skin contact: Immediately wash with water If skin irritation is experienced After eye contact: Protect unharmed eye. Remove contact lenses if wor Rinse opened eye for several After swallowing: Rinse out mouth and then drin Do not induce vomiting; call for 4.2 Most important sympton Headache	to the fresh air. hing soiled by the product. h air; consult doctor in case of complaints. and soap and rinse thoroughly. d, consult a doctor. rn. I minutes under running water. If symptoms persist, consult a doctor nk plenty of water. or medical help immediately.	
Take affected persons out int Immediately remove any cloth After inhalation: Supply fres After skin contact: Immediately wash with water If skin irritation is experienced After eye contact: Protect unharmed eye. Remove contact lenses if wor Rinse opened eye for several After swallowing: Rinse out mouth and then drin Do not induce vomiting; call for 4.2 Most important sympton Headache Breathing difficulty	to the fresh air. hing soiled by the product. h air; consult doctor in case of complaints. and soap and rinse thoroughly. d, consult a doctor. rn. I minutes under running water. If symptoms persist, consult a doctor nk plenty of water. or medical help immediately.	
Take affected persons out int Immediately remove any cloth After inhalation: Supply fres After skin contact: Immediately wash with water If skin irritation is experienced After eye contact: Protect unharmed eye. Remove contact lenses if wor Rinse opened eye for several After swallowing: Rinse out mouth and then drin Do not induce vomiting; call for 4.2 Most important sympton Headache Breathing difficulty Dizziness	to the fresh air. hing soiled by the product. h air; consult doctor in case of complaints. and soap and rinse thoroughly. d, consult a doctor. rn. I minutes under running water. If symptoms persist, consult a doctor nk plenty of water. or medical help immediately.	
Take affected persons out int Immediately remove any cloth After inhalation: Supply fres After skin contact: Immediately wash with water If skin irritation is experienced After eye contact: Protect unharmed eye. Remove contact lenses if wor Rinse opened eye for several After swallowing: Rinse out mouth and then drii Do not induce vomiting; call for 4.2 Most important sympton Headache Breathing difficulty Dizziness Coughing	to the fresh air. hing soiled by the product. h air; consult doctor in case of complaints. and soap and rinse thoroughly. d, consult a doctor. rn. I minutes under running water. If symptoms persist, consult a doctor nk plenty of water. or medical help immediately.	
Take affected persons out int Immediately remove any cloth After inhalation: Supply fres After skin contact: Immediately wash with water If skin irritation is experienced After eye contact: Protect unharmed eye. Remove contact lenses if wor Rinse opened eye for several After swallowing: Rinse out mouth and then drii Do not induce vomiting; call for 4.2 Most important sympton Headache Breathing difficulty Dizziness Coughing Irritant to eyes.	to the fresh air. hing soiled by the product. h air; consult doctor in case of complaints. and soap and rinse thoroughly. d, consult a doctor. rn. I minutes under running water. If symptoms persist, consult a doctor nk plenty of water. or medical help immediately. ms and effects, both acute and delayed	
Take affected persons out int Immediately remove any cloth After inhalation: Supply fres After skin contact: Immediately wash with water If skin irritation is experienced After eye contact: Protect unharmed eye. Remove contact lenses if wor Rinse opened eye for several After swallowing: Rinse out mouth and then drii Do not induce vomiting; call for 4.2 Most important sympton Headache Breathing difficulty Dizziness Coughing Irritant to eyes. Gastric or intestinal disorders	to the fresh air. hing soiled by the product. h air; consult doctor in case of complaints. and soap and rinse thoroughly. d, consult a doctor. rn. I minutes under running water. If symptoms persist, consult a doctor nk plenty of water. or medical help immediately. ms and effects, both acute and delayed a when ingested.	·.
Take affected persons out int Immediately remove any cloth After inhalation: Supply fres After skin contact: Immediately wash with water If skin irritation is experienced After eye contact: Protect unharmed eye. Remove contact lenses if wor Rinse opened eye for several After swallowing: Rinse out mouth and then drin Do not induce vomiting; call for 4.2 Most important sympton Headache Breathing difficulty Dizziness Coughing Irritant to eyes. Gastric or intestinal disorders Hazards Vapours may cause	to the fresh air. hing soiled by the product. h air; consult doctor in case of complaints. and soap and rinse thoroughly. d, consult a doctor. rn. I minutes under running water. If symptoms persist, consult a doctor nk plenty of water. or medical help immediately. ms and effects, both acute and delayed is when ingested. a drowsiness and dizziness.	
Take affected persons out int Immediately remove any cloth After inhalation: Supply fres After skin contact: Immediately wash with water If skin irritation is experienced After eye contact: Protect unharmed eye. Remove contact lenses if wor Rinse opened eye for several After swallowing: Rinse out mouth and then drii Do not induce vomiting; call for 4.2 Most important sympton Headache Breathing difficulty Dizziness Coughing Irritant to eyes. Gastric or intestinal disorders Hazards Vapours may cause	to the fresh air. hing soiled by the product. h air; consult doctor in case of complaints. and soap and rinse thoroughly. d, consult a doctor. rn. I minutes under running water. If symptoms persist, consult a doctor nk plenty of water. or medical help immediately. ms and effects, both acute and delayed when ingested. a drowsiness and dizziness. diate medical attention and special treatment needed	

- · 5.1 Extinguishing media
- Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

For safety reasons unsuitable extinguishing agents: None.

(Cont'd. on page 4)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date 04.13.2018

Revision: 04.13.2018

	(Cont'd. from pag
5.2 Special hazards arising from the	
Formation of toxic gases is possible d	
5.3 Advice for firefighters	
Protective equipment:	
Wear self-contained respiratory protection	ctive device.
Wear fully protective suit.	
Additional information	
Eliminate all ignition sources if safe to	
Cool endangered receptacles with wa	
Use large quantities of foam as it is pa	artially destroyed by the product.
SECTION 6: Accidental release	se measures
Protect from heat	
 6.2 Environmental precautions: No 6.3 Methods and material for contal Absorb with non-combustible liquid-bin Dispose contaminated material as wa Send for recovery or disposal in suitat Clean the affected area carefully; suitat Warm water 6.4 Reference to other sections See Section 7 for information on safe See Section 8 for information on person See Section 13 for disposal information 	inment and cleaning up: nding material (sand, diatomite, acid binders, universal binders). ste according to section 13. ble receptacles. able cleaners are: handling. onal protection equipment.

Do not spray on flame or other ignition sources. No smoking.

Prevent formation of aerosols

Avoid splashes or spray in enclosed areas.

Information about fire - and explosion protection:

Highly flammable liquid and vapour.

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Do not spray onto a naked flame or any incandescent material.

(Cont'd. on page 5)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date 04.13.2018

Revision: 04.13.2018

Trade name: DisCide Ultra Disinfecting Spray

(Cont'd. from page 4)

7.2 Conditions for safe storage, including any incompatibilities
 Storage:

 Requirements to be met by storerooms and receptacles: Avoid storage near extreme heat, ignition sources or open flame. Provide ventilation for receptacles.
 Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from oxidising agents.

· Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

Do not expose to temperatures exceeding 50 °C/122 °F.

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see section 7.

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

67-63-0 propan-2-ol

- PEL (USA) Long-term value: 980 mg/m³, 400 ppm
- REL (USA) Short-term value: 1225 mg/m³, 500 ppm Long-term value: 980 mg/m³, 400 ppm

TLV (USA) Short-term value: 984 mg/m³, 400 ppm Long-term value: 492 mg/m³, 200 ppm BEI

- EL (Canada) Short-term value: 400 ppm Long-term value: 200 ppm
- EV (Canada) Short-term value: 400 ppm Long-term value: 200 ppm
- **DNELs** No further relevant information available.
- **PNECs** No further relevant information available.

· Ingredients with biological limit values:

67-63-0 propan-2-ol

- BEI (USA) 40 mg/L
 - Medium: urine
 - Time: end of shift at end of workweek
 - Parameter: Acetone (background, nonspecific)
- Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

· Personal protective equipment:

· General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals. Keep away from foodstuffs, beverages and feed.

(Cont'd. on page 6)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date 04.13.2018

Revision: 04.13.2018

Trade name: DisCide Ultra Disinfecting Spray (Cont'd. from page 5) Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid breathing mist/vapours/spray. **Respiratory protection:** Not required under normal conditions of use. Use suitable respiratory protective device when high concentrations are present. · Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. • For the permanent contact gloves made of the following materials are suitable: Nitrile rubber, NBR Neoprene aloves · Eye protection: Safety glasses Body protection: Not required under normal conditions of use. Protection may be required for spills. · Limitation and supervision of exposure into the environment No further relevant information available. **Risk management measures** See Section 7 for additional information. No further relevant information available. **SECTION 9: Physical and chemical properties** · 9.1 Information on basic physical and chemical properties General Information • Appearance: Form: Liquid Colour: Clear Odour: Characteristic Odour threshold: Not determined. pH-value: 8.69 • Change in condition Melting point/Melting range: Not Determined.

Boiling point/Boiling range:Not Determined.• Flash point:27 °C (81 °F c.c)• Flammability (solid, gaseous):Not applicable.• Auto/Self-ignition temperature:Not Applicable

(Cont'd. on page 7)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date 04.13.2018

Revision: 04.13.2018

	(Cont'd. from page
Decomposition temperature:	Not determined.
Self-igniting:	Product is not self-igniting.
Danger of explosion:	Product is not explosive. However, formation of explosive a vapour mixtures are possible.
Explosion limits: Lower: Upper:	2,0 Vol % 12,0 Vol %
Vapour pressure at 20 °C (68 °F):	43 hPa (32 mm Hg)
Density at 20 °C (68 °F): Relative density Vapour density at 20 °C (68 °F) Evaporation rate	0,87 g/cm³ (7,26 lbs/gal) Not determined. 2,1 g/cm³ (17,525 lbs/gal) Not determined.
Solubility in / Miscibility with water:	Slightly soluble.
Partition coefficient (n-octanol/wate	r): Not determined.
Viscosity: Dynamic at 20 °C (68 °F): Kinematic: 9.2 Other information	3,66 mPas Not determined. No further relevant information available.

SECTION 10: Stability and reactivity

• **10.1 Reactivity** No further relevant information available.

10.2 Chemical stability

 Thermal decomposition / conditions to be avoided: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
 10.3 Possibility of hazardous reactions

Highly flammable liquid and vapour.

Reacts violently with oxidising agents.

Can form explosive mixtures in air if heated above flash point and/or when sprayed or atomised.

Toxic fumes may be released if heated above the decomposition point.

Used empty containers may contain product gases which form explosive mixtures with air.

[·] 10.4 Conditions to avoid

Keep ignition sources away - Do not smoke.

Store away from oxidising agents.

- 10.5 Incompatible materials: Oxidizing agents
- · 10.6 Hazardous decomposition products:

Under fire conditions only: Carbon monoxide and carbon dioxide

(Cont'd. on page 8)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date 04.13.2018

Revision: 04.13.2018

Trade name: DisCide Ultra Disinfecting Spray

(Cont'd. from page 7)

(Cont'd. on page 9)

• 11.1 Information on toxicological effects • Acute toxicity

· LD/LC50 values relevant for classification:

67-63-0 propan-2-ol

Oral LD50 5045 mg/kg (rat)

Dermal LD50 12800 mg/kg (rabbit)

Inhalative LC50/4h 30 mg/l (rat)

- · Primary irritant effect:
- Skin corrosion/irritation Slight irritant effect on skin and mucous membranes.
- · Serious eye damage/irritation
- Causes serious eye irritation.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Acute effects (acute toxicity, irritation and corrosivity): Vapours have narcotic effect.
- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction):
- · Germ cell mutagenicity
- Based on available data, the classification criteria are not met.
- · Carcinogenicity
- Based on available data, the classification criteria are not met.
- Reproductive toxicity
- Based on available data, the classification criteria are not met.
- · STOT-single exposure
- May cause drowsiness or dizziness.
- STOT-repeated exposure
- Based on available data, the classification criteria are not met.
- Aspiration hazard

Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- Aquatic toxicity: The product contains materials that are harmful to the environment.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- Ecotoxical effects:
- · Remark: Harmful to algae
- · Additional ecological information:
- General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

This statement was deduced from the properties of the single components.

Harmful to aquatic organisms

Due to available data on eliminability/decomposition and bioaccumulation potential a prolonged damage of the environment is unlikely.

12.5 Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- vPvB: Not applicable.

Obtained by Global Safety Management, www.globalsafetynet.com, (877) 683-7460

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date 04.13.2018

Trade name: DisCide Ultra Disinfecting Spray

(Cont'd. from page 8)

Revision: 04.13.2018

· 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods Recommendation

Incinerate in accordance with local, state and federal regulations.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

· Uncleaned packaging:

• **Recommendation:** Disposal must be made according to local official regulations.

SECTION 14: Transport information	
 14.1 UN-Number DOT, ADR, IMDG, IATA 14.2 UN proper shipping name DOT ADR IMDG, IATA 14.3 Transport hazard class(es) DOT 	UN1987 Alcohols, n.o.s. (isopropyl solution) 1987 ALCOHOLS,N.O.S. (isopropyl solution) ALCOHOLS, N.O.S. (isopropyl solution)
· Class · Label	3 Flammable liquids. 3
ADR	
*	
Class	3 (F1) Flammable liquids.
· Label	3
Class Label	3 Flammable liquids. 3
 14.4 Packing group DOT, ADR, IMDG, IATA 	III (Cont'd. on page 10)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date 04.13.2018

Revision: 04.13.2018

ade name: DisCide Ultra Disinfecting Spra	у
	(Cont'd. from page 9
14.5 Environmental hazards:	
· Marine pollutant:	No
14.6 Special precautions for user	Warning: Flammable liquids.
· Danger code (Kemler):	30
· EMS Number:	F-E,S-D
 14.7 Transport in bulk according to Anne 	ex II of
Marpol and the IBC Code	Not applicable.
· Transport/Additional information:	
· ADR	
 Limited quantities (LQ) 	10L
 Excepted quantities (EQ) 	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1L
 Transport category 	3
 Tunnel restriction code 	D/E
·IMDG	
 Limited quantities (LQ) 	1L
Excepted quantities (EQ)	Code: E1
, ,	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1L
· UN "Model Regulation":	UN1987, ALCOHOLS, N.O.S. (isopropyl solution), 3, III

SECTION 15: Regulatory information

15.1 Safety, health and environmental	regulations/legislation	specific for the substance	or mixture

- · United States (USA)
- SARA
- Section 355 (extremely hazardous substances): None of the ingredients are listed.
- Section 313 (Specific toxic chemical listings):
- 67-63-0 propan-2-ol
- TSCA (Toxic Substances Control Act): 67-63-0 propan-2-ol
- Proposition 65 (California):
- Chemicals known to cause cancer: None of the ingredients is listed.
- Chemicals known to cause reproductive toxicity for females: None of the ingredients are listed.
- Chemicals known to cause reproductive toxicity for males: None of the ingredients are listed.
- Chemicals known to cause developmental toxicity: None of the ingredients are listed.

(Cont'd. on page 11)

Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date 04.13.2018

Revision: 04.13.2018

Trade name: DisCide Ultra Disinfecting Spray
(Cont'd. from page 10)
· Carcinogenic Categories
· EPA (Environmental Protection Agency)
None of the ingredients are listed.
 Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) EPA Product Registration <u>:10492-5.</u>
This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label: PRECAUTIONARY STATEMENTS: Hazards to Humans and Domestic Animals: WARNING. Causes substantial but temporary eye injury. Do not get in eyes or on clothing. Wear protective eyewear. Wash thoroughly with soap and water after
handling, and wash clothing before reuse. Physical or Chemical Hazards: Flammable. Keep away from heat or open flame. FIRST AID
 If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. HOT LINE NUMBER Have the product container or label with you when calling a poison control center or doctor, or going for
treatment. You may also contact Chem Tel Inc. at 1-800-255-3924.
IARC (International Agency for Research on Cancer) 67-63-0 propan-2-ol 3
• TLV (Threshold Limit Value established by ACGIH)
67-63-0 propan-2-ol A4
NIOSH-Ca (National Institute for Occupational Safety and Health)
None of the ingredients are listed.
· Canada
Canadian Domestic Substances List (DSL)
67-63-0 propan-2-ol
Canadian Ingredient Disclosure list (limit 0.1%)
None of the ingredients are listed.
· Canadian Ingredient Disclosure list (limit 1%)
67-63-0 propan-2-ol
· Directive 2012/18/EU
· Named dangerous substances - ANNEX I
None of the ingredients are listed.
 Other regulations, limitations and prohibitive regulations This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations.

(Cont'd. on page 12)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date 04.13.2018

Revision: 04.13.2018

Trade name: DisCide Ultra Disinfecting Spray

(Cont'd. from page 11)

· Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients are listed.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H225 Highly flammable liquid and vapour.

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

• Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids, Hazard Category 2 Acute Tox. 4: Acute toxicity, Hazard Category 4 Skin Irrit, 2: Skin corrosion/irritation, Hazard Category 2 Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2 STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3 Sources SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com