

SAFETY DATA SHEETS

This SDS packet was issued with item:

075525795

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

273001459

Caution: US Federal Law restricts this product to sale by or on the order of a properly licensed practitioner. Rx Only.
Store this product in a cool, dry place. Refrigeration will prolong shelf life, but avoid freezing. Bring to room temperature before use.

INSTRUCTIONS FOR USE



EASY TEMPORARY CEMENT

PARKELL PRODUCT:

INFORMATION:

24-HOUR SAFETY HOTLINE:

Stock Number S255

1-800-535-5053

PRODUCT DESCRIPTION and INDICATIONS FOR USE:

E.T.C.™ is a resin-based, dual-cure, temporary dental cement that contains Triclosan. It is indicated for short to medium-term cementation of dental prostheses to enamel, dentin, cementum, amalgam, metal alloys, ceramics, composite cores or implants. It is translucent so that it blends well with tooth roots and crown margins, making it especially useful in anterior regions of the mouth.

CONTRAINDICATIONS FOR USE:

Uncured E.T.C. should not be swallowed. This product is contraindicated for use on or by persons who are allergic to or sensitive to methacrylate resins or similar products. Symptoms may include dermatitis or inflammatory reactions. If this occurs, discontinue use and obtain medical care immediately.

PRODUCT WARNINGS AND CLINICAL INFORMATION:

- Store product with cap or used mixing tip tightly screwed on, in a cool, dark place. Avoid sunlight or nearby heat sources. **SHELF LIFE WILL BE REDUCED IF NOT STORED PROPERLY.**
- If product accidentally contacts skin, wash with copious amounts of water.
- If product accidentally contacts eyes, flush with water and obtain medical care immediately.
- Do not ingest the components of this product. Keep them away from children.
- ▶ **If this product sets in intra-oral undercuts, it may lock on, making prosthesis removal extremely difficult.**
- ▶ **If you coat the abutment with bonding agent prior to cementation, or cement over composite cores, or cement to implant abutments, partially lubricate the preps before cementing the prosthesis to allow removal later.**
- ▶ **To avoid leakage and discoloration, care should be taken to disinfect the prep prior to temporary cementation.**

"E.T.C." – EASY TEMPORARY CEMENT KIT IS SUPPLIED WITH:

- 1 - Dual-chamber Cartridge (5 ml) of E.T.C. (with plunger)
- 10 - Brown-base, 1:1 Static Mixing Tips (for refills, purchase Stock No. S292-quantity 30)
- 1 - Instructions for use & MSDS

PRODUCT TIMING:

Working Time (at room temperature 72° F/22° C):	2:00 minutes
Setting Time: (at intra-oral temperature 98.6° F / 37° C):	4:00 minutes (cooler material will be slower)
Light Cure:	10 seconds (approx.)

GENERAL INSTRUCTIONS FOR USE:

- 1) Wash abutment with water and dry with air.
- 2) If the prep contains resin cores, or is coated with resin bonding agents, lubricate both the resin and dentin 1-2mm above the margin to preclude the temporary from locking on to the prep. Leave the margin un-lubricated for retention and resistance to leakage. You may use glycerin lubricant or a product like Parkell's Blu-Sep™ (Stock No. S385), a water-soluble lubricating liquid that dries quickly to an easy-to-see blue film.
- 3) Before first use, remove and set aside the brown sealing cap and express out a small amount of E.T.C. through both round orifices onto a mixing pad. Wipe the end clean with a tissue.
- 4) Twist an unused brown-base mixing tip onto the cartridge and express a small amount of mixed E.T.C. onto a mixing pad to confirm good flow and mixture. Immediately express a small amount of cement into the clean and dry intaglio of the prosthesis. It is not necessary to fill the entire crown. **A bead around the marginal area of the preparation works best, as it seals the margins without interfering with seating or creating excessive retention.**

- 5) Seat prosthesis onto tooth, and immobilize until setting is evident.
- 6) Cleanup may begin as soon as the material reaches its gel stage. To assist in cleanup, excess E.T.C. may be gelled with brief (3 seconds) exposure to a curing light before removal.
- 7) Leave the used mixing tip in place on the cartridge to serve as the sealing cap between uses. The cartridge and used mixing tip may be disinfected with appropriate dental surface disinfectants. Check with the disinfectant manufacturer before use.
- 8) E.T.C. may also be hand-mixed by removing the sealing cap from dual-barrel syringe and dispensing equal amounts of base and catalyst onto a paper mixing pad. Spatulate until they are fully incorporated. Re-seal the cartridge with the original cap, taking care to align the V on the cap with the notch on the cartridge collar. This will assure that the proper plugs fit the holes. (If the plugs are reversed, the cement may set prematurely in the syringe.)

WARRANTY:

Parkell will replace defective material for a period of one year from the date of manufacture. **This warranty is in lieu of all warranties of merchantability, fitness for purpose or other warranties, express or implied.** Parkell does not accept liability for any loss or damage, direct, consequential or otherwise, arising out of the use of or the inability to use the product herein described. Before using, the user shall determine the suitability of the product for its intended use and the user assumes all risk and liability whatsoever in connection herewith.



Parkell's Quality System is certified to ISO 13485/9001. Material Safety Data Sheets are attached to these instructions, and can also be found at www.parkell.com



European Authorized Representative (Not a dealer/distributor):

EMERGO EUROPE
Molenstraat 15, 2513 BH, The Hague, The Netherlands
Tel: +31 (0)70 345 8570 • Fax: +31 (0)70 346 7299



300 Executive Drive, PO Box 9004, Edgewood, NY 11717
Toll-Free: 800-243-7446 • **Phone:** 631-249-1134
Fax: 631-249-1242 • **Email:** info@parkell.com
Web: www.parkell.com • **Made in U.S.A.**



SECTION 10 – STABILITY AND REACTIVITY	
10.1 STABILITY:	Stable if stored as directed.
10.2 CONDITIONS TO AVOID:	Direct sunlight, high heat or humidity
10.3 INCOMPATIBILITY (MATERIALS TO AVOID):	Oxidizing agents, reducing agents, peroxides and free radical initiators
10.4 HAZARDOUS DECOMPOSITION PRODUCTS:	Oxides of carbon.
10.5 HAZARDOUS POLYMERIZATION:	Will not occur when using clinical amounts of this material.
SECTION 11 – TOXICOLOGICAL INFORMATION	
11.1 HEALTH HAZARDS (IMMEDIATE):	Contact with eyes and skin may cause irritation. Persons with sensitivity to methacrylates may show allergic contact dermatitis
11.2 DELAYED/ACUTE/CHRONIC:	
11.2 TOXICITY:	
11.3 MUTAGENICITY:	
11.4 CARCINOGENICITY:	
SECTION 12 – ECOLOGICAL INFORMATION	
12.1 GENERAL:	Uncured material may be hazardous to the environment.
12.2 MOBILITY:	
12.3 DEGRADABILITY:	
12.4 ACCUMULATION:	
12.5 ECOTOXICITY:	Not known
12.6 OTHER ADVERSE EFFECTS:	
SECTION 13 – DISPOSABLE CONSIDERATIONS	
13.1 DANGER IN DISPOSAL:	Should be handled as hazardous waste.
13.2 DISPOSAL METHOD:	Consult federal, state and local regulations.
SECTION 14 – TRANSPORT INFORMATION (not meant to be all-inclusive)	
14.1 PRECAUTIONS FOR TRANSPORT:	NA
14.2 UN:	
14.3 IMDG:	
14.4 ICAO/IATA:	
SECTION 15 – REGULATORY INFORMATION (not meant to be all-inclusive)	
15.1 RTECS:	
15.2 EU CLASSIFICATION:	Xi: R36/37/38 (Irritating to eyes, respiratory system and skin). R43 (May cause sensitization by skin contact).
SECTION 16 – OTHER INFORMATION	
WORKHYGIENIC PRACTICES: Wash hands after handling and before eating, drinking or smoking.	
DATE PREPARED: 06/14/13	
PREPARED BY: Parkell, Inc	
To the best of our knowledge, the information on this MSDS sheet is accurate. However, the information is provided without any warranty, expressed or implied, regarding its correctness or completeness. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This information is not warranted to be accurate, whether originating with the company or not	

SECTION 1 – CHEMICAL PRODUCT AND COMPANY IDENTIFICATION	
PARKELL, INC. 300A Executive Drive Edgewood, NY 11717 USA Company Telephone Number: (631) 249-1134 24-Hour Emergency Phone: Info Trac 1-800-535-5053	
PRODUCT NAME: E.T.C. Easy Temporary Cement	MSDS NO: S256
SECTION 2 – COMPOSITION INFORMATION ON INGREDIENTS	
HAZARDOUS COMPONENTS	CAS NUMBER
Uncured Acrylate and Methacrylate Ester Monomers	N/A
Benzoyl Peroxide	94-36-0
Triclosan	3380-34-5
OTHER INGREDIENTS Silane treated glass silica, initiators and stabilizers	
SECTION 3 – HAZARDS IDENTIFICATION	
EMERGENCY OVERVIEW: POTENTIAL HEALTH EFFECTS EYES: May cause irritation and damage if not removed promptly. SKIN: Prolonged or repeated exposure to uncured material may cause irritation or skin rash especially in sensitive individuals INHALATION: Prolonged or excessive inhalation may cause respiratory tract irritation INGESTION: May be harmful if swallowed. Seek medical attention CHRONIC EFFECTS: SIGNS & SYMPTOMS CARCINOGENICITY:	
NTP? <input type="checkbox"/> No <input type="checkbox"/> Yes	
IARC MONOGRAPH? <input type="checkbox"/> No <input type="checkbox"/> Yes	
OSHA? <input type="checkbox"/> No <input type="checkbox"/> Yes	
SECTION 4 – FIRST-AID MEASURES	
INHALATION: Remove victim to fresh air. If irritation persists, contact physician EYES: Flush with plenty of water. Contact physician. SKIN: Flush with soap and water. INGESTION: Contact a physician immediately.	
SECTION 5 – FIRE-FIGHTING MEASURES	
5.0 FLAMMABLE PROPERTIES: 5.1 FLASH POINT: N/D 5.2 AUTOIGNITION TEMP: 5.3 FLAMMABLE LIMIT 5.4 SUITABLE EXTINGUISHING MEDIA Use dry chemical, carbon dioxide or alcohol-resistant foam 5.5 HAZARDOUS DECOMPOSITION PRODUCTS: Heat can cause polymerization with rapid release of energy 5.6 SPECIAL PROTECTIVE EQUIPMENT: During emergency conditions, self-contained breathing apparatus should be worn as recommended.	
SECTION 6 – ACCIDENTAL RELEASE MEASURES	
6.1 PERSONAL PRECAUTION: Avoid skin contact Wear protective gloves 6.2 ENVIRONMENTAL PRECAUTIONS: Absorb spills with inert material keep spilled material in closed containers and dispose of as recommended.	
SECTION 7 – HANDLING AND STORAGE	
7.1 HANDLING: Observe normal warehouse handling procedures. Protect against physical damages. 7.2 STORAGE: Store in a cool, dry place away from heat, sunlight, oxidizing, reducing agents and ignition sources	
SECTION 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION	
8.1 ENGINEERING CONTROLS Use general and/or local exhaust to keep exposures to a minimum. 8.2 EYE/FACE PROTECTION Use safety glasses. Eyewash station is recommended. 8.3 SKIN PROTECTION Use impervious protective gloves to prevent skin contact 8.4 RESPIRATORY PROTECTION None required during ordinary use of this product. 8.5 EXPOSURE GUIDELINES:	
SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES	
9.1 APPEARANCE: Colored paste. 9.2 ODOR: Mild fruity ester-like odor. 9.3 pH: 9.4 VAPOR DENSITY (Air = 1): 9.5 BOILING POINT: 9.6 SOLUBILITY IN WATER: Not known. 9.7 SPECIFIC GRAVITY (H ₂ O = 1) @77°F (25°C): approx. 1.5	



Safety Data Sheet

Issue Date: 14-Jun-2013

Revision Date: 21-Nov-2014

Version 1

1. IDENTIFICATION

Product Identifier

Product Name E.T.C.™ Easy Temporary Cement

Other means of identification

SDS # S255

Recommended use of the chemical and restrictions on use

Recommended Use Resin-Based, Dual-Cure, Temporary Dental Cement.

Details of the supplier of the safety data sheet

Supplier Address

Parkell, Inc.
300 Executive Drive
Edgewood, NY 11717

Emergency Telephone Number

Company Phone Number (631) 249-1134
Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International)
1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Appearance Colored paste

Physical State Liquid

Odor Mild fruity ester-like odor

Classification

Skin sensitization	Category 1
Specific target organ toxicity (single exposure)	Category 3

Hazards Not Otherwise Classified (HNOC)

May be harmful if swallowed

Signal Word

Warning

Hazard Statements

May cause an allergic skin reaction
May cause respiratory irritation



Precautionary Statements - Prevention

Avoid breathing dust/fume/gas/mist/vapors/spray
 Contaminated work clothing should not be allowed out of the workplace
 Wear protective gloves
 Use only outdoors or in a well-ventilated area

Precautionary Statements - Response

IF ON SKIN: Wash with plenty of soap and water
 Take off contaminated clothing and wash it before reuse
 If skin irritation or rash occurs: Get medical advice/attention
 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
 Get medical attention if symptoms persist

Precautionary Statements - Storage

Store in a well-ventilated place. Keep container tightly closed
 Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other Hazards

Very toxic to aquatic life with long lasting effects

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Uncured Acrylate and Methacrylate Ester Monomers	Proprietary	Proprietary
Silane treated glass silica, initiators, and stabilizers	Proprietary	Proprietary
Benzoyl peroxide	94-36-0	Proprietary
Triclosan	3380-34-5	Proprietary

If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. FIRST-AID MEASURES

First Aid Measures

Eye Contact	Flush with plenty of water. Contact a physician.
Skin Contact	IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing and wash it before reuse. If skin irritation or rash occurs: Get medical advice/attention.
Inhalation	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Seek medical attention if irritation persists.
Ingestion	Immediately call a poison center or doctor/physician.

Most important symptoms and effects

Symptoms	May cause an allergic skin reaction. May be irritating to skin and eyes. May cause respiratory irritation. May be irritating to the mouth, throat and stomach.
-----------------	--

Indication of any immediate medical attention and special treatment needed

Notes to Physician	Treat symptomatically.
---------------------------	------------------------

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Foam. Carbon dioxide (CO₂). Dry chemical.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Heat can cause polymerization with rapid release of energy.

Hazardous Combustion Products Carbon oxides.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Use personal protection recommended in Section 8.

Environmental Precautions Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12, Ecological Information. See Section 13: DISPOSAL CONSIDERATIONS.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Clean-Up Contain and collect with an inert absorbent and place into an appropriate container for disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling Handle in accordance with good industrial hygiene and safety practice. Use personal protection recommended in Section 8. Avoid contact with skin, eyes or clothing. Avoid breathing dust/fume/gas/mist/vapors/spray. Contaminated work clothing should not be allowed out of the workplace. Use only outdoors or in a well-ventilated area. Protect container from physical damage.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed and store in a cool, dry and well-ventilated place. Store away from heat, sunlight, oxidizing agents, reducing agents, and ignition sources. Store locked up.

Incompatible Materials Oxidizing agents. Reducing agents. Peroxides. Free radical initiators.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Silane treated glass silica, initiators, and stabilizers	TWA: 1 fiber/cm ³ respirable fibers: length >5 µm, aspect ratio ≥3:1, as determined by the membrane filter method at 400-450X magnification [4-mm objective], using phase-contrast illumination TWA: 5 mg/m ³ inhalable fraction	-	-
Benzoyl peroxide 94-36-0	TWA: 5 mg/m ³	TWA: 5 mg/m ³ (vacated) TWA: 5 mg/m ³	IDLH: 1500 mg/m ³ TWA: 5 mg/m ³

Appropriate engineering controls

Engineering Controls Ensure adequate ventilation, especially in confined areas. Eyewash stations. Showers.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Safety goggles or glasses.

Skin and Body Protection Protective gloves.

Respiratory Protection Use in well-ventilated area.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State	Liquid	Odor	Mild fruity ester-like odor
Appearance	Colored paste	Odor Threshold	Not determined
Color	Not determined		

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	Not determined	
Melting Point/Freezing Point	Not determined	
Boiling Point/Boiling Range	Not determined	
Flash Point	Not determined	
Evaporation Rate	Not determined	
Flammability (Solid, Gas)	Not determined	
Upper Flammability Limits	Not determined	
Lower Flammability Limit	Not determined	
Vapor Pressure	Not determined	
Vapor Density	Not determined	
Specific Gravity	approx. 1.5	@ 77°F (25°C) (Water = 1)
Water Solubility	Not known	
Solubility in other solvents	Not determined	
Partition Coefficient	Not determined	
Auto-ignition Temperature	Not determined	
Decomposition Temperature	Not determined	
Kinematic Viscosity	Not determined	
Dynamic Viscosity	Not determined	
Explosive Properties	Not determined	
Oxidizing Properties	Not determined	

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization will not occur when using clinical amounts of this material.

Conditions to Avoid

Keep separated from incompatible substances. Keep out of reach of children. Avoid direct sunlight, high heat, and humidity.

Incompatible Materials

Oxidizing agents. Reducing agents. Peroxides. Free radical initiators.

Hazardous Decomposition Products

Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye Contact

Avoid contact with eyes.

Skin Contact

May cause an allergic skin reaction.

Inhalation

May cause respiratory irritation.

Ingestion

May be harmful if swallowed.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Uncured Acrylate and Methacrylate Ester Monomers	= 3300 mg/kg (Rat)	-	-
Silane treated glass silica, initiators, and stabilizers	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 2.2 mg/L (Rat) 1 h
Benzoyl peroxide 94-36-0	= 6400 mg/kg (Rat)	-	-
Triclosan 3380-34-5	= 3700 mg/kg (Rat)	= 9300 mg/kg (Rabbit)	-

Information on physical, chemical and toxicological effects

Symptoms

Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization May cause an allergic skin reaction.

Carcinogenicity Group 3 IARC components are "not classifiable as human carcinogens".

Chemical Name	ACGIH	IARC	NTP	OSHA
Silane treated glass silica, initiators, and stabilizers		Group 3		
Benzoyl peroxide 94-36-0		Group 3		

Legend

IARC (International Agency for Research on Cancer)

Group 3 IARC components are "not classifiable as human carcinogens"

STOT - single exposure May cause respiratory irritation.

Numerical measures of toxicity

Not determined

12. ECOLOGICAL INFORMATION**Ecotoxicity**

Very toxic to aquatic life with long lasting effects.

Component Information

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Silane treated glass silica, initiators, and stabilizers	440: 72 h Pseudokirchneriella subcapitata mg/L EC50	5000: 96 h Brachydanio rerio mg/L LC50 static		7600: 48 h Ceriodaphnia dubia mg/L EC50
Triclosan 3380-34-5		250: 96 h Pimephales promelas µg/L LC50		390: 48 h Daphnia magna µg/L EC50

Persistence/Degradability

Not determined.

Bioaccumulation

Not determined.

Mobility

Not determined

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS**Waste Treatment Methods**

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and regulations.

California Hazardous Waste Status

Chemical Name	California Hazardous Waste Status
Benzoyl peroxide 94-36-0	Toxic Ignitable Reactive

14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

DOT Not regulated

IATA Not regulated

IMDG
Marine Pollutant This material may meet the definition of a marine pollutant

15. REGULATORY INFORMATION**International Inventories**

Chemical Name	TSCA	DSL	NDSL	EINECS	ELINCS	ENCS	IECSC	KECL	PICCS	AICS
Uncured Acrylate and Methacrylate Ester Monomers	Present	X		Present		Present	X	Present	X	X
Silane treated glass silica, initiators, and stabilizers	Present	X		Present		Present	X	Present	X	X
Benzoyl peroxide	Present	X		Present		Present	X	Present	X	X
Triclosan	Present	X		Present		Present	X	Present	X	X

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations**CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

SARA 313

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Benzoyl peroxide - 94-36-0	94-36-0	Proprietary	1.0

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

US State Regulations**California Proposition 65**

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Silane treated glass silica, initiators, and stabilizers	X	X	X
Benzoyl peroxide 94-36-0	X	X	X

16. OTHER INFORMATION**NFPA****Health Hazards**

Not determined

Flammability

Not determined

Instability

Not determined

Special Hazards

Not determined

HMIS**Health Hazards**

Not determined

Flammability

Not determined

Physical Hazards

Not determined

Personal Protection

Not determined

Issue Date:

14-Jun-2013

Revision Date:

21-Nov-2014

Revision Note:

New format

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet