

SAFETY DATA SHEETS

This SDS packet was issued with item:

075542170

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

075542105 075542113 075542121 075542139 075542147 075542154 075542162 075542311 075542329 075542337
079481200

The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).

075538251 075542188 075542345 075542352 075542360 075542378 075542386 075542402



Safety Data Sheet

Issue Date: 16-Dec-2013

Revision Date: 13-Jan-2015

Version 1

1. IDENTIFICATION

Product Identifier

Product Name SNAP™ and RELATE Powder

Other means of identification

SDS # S426, VAR.

Recommended use of the chemical and restrictions on use

Recommended Use Provisional Prosthodontic Resin.

Details of the supplier of the safety data sheet

Supplier Address

Parkell, Inc.
300 Executive Drive
Edgewood, NY 11717

Emergency Telephone Number

Company Phone Number (631) 249-1134
Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International)
1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Appearance Fine beige powder

Physical State Solid

Odor Faint odor in bulk

Classification

Serious eye damage/eye irritation	Category 2
Skin sensitization	Category 1

Hazards Not Otherwise Classified (HNOC)

May form combustible dust concentrations in air

Signal Word

Warning

Hazard Statements

Causes serious eye irritation
May cause an allergic skin reaction



Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling
Avoid breathing dust/fume/gas/mist/vapors/spray
Contaminated work clothing should not be allowed out of the workplace
Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
If eye irritation persists: Get medical advice/attention
IF ON SKIN: Wash with plenty of soap and water
Wash contaminated clothing before reuse
If skin irritation or rash occurs: Get medical advice/attention

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Titanium Dioxide	13463-67-7	Proprietary
Benzoyl peroxide	94-36-0	Proprietary
Mineral Pigment Blend	Proprietary	Proprietary

If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. FIRST-AID MEASURES**First Aid Measures**

Eye Contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Skin Contact	Wash skin with soap and water. Take off contaminated clothing and wash it before reuse. If skin irritation or rash occurs: Get medical advice/attention.
Inhalation	Remove to fresh air. Get medical attention if symptoms persist.
Ingestion	Rinse mouth thoroughly with water. If a large amount is swallowed, get medical attention.

Most important symptoms and effects

Symptoms	Acute Effects: Eye contact causes serious eye irritation. Skin contact may cause a drying effect and an allergic skin reaction. Inhalation may cause irritation of nose, throat, lungs, and respiratory tract; may cause temporary drying effect or irritation of mucous membranes. Ingestion causes no known specific effects; may cause nausea, metallic taste in mouth, or muscular weakness. Chronic Effects: Long term exposure to silica (contained within the Mineral Pigment Blend) causes silicosis, a form of pulmonary fibrosis. Continued exposure to silica can lead to cardiopulmonary impairment.
-----------------	---

Indication of any immediate medical attention and special treatment needed

Notes to Physician	Treat symptomatically.
---------------------------	------------------------

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Water. Carbon dioxide (CO₂). Dry chemical.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Polymer dust is combustible. The explosive limits of the polymer particles suspended in air are approximately those of coal dust.

Hazardous Combustion Products Carbon oxides. Methacrylate monomer.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Avoid extinguishing methods which may generate dust clouds. Water stream can disperse dust into air producing a fire hazard and possible explosion hazard if exposed to ignition source.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Use personal protection recommended in Section 8.

Environmental Precautions Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12, Ecological Information. See Section 13: DISPOSAL CONSIDERATIONS.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Clean-Up Sweep up to avoid slipping hazard. Keep airborne particulates at a minimum when cleaning up spills.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling Avoid contact with skin, eyes or clothing. Use personal protection recommended in Section 8. Avoid contact with skin, eyes or clothing. Wash face, hands, and any exposed skin thoroughly after handling. Avoid breathing dust/fume/gas/mist/vapors/spray. Contaminated work clothing should not be allowed out of the workplace. Use only in well-ventilated areas.

Conditions for safe storage, including any incompatibilities

Storage Conditions Store in cool, dry place away from incompatible materials. Keep container closed to prevent water absorption and contamination.

Incompatible Materials Strong oxidizing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Titanium Dioxide 13463-67-7	TWA: 10 mg/m ³	TWA: 15 mg/m ³ total dust (vacated) TWA: 10 mg/m ³ total dust	IDLH: 5000 mg/m ³
Benzoyl peroxide 94-36-0	TWA: 5 mg/m ³	TWA: 5 mg/m ³ (vacated) TWA: 5 mg/m ³	IDLH: 1500 mg/m ³ TWA: 5 mg/m ³

Appropriate engineering controls

Engineering Controls Ensure adequate ventilation, especially in confined areas. Eyewash stations. Showers.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Use safety glasses or chemical splash goggles.

Skin and Body Protection Wear impervious, Nitrile gloves if hot plastic is handled.

Respiratory Protection Use respiratory protection for Particulates Not Otherwise Classified if needed.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES
--

Information on basic physical and chemical properties

Physical State	Solid		
Appearance	Fine beige powder	Odor	Faint odor in bulk
Color	Beige	Odor Threshold	Not determined

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	Not determined	
Melting Point/Freezing Point	Not determined	
Boiling Point/Boiling Range	Not applicable	
Flash Point	304 °C / 580 °F	Tag Closed Cup
Evaporation Rate	3.0	(butyl acetate = 1)
Flammability (Solid, Gas)	Not determined	
Upper Flammability Limits	Not applicable	
Lower Flammability Limit	Not applicable	
Vapor Pressure	Not applicable	
Vapor Density	Not applicable	
Specific Gravity	1.25	(Water = 1)
Water Solubility	Insoluble in water	
Solubility in other solvents	Not determined	
Partition Coefficient	Not determined	
Auto-ignition Temperature	Not established	
Decomposition Temperature	Not determined	
Kinematic Viscosity	Not determined	
Dynamic Viscosity	Not determined	
Explosive Properties	Not determined	
Oxidizing Properties	Not determined	

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur.

Conditions to Avoid

Keep separated from incompatible substances. Avoid heating above 240°C (464°F). Keep out of reach of children.

Incompatible Materials

Strong oxidizing agents.

Hazardous Decomposition Products

Carbon oxides. Methacrylate monomer.

11. TOXICOLOGICAL INFORMATION**Information on likely routes of exposure****Product Information**

Eye Contact	Causes serious eye irritation.
Skin Contact	May cause an allergic skin reaction.
Inhalation	Avoid inhalation of dust.
Ingestion	Do not ingest.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Titanium Dioxide 13463-67-7	> 10000 mg/kg (Rat)	-	-
Benzoyl peroxide 94-36-0	= 6400 mg/kg (Rat)	-	-

Information on physical, chemical and toxicological effects

Symptoms	Please see section 4 of this SDS for symptoms.
-----------------	--

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization	May cause an allergic skin reaction.
Carcinogenicity	Titanium dioxide is a possible carcinogen when it appears as a respirable dust.

Chemical Name	ACGIH	IARC	NTP	OSHA
Titanium Dioxide 13463-67-7		Group 2B		X
Benzoyl peroxide 94-36-0		Group 3		

Legend

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans

Group 3 IARC components are "not classifiable as human carcinogens"

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Numerical measures of toxicity

Not determined

12. ECOLOGICAL INFORMATION**Ecotoxicity**

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Component Information

Not available

Persistence/Degradability

Not determined.

Bioaccumulation

Not determined.

Mobility

Not determined

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS**Waste Treatment Methods****Disposal of Wastes**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated Packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

California Hazardous Waste Status

Chemical Name	California Hazardous Waste Status
Benzoyl peroxide 94-36-0	Toxic Ignitable Reactive

14. TRANSPORT INFORMATION**Note**

Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

DOT

Not regulated

IATA

Not regulated

IMDG

Not regulated

15. REGULATORY INFORMATION

International Inventories

Chemical Name	TSCA	DSL	NDSL	EINECS	ELINCS	ENCS	IECSC	KECL	PICCS	AICS
Titanium Dioxide	Present	X		Present		Present	X	Present	X	X
Benzoyl peroxide	Present	X		Present		Present	X	Present	X	X

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

SARA 313

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Benzoyl peroxide - 94-36-0	94-36-0	Proprietary	1.0

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical Name	California Proposition 65
Titanium Dioxide - 13463-67-7	Carcinogen

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Titanium Dioxide 13463-67-7	X	X	X
Benzoyl peroxide 94-36-0	X	X	X

16. OTHER INFORMATION**NFPA****Health Hazards****Flammability****Instability****Special Hazards**

1

1

0

Not determined

HMIS**Health Hazards****Flammability****Physical Hazards****Personal Protection**

Not determined

Not determined

Not determined

Not determined

Issue Date: 16-Dec-2013**Revision Date:** 13-Jan-2015**Revision Note:** New format**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet



Safety Data Sheet

Issue Date: 16-Dec-2013

Revision Date: 13-Jan-2015

Version 1

1. IDENTIFICATION

Product Identifier

Product Name SNAP™ and RELATE Liquid

Other means of identification

SDS # S441

UN/ID No UN2283

Recommended use of the chemical and restrictions on use

Recommended Use Provisional Prosthodontic Resin.

Details of the supplier of the safety data sheet

Supplier Address

Parkell, Inc.
300 Executive Drive
Edgewood, NY 11717

Emergency Telephone Number

Company Phone Number (631) 249-1134

Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International)
1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Appearance Clear, pale, oily liquid

Physical State Liquid

Odor Acrid, fruity odor

Classification

Acute toxicity - Oral	Category 4
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2
Skin sensitization	Category 1
Specific target organ toxicity (single exposure)	Category 3
Specific target organ toxicity (repeated exposure)	Category 2
Flammable Liquids	Category 3

Hazards Not Otherwise Classified (HNOC)

May be harmful in contact with skin

Signal Word

Warning

Hazard Statements

Harmful if swallowed
Causes skin irritation
Causes serious eye irritation
May cause an allergic skin reaction
May cause respiratory irritation
May cause damage to organs through prolonged or repeated exposure
Flammable liquid and vapor

**Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling
 Do not eat, drink or smoke when using this product
 Wear protective gloves/protective clothing/eye protection/face protection
 Contaminated work clothing should not be allowed out of the workplace
 Do not breathe dust/fume/gas/mist/vapors/spray
 Use only outdoors or in a well-ventilated area
 Keep away from heat/sparks/open flames/hot surfaces. — No smoking
 Keep container tightly closed
 Ground/bond container and receiving equipment
 Use explosion-proof equipment
 Use only non-sparking tools
 Take precautionary measures against static discharge

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
 Seek immediate medical attention/advice
 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
 Wash contaminated clothing before reuse
 If skin irritation or rash occurs: Get medical advice/attention
 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
 Get medical attention if symptoms persist
 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting
 Immediately call a poison center or doctor/physician
 IN CASE OF FIRE: Use CO₂, dry chemical, or foam for extinction

Precautionary Statements - Storage

Store locked up
 Store in a well-ventilated place. Keep cool

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other Hazards

Harmful to aquatic life with long lasting effects

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Isobutyl methacrylate	97-86-9	Proprietary
2-Propenoic acid, 2-methyl-, 1,2-ethanediyl ester	97-90-5	Proprietary
N,N-DIMETHYL-P-TOLUIDINE	99-97-8	Proprietary
4-Methoxyphenol	150-76-5	Proprietary

If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. FIRST-AID MEASURES

First Aid Measures

Eye Contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get prompt medical attention.
Skin Contact	Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical advice/attention.
Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If breathing is difficult, give oxygen. Get medical attention if symptoms persist.
Ingestion	Rinse mouth. Do not induce vomiting. Dilute with milk or water. Immediately call a poison center or doctor/physician.

Most important symptoms and effects

Symptoms	Moderately irritating to eyes, causing initial pain with tearing, redness, swelling, or blurring of vision. Skin contact may cause irritation with discomfort or rash, and possibly allergic rashes or sensitization. Liquid is rapidly absorbed through skin; absorption of this product into the body causes the formation of methemoglobin, which, in sufficient concentrations, causes cyanosis, headache, dizziness, nausea, and abdominal pain. Inhalation may cause irritation at high concentrations which may lead to dizziness, headache, nausea, staggering gait, confusion, and anesthetic effects. Symptoms may include coughing or weakness. Inhalation can also cause elevated methemoglobin in the blood with symptoms such as headache, weakness, dizziness, and blue coloration of the lips, fingernails, nose, and earlobes. Vapor or mist is irritating to mucous membranes and upper respiratory tract. Ingestion causes irritation, a burning sensation in the mouth, throat, and respiratory tract, and abdominal pain.
-----------------	--

Indication of any immediate medical attention and special treatment needed

Notes to Physician	Treat symptomatically.
---------------------------	------------------------

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Foam. Carbon dioxide (CO₂). Dry chemical.

Unsuitable Extinguishing Media Water may not be effective in extinguishing this fire.

Specific Hazards Arising from the Chemical

Flammable liquid and vapor. Vapors may travel to source of ignition and flash back. Heat can cause polymerization with rapid release of energy which may rupture the container explosively. Spontaneous polymerization may occur upon prolonged storage.

Hazardous Combustion Products Carbon oxides.

Sensitivity to Static Discharge Take precautionary measures against static discharge.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Fight fire from protected location. Move containers from fire area if it can be done without risk. Use water spray to cool containers and minimize vapors. Avoid spreading the burning liquid with water used for cooling.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions	Use personal protection recommended in Section 8.
For Emergency Responders	Evacuate area and shut off ignition source. Wear self-contained breathing apparatus and fire resistant gear.
Environmental Precautions	Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12, Ecological Information. See Section 13: DISPOSAL CONSIDERATIONS.

Methods and material for containment and cleaning up

Methods for Containment	Prevent further leakage or spillage if safe to do so.
Methods for Clean-Up	Dike and absorb spill with inert material. Transfer to proper containers for disposal using non-sparking tools. Contaminated monomer may be unstable, add inhibitor to prevent polymerization. Keep spills and cleaning runoff out of sewers and open bodies of water. Spills on porous surfaces can contaminate the groundwater.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling	Handle in accordance with good industrial hygiene and safety practice. Use personal protection recommended in Section 8. Avoid contact with skin, eyes or clothing. Wash face, hands, and any exposed skin thoroughly after handling. Do not eat, drink or smoke when using this product. Do not breathe dust/fume/gas/mist/vapors/spray. Use only outdoors or in a well-ventilated area. Contaminated work clothing should not be allowed out of the workplace. Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion proof equipment. Use only non-sparking tools. Take precautionary measures against static discharges. Observe precautions found on the label.
--------------------------------	--

Conditions for safe storage, including any incompatibilities

Storage Conditions	Keep container tightly closed and store in a cool, dry and well-ventilated place. Store locked up. Maintain air space inside storage containers; inhibitor requires air contact to function. Check inhibitor levels every three months and maintain at original level.
Incompatible Materials	Strong bases. Oxidizing agents. Material has strong solvent properties and can soften paint and rubber.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
4-Methoxyphenol 150-76-5	TWA: 5 mg/m ³	(vacated) TWA: 5 mg/m ³	TWA: 5 mg/m ³

Appropriate engineering controls

Engineering Controls	Ensure adequate ventilation, especially in confined areas. Eyewash stations. Showers.
-----------------------------	---

Individual protection measures, such as personal protective equipment

Eye/Face Protection Safety glasses.

Skin and Body Protection Nitrile gloves.

Respiratory Protection Self-contained breathing apparatus for high concentrations.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES**Information on basic physical and chemical properties**

Physical State	Liquid	Odor	Acrid, fruity odor
Appearance	Clear, pale, oily liquid	Odor Threshold	Not determined
Color	Clear		
Property	Values	Remarks • Method	
pH	Not determined		
Melting Point/Freezing Point	Not determined		
Boiling Point/Boiling Range	155 °C / 311 °F	(at 760 mm Hg)	
Flash Point	49 °C / 120 °F	Tag Closed Cup	
Evaporation Rate	0.5	(butyl acetate = 1)	
Flammability (Solid, Gas)	Liquid-Not applicable		
Upper Flammability Limits	Not established		
Lower Flammability Limit	Not established		
Vapor Pressure	3 mm Hg	@ 20°C (68°F)	
Vapor Density	4.91	@ 15.5°C (60°F) (Air=1)	
Specific Gravity	0.861	(Water = 1)	
Water Solubility	0.1/100 grams		
Solubility in other solvents	Not determined		
Partition Coefficient	Not determined		
Auto-ignition Temperature	367 °C / 693 °F		
Decomposition Temperature	Not determined		
Kinematic Viscosity	Not determined		
Dynamic Viscosity	Not determined		
Explosive Properties	Not determined		
Oxidizing Properties	Not determined		

10. STABILITY AND REACTIVITY**Reactivity**

Not reactive under normal conditions.

Chemical Stability

Unstable.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization Hazardous polymerization may occur.

Conditions to Avoid

Avoid heat, sources of ignition, aging, contamination, and absence of an oxygen-containing atmosphere above the product. Keep separated from incompatible substances. Keep out of reach of children.

Incompatible Materials

Strong bases. Oxidizing agents. Material has strong solvent properties and can soften paint and rubber.

Hazardous Decomposition Products

Carbon oxides.

11. TOXICOLOGICAL INFORMATION**Information on likely routes of exposure****Product Information**

Eye Contact	Causes serious eye irritation.
Skin Contact	Causes skin irritation. May cause an allergic skin reaction. May be harmful in contact with skin.
Inhalation	May cause respiratory irritation.
Ingestion	Harmful if swallowed.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Isobutyl methacrylate 97-86-9	= 6400 mg/kg (Rat)	-	-
2-Propenoic acid, 2-methyl-, 1,2-ethanediyl ester 97-90-5	= 3300 mg/kg (Rat)	-	-
N,N-DIMETHYL-P-TOLUIDINE 99-97-8	= 1650 mg/kg (Rat)	-	= 1400 mg/m ³ (Rat) 4 h
Benzophenone-3 131-57-7	= 7400 mg/kg (Rat)	-	-
4-Methoxyphenol 150-76-5	= 1600 mg/kg (Rat)	-	-

Information on physical, chemical and toxicological effects

Symptoms	Please see section 4 of this SDS for symptoms.
-----------------	--

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization	May cause an allergic skin reaction.
Carcinogenicity	Based on the information provided, this product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.
STOT - single exposure	May cause respiratory irritation.
STOT - repeated exposure	May cause damage to organs through prolonged or repeated exposure.

Numerical measures of toxicity

Not determined

12. ECOLOGICAL INFORMATION

Ecotoxicity

Harmful to aquatic life with long lasting effects.

Component Information

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Isobutyl methacrylate 97-86-9	0.29: 96 h Pseudokirchneriella subcapitata mg/L EC50	20: 96 h Oncorhynchus mykiss mg/L LC50 flow-through		23: 48 h Daphnia magna mg/L EC50
N,N-DIMETHYL-P-TOLUIDINE 99-97-8		42 - 50.5: 96 h Pimephales promelas mg/L LC50 flow-through		
4-Methoxyphenol 150-76-5		84.3: 96 h Pimephales promelas mg/L LC50 flow-through 28.5: 96 h Oncorhynchus mykiss mg/L LC50 flow-through	EC50 = 3.66 mg/L 5 min EC50 = 4.30 mg/L 15 min EC50 = 4.61 mg/L 30 min	

Persistence/Degradability

Not determined.

Bioaccumulation

Not determined.

Mobility

Chemical Name	Partition Coefficient
Isobutyl methacrylate 97-86-9	2.01
N,N-DIMETHYL-P-TOLUIDINE 99-97-8	2.81
4-Methoxyphenol 150-76-5	1.34

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated Packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

DOT

UN/ID No UN2283
 Proper Shipping Name Isobutyl methacrylate, stabilized
 Hazard Class 3
 Packing Group III

IATA

UN/ID No UN2283
 Proper Shipping Name Isobutyl methacrylate, stabilized
 Hazard Class 3
 Packing Group III

IMDG

UN/ID No UN2283
 Proper Shipping Name Isobutyl methacrylate, stabilized
 Hazard Class 3
 Packing Group III
 Marine Pollutant This material may meet the definition of a marine pollutant

15. REGULATORY INFORMATION

International Inventories

Chemical Name	TSCA	DSL	NDSL	EINECS	ELINCS	ENCS	IECSC	KECL	PICCS	AICS
Isobutyl methacrylate	Present	X		Present		Present	X	Present	X	X
2-Propenoic acid, 2-methyl-, 1,2-ethanediy ester	Present	X		Present		Present	X	Present	X	X
N,N-DIMETHYL-P-TOLUIDINE	Present	X		Present		Present	X	Present	X	X
4-Methoxyphenol	Present	X		Present		Present	X	Present	X	X

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
AICS - Australian Inventory of Chemical Substances

US Federal Regulations

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

US State Regulations**California Proposition 65**

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Isobutyl methacrylate 97-86-9	X		
4-Methoxyphenol 150-76-5	X	X	X

16. OTHER INFORMATION**NFPA****Health Hazards**

2

Flammability

2

Instability

2

Special Hazards

Not determined

HMIS**Health Hazards**

Not determined

Flammability

Not determined

Physical Hazards

Not determined

Personal Protection

Not determined

Issue Date: 16-Dec-2013

Revision Date: 13-Jan-2015

Revision Note: New format

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet



Safety Data Sheet

Issue Date: 16-Dec-2013

Revision Date: 13-Jan-2015

Version 1

1. IDENTIFICATION

Product Identifier

Product Name SNAP™ and RELATE Powder

Other means of identification

SDS # S426, VAR.

Recommended use of the chemical and restrictions on use

Recommended Use Provisional Prosthodontic Resin.

Details of the supplier of the safety data sheet

Supplier Address

Parkell, Inc.
300 Executive Drive
Edgewood, NY 11717

Emergency Telephone Number

Company Phone Number (631) 249-1134
Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International)
1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Appearance Fine beige powder

Physical State Solid

Odor Faint odor in bulk

Classification

Serious eye damage/eye irritation	Category 2
Skin sensitization	Category 1

Hazards Not Otherwise Classified (HNOC)

May form combustible dust concentrations in air

Signal Word

Warning

Hazard Statements

Causes serious eye irritation
May cause an allergic skin reaction



Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling
Avoid breathing dust/fume/gas/mist/vapors/spray
Contaminated work clothing should not be allowed out of the workplace
Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
If eye irritation persists: Get medical advice/attention
IF ON SKIN: Wash with plenty of soap and water
Wash contaminated clothing before reuse
If skin irritation or rash occurs: Get medical advice/attention

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Titanium Dioxide	13463-67-7	Proprietary
Benzoyl peroxide	94-36-0	Proprietary
Mineral Pigment Blend	Proprietary	Proprietary

If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. FIRST-AID MEASURES**First Aid Measures**

Eye Contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Skin Contact	Wash skin with soap and water. Take off contaminated clothing and wash it before reuse. If skin irritation or rash occurs: Get medical advice/attention.
Inhalation	Remove to fresh air. Get medical attention if symptoms persist.
Ingestion	Rinse mouth thoroughly with water. If a large amount is swallowed, get medical attention.

Most important symptoms and effects

Symptoms	Acute Effects: Eye contact causes serious eye irritation. Skin contact may cause a drying effect and an allergic skin reaction. Inhalation may cause irritation of nose, throat, lungs, and respiratory tract; may cause temporary drying effect or irritation of mucous membranes. Ingestion causes no known specific effects; may cause nausea, metallic taste in mouth, or muscular weakness. Chronic Effects: Long term exposure to silica (contained within the Mineral Pigment Blend) causes silicosis, a form of pulmonary fibrosis. Continued exposure to silica can lead to cardiopulmonary impairment.
-----------------	---

Indication of any immediate medical attention and special treatment needed

Notes to Physician	Treat symptomatically.
---------------------------	------------------------

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Water. Carbon dioxide (CO₂). Dry chemical.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Polymer dust is combustible. The explosive limits of the polymer particles suspended in air are approximately those of coal dust.

Hazardous Combustion Products Carbon oxides. Methacrylate monomer.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Avoid extinguishing methods which may generate dust clouds. Water stream can disperse dust into air producing a fire hazard and possible explosion hazard if exposed to ignition source.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Use personal protection recommended in Section 8.

Environmental Precautions Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12, Ecological Information. See Section 13: DISPOSAL CONSIDERATIONS.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Clean-Up Sweep up to avoid slipping hazard. Keep airborne particulates at a minimum when cleaning up spills.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling Avoid contact with skin, eyes or clothing. Use personal protection recommended in Section 8. Avoid contact with skin, eyes or clothing. Wash face, hands, and any exposed skin thoroughly after handling. Avoid breathing dust/fume/gas/mist/vapors/spray. Contaminated work clothing should not be allowed out of the workplace. Use only in well-ventilated areas.

Conditions for safe storage, including any incompatibilities

Storage Conditions Store in cool, dry place away from incompatible materials. Keep container closed to prevent water absorption and contamination.

Incompatible Materials Strong oxidizing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Titanium Dioxide 13463-67-7	TWA: 10 mg/m ³	TWA: 15 mg/m ³ total dust (vacated) TWA: 10 mg/m ³ total dust	IDLH: 5000 mg/m ³
Benzoyl peroxide 94-36-0	TWA: 5 mg/m ³	TWA: 5 mg/m ³ (vacated) TWA: 5 mg/m ³	IDLH: 1500 mg/m ³ TWA: 5 mg/m ³

Appropriate engineering controls

Engineering Controls Ensure adequate ventilation, especially in confined areas. Eyewash stations. Showers.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Use safety glasses or chemical splash goggles.

Skin and Body Protection Wear impervious, Nitrile gloves if hot plastic is handled.

Respiratory Protection Use respiratory protection for Particulates Not Otherwise Classified if needed.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State	Solid	Odor	Faint odor in bulk
Appearance	Fine beige powder	Odor Threshold	Not determined
Color	Beige		

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	Not determined	
Melting Point/Freezing Point	Not determined	
Boiling Point/Boiling Range	Not applicable	
Flash Point	304 °C / 580 °F	Tag Closed Cup
Evaporation Rate	3.0	(butyl acetate = 1)
Flammability (Solid, Gas)	Not determined	
Upper Flammability Limits	Not applicable	
Lower Flammability Limit	Not applicable	
Vapor Pressure	Not applicable	
Vapor Density	Not applicable	
Specific Gravity	1.25	(Water = 1)
Water Solubility	Insoluble in water	
Solubility in other solvents	Not determined	
Partition Coefficient	Not determined	
Auto-ignition Temperature	Not established	
Decomposition Temperature	Not determined	
Kinematic Viscosity	Not determined	
Dynamic Viscosity	Not determined	
Explosive Properties	Not determined	
Oxidizing Properties	Not determined	

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur.

Conditions to Avoid

Keep separated from incompatible substances. Avoid heating above 240°C (464°F). Keep out of reach of children.

Incompatible Materials

Strong oxidizing agents.

Hazardous Decomposition Products

Carbon oxides. Methacrylate monomer.

11. TOXICOLOGICAL INFORMATION**Information on likely routes of exposure****Product Information**

Eye Contact	Causes serious eye irritation.
Skin Contact	May cause an allergic skin reaction.
Inhalation	Avoid inhalation of dust.
Ingestion	Do not ingest.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Titanium Dioxide 13463-67-7	> 10000 mg/kg (Rat)	-	-
Benzoyl peroxide 94-36-0	= 6400 mg/kg (Rat)	-	-

Information on physical, chemical and toxicological effects

Symptoms	Please see section 4 of this SDS for symptoms.
-----------------	--

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization	May cause an allergic skin reaction.
Carcinogenicity	Titanium dioxide is a possible carcinogen when it appears as a respirable dust.

Chemical Name	ACGIH	IARC	NTP	OSHA
Titanium Dioxide 13463-67-7		Group 2B		X
Benzoyl peroxide 94-36-0		Group 3		

Legend

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans

Group 3 IARC components are "not classifiable as human carcinogens"

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Numerical measures of toxicity

Not determined

12. ECOLOGICAL INFORMATION**Ecotoxicity**

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Component Information

Not available

Persistence/Degradability

Not determined.

Bioaccumulation

Not determined.

Mobility

Not determined

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS**Waste Treatment Methods****Disposal of Wastes**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated Packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

California Hazardous Waste Status

Chemical Name	California Hazardous Waste Status
Benzoyl peroxide 94-36-0	Toxic Ignitable Reactive

14. TRANSPORT INFORMATION**Note**

Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

DOT

Not regulated

IATA

Not regulated

IMDG

Not regulated

15. REGULATORY INFORMATION

International Inventories

Chemical Name	TSCA	DSL	NDSL	EINECS	ELINCS	ENCS	IECSC	KECL	PICCS	AICS
Titanium Dioxide	Present	X		Present		Present	X	Present	X	X
Benzoyl peroxide	Present	X		Present		Present	X	Present	X	X

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

SARA 313

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Benzoyl peroxide - 94-36-0	94-36-0	Proprietary	1.0

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical Name	California Proposition 65
Titanium Dioxide - 13463-67-7	Carcinogen

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Titanium Dioxide 13463-67-7	X	X	X
Benzoyl peroxide 94-36-0	X	X	X

16. OTHER INFORMATION**NFPA****Health Hazards****Flammability****Instability****Special Hazards**

1

1

0

Not determined

HMIS**Health Hazards****Flammability****Physical Hazards****Personal Protection**

Not determined

Not determined

Not determined

Not determined

Issue Date: 16-Dec-2013**Revision Date:** 13-Jan-2015**Revision Note:** New format**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet