SAFETY DATA SHEETS

This SDS packet was issued with item: 076708150

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

076704035 076704043 076704068 076708168 076708176 273004382

Material Safety Data Sheet May be used to comply with OSHA's Hazard Communication Standard. 29 CFR 1910.1200. Standard must be consulted for specific requirements.

U.S. Department of Labor

Occupational Safety and Health Administration (Non-Mandatory Form) Form Approved OMB No. 1218-0072



OMB No 1218-00-14 Expiration Date 05/31 66

	CHEMTI	Emergency	424-9300
24	hour	Emergency	contact

Section I					
Manufacturer's Name			Eme	gency Telep	phone Numbe
George Taub Products & Fusion Co.	Inc		(201) 798-5353 / night	(201) 26	1-5126
Address (Number, Street, City, Stale, and ZIP Code)	1.		Chemical Name		1000
_ 277 New York Ave Jersey City, N	1 0730	1/	Modified Acrylic Copoly	mer solu	tion
Date Issund Supercedes	the second		Trade Name		
June 23, 2004 May 25, 1995			and Synonyms Hi Gloss & Mode	I COLE	5-1
Prepared by			Chemical Formula		
Lawrence Taub			Family N.d.		
Section II - Hazardous Ingredients			HAZARD BATING ERE	100	
			ALEYTREME		
Paints, Preservatives, and Solvents	W TL	(Units	3-HIGH 2-MODERATE IOXICITY 1 0 REACTIVITY 1-SLIGHT IOXICITY 1 0		
Pigments	1.75		0-INSIGNIFICANT		
Cetalyst		1	OSHA HAZARDOUS		
	5	_			
Vehicle			DOT HAZARD CLASS		
Solvents			NONREGULATED		
Additives	+ +	_	Others	_	1
Ammonia (CAS #7664-41-7)	>0.5	25 ppr		1.0	
Others Dipropylene Glycol	1.00	00			
(CAS # 34590-94-8) Mazardous Mixtures of Other Liguida, Solida or Gases	1 1	.00pp	1	_	1
			40/ 111 77 2		
Diethylene glycol monometh	iyi etn	er (AS# 111-77-3		TLY (Units
Non-hazardous ingredients					1.0
Water CAS # 773		-		-	-
Proprietary resin polymers					1
Proprietary hydrocarbon wa	Xes				
Section III - Physical Data					-
Boiling Point (*F)	-		Caralla Carala di Cati		
above 200 F	above	e 200	Specific Gravity (H ₂ O=1)		1.0
Vapor Pressure (mm Ho.)	-		Percent Volatile by Volume (%)		
vapor Pressore (min rig.)			recent volatile by volume (%)	30	0-40
Vapor Density (AIR=1)	n.a		Evaporation Rate	-	
Tapor Dunary (nin-1)		200	=1)		N.D.
Solubility in Water	n.a	•			N.D.
Complete Appearance and Odor					
Pink colored, clear liquid with a mi	Id odor	Mav a	iso be clear or in other color	(+in+	1
Section IV - Fire and Explosion Hazard Data	a suor,	- July c	the creat of the other colors	(LINLS	
Elect Boist (Method lead)	1.1	-	Flammable Limits	Uel	0.000
http:// care (meanor cares)	V.A.	- 1	N.	A.	N.A.
Extinguishing Media		A A A			
Foam, CO ₂ , Dry c	hemical	, Wa	ter Fog		and and
			All and a second se		
Special Fire Fighting Procedures			17.02.5 d		
	edures i	may b	e used.		
Special Fire Fighting Procedures Normal fire fighting proc	cedures i	may b	e used.		
Normal fire fighting proc	cedures i	may b	e used.		

Page 1 (Continued on Reverse Side)

The information herein is given in good faith. No warranty, expressed or implied, is made. Any use of these data and information must be determined by the user to be in accordance with applicable Federal. State, and local laws and regulations.

Section V - Health Hazard Data

Threshold Limit Value

Ammonia less than 0.5%

Effects of Overexposure

Direct contact of product with eyes can cause irritation. Prolonged or repeated contact of product with skin may cause irritation. Product may cause irritation and nausea if taken internally.

Emergency First Aid Procedures

Flush eyes with water for 15 minutes. If irritation persists, seek medical aid. If product gets on skin.

remove with soap and water. If product is swallowed, drink large amounts of water or milk and seek medical aid.

medical ala.

activity Data			
Unstable		Conditions to Avoid None known, by Taub Company,	
Stable	x		
Materials to Avoid)	None known. Color may stain fabrics.	
	20	roduces CO2 and other normal products of combustion.	
May Occur		Conditions to Avoid None known,	
Will Not Occur	x		
	Unstable Stable Materials to Avoid mposition Product posed to fir May Occur	Unstable Stable X Materials to Avoid) mposition Products posed to fire, p May Occur	Unstable Conditions to Avoid Stable X Materials to Avoid) None known, by Taub Company. Materials to Avoid) None known, Color may stain fabrics. Imposition Products Stable inposed to fire, produces CO2 and other normal products of combustion. May Occur Conditions to Avoid None known, None known,

Section VII - Spill or Leak Procedures

Steps to be Taken in Case Material is Released or Spilled

Contains ammonia. Do not let spilled or leaking material enter watercourse. May be toxic to acquatic life. Absorb with towels. Sweep or scrape up (dried) material and containerize. Rinse affected area thoroughly with (warm) water. Wear rubber gloves. Floor may be slippery; use caution. Remove contaminated clothing promptly and wash affected skin areas with soap and water. Wash clothing before reuse.

Waste Disposal Method

No special method. Observe all applicable Federal/State regulations and Local ordinances regarding disposal of non-hazardous materials.

Bection VIII - I	Special Protection Information	
Respiratory Pro	otection (Specify Type)	
No speci	ial requirements under normal conditions,	
Ventilation Local Exhaust General room ventilation is adequate		Special
	Mechanical (General)	Other
Protective Glov Use Rubb	For prolonged or repeated contactor ber, PVC or other impervious material.	Protection If used in a splashing operation, safety glass.
Other Protectiv		es. Where gross eye or skin contact may be a problem
	be Taken in Handling and Storing N: May be harmful if swallowed. May be in	ritating to eyes. Avoid prolonged contact with skin.
If clothe	es become soaked with product, change and w	ash clothes before wearing again.
Other Precauti	oroughly after handling. Keep from freezing.	re.

Page 2

SDS Revision Date:

06/12/2015

1. PRODUCT AND COMPANY IDENTIFICATION

Product information

Product name: HI GLOSS; MODEL COTE

Recommended use: Wax and Stone Model Glossing Liquid

Manufacturer, importer, supplier:

George Taub Products & Fusion Co. Inc. 277 New York Ave Jersey City, NJ 07307 USA

Telephone:

800-828-2634, +1 201-798-5353

Emergency telephone number :

24 Hour Medical Emergency Phone: (800) 424-9300, 703-527-3887

- 24 Hour International Emergency Phone: +1 703-527-3887
- 24 Hour Transport Emergency Phone: (800) 424-9300

2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

Globally Harmonized System (GHS) Classification

This product does not meet the criteria for classification in any hazard class according to regulation OSHA 29 CFR 1910.1200.

Labelling

Precautionary statements Other hazards: None identified

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No.	Weight percent
Diethylene glycol monoethyl ether	111-90-0	1.00 - 5.00
2-Propenoic acid, polymer with ethenylbenzene and (1- methylethenyl)benzene	52831-04-6	1.00 - 5.00
Tributoxyethyl phosphate	78-51-3	1.00 - 5.00
Distilled Water	7732-18-5	60.00-80.00
Modified Acrylic	Mixture	10.00-30.00
Chemical Name	CAS.No.Weight	percent
Hydrogen Peroxide	7722-84-1	0.10-1.00

SDS Revision Date:

06/12/2015

4. FIRST AID MEASURES

Eye contact	:	No special requirements
Skin contact	:	No special requirements
Inhalation	:	No special requirements.
Ingestion		No special requirements.
5. FIREFIGHTING MEASURES		
Suitable extinguishing media	:	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Specific hazards during firefighting	:	Container may melt and leak in heat of fire.
Further information	:	Fight fire with normal precautions from a reasonable distance. Standard procedure for chemical fires. Wear full protective clothing and positive pressure self-contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions	: Wash thoroughly after handling. Use soap and warm water. Avoid walking on liquid. May become slippery surface.
Environmental precautions	: Outside of normal use, avoid release to the environment. Prevent runoff into sewer system.
Methods and materials for containment and cleaning up	: Dike large spills. Clean residue from spill site. For small spills, clean up with paper towel and dispose of with general waste.

SDS Revision Date:

06/12/2015

7. HANDLING AND STORAGE

Handling		
Precautions for safe handling	:	Avoid contact with skin, eyes and clothing. For personal protection see section 8. KEEP OUT OF REACH OF CHILDREN .
Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
Storage		
Requirements for storage areas and containers	:	Keep container closed when not in use.
Other data	:	Stable under normal conditions.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Limits

Components	CAS-No.	mg/m3	ppm	Non- standard units	Basis
Hydrogen Peroxide	7722-84-1	1.4 mg/m3	1 ppm	-	OSHA TWA
Hydrogen Peroxide	7722-84-1	-	1 ppm	-	ACGIH TWA

Personal protective equipment

Respiratory protection	:	No special requirements.
Hand protection	:	No special requirements.
Eye protection	:	No special requirements.
Skin and body protection	:	No special requirements.
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly after handling.

SDS Revision Date:

06/12/2015

9. PHYSICAL AND CHEMICAL PROPERTIES

Form	: liquid
Color	: red, green, yellow, blue, or clear transparent
Odor	: pleasant
Odour Threshold	: No data available
рН	: 8.7
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: >93 °C
Flash point	: No data available
Evaporation rate	: No data available
Flammability (solid, gas)	: The product is not flammable.
Upper/lower flammability or explosive limits	: No data available
Vapour pressure	: No data available
Vapour density	: No data available
Relative density	: 1.026 g/cm3
Solubility(ies)	: No data available

SDS Revision Date:

06/12/2015

:

Partition coefficient: n- octanol/water	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, dynamic	: No data available
Viscosity, kinematic	: No data available
Oxidizing properties	: No data available
Volatile Organic Compounds Total VOC (wt. %)*	: 0.3 %
Other information	: None identified
10. STABILITY AND REACTIVITY	
Possibility of hazardous reactions	: If accidental mixing occurs and toxic gas is formed, exit area immediately. Do not return until well ventilated.
Conditions to avoid	: Direct sources of heat.

Incompatible materials: Do not mix with bleach or any household cleaners.
Strong bases,Hazardous decomposition: Thermal decomposition can lead to release of irritating

Hazardous decomposition: Thermal decomposition can lead to release of irrit
gases and vapors

SDS Revision Date:

06/12/2015

11. TOXICOLOGICAL INFORMATION

Emergency Overview	:	This product does not meet the criteria for classification in any hazard class according to regulation OSHA 29 CFR 1910.1200.
Acute oral toxicity	:	LD50 estimated > 5,000 mg/kg
Acute inhalation toxicity	:	No data available
Acute dermal toxicity	:	LD50 estimated > 2,000 mg/kg

GHS Properties	Classification	Routes of entry
Acute toxicity	No classification proposed	-
Skin corrosion/irritation	No classification proposed	-
Serious eye damage/eye irritation	No classification proposed	-
Skin sensitization	No classification proposed	-
Respiratory sensitization	No classification proposed	-
Germ cell mutagenicity	No classification proposed	-
Carcinogenicity	No classification proposed	-
Reproductive toxicity	No classification proposed	-
Specific target organ toxicity - single exposure	No classification proposed	-
Specific target organ toxicity - repeated	No classification proposed	-

No classification proposed	-
	No classification proposed

Aggravated Medical Condition

: None known.

SDS Revision Date:

06/12/2015

12. ECOLOGICAL INFORMATION

Product : The product itself has not been tested.

Toxicity

The ingredients in this formula have been reviewed and no adverse impact to the environment is expected when used according to label directions.

Toxicity to fish

Components	End point	Species	Value	Exposure time
Diethylene glycol monoethyl ether	flow- through test LC50	Ictalurus punctatus	6,010 mg/l	96 h
2-Propenoic acid, polymer with ethenylbenzene and (1- methylethenyl)benzene	No data available			
Tributoxyethyl phosphate	semi- static test LC50 Measured	Oncorhynchus mykiss (rainbow trout)	24 mg/l	96 h
Hydrogen Peroxide	LC50	Pimephales promelas (fathead minnow)	16.4 mg/l	96 h

Toxicity to aquatic invertebrates

Components	End point	Species	Value	Exposure Time
Diethylene glycol monoethyl ether	static test EC50	Daphnia magna (Water flea)	1,982 mg/l	48 h
2-Propenoic acid, polymer with ethenylbenzene and (1- methylethenyl)benzene	No data available			
Tributoxyethyl phosphate	static test EC50 Measured	Daphnia magna (Water flea)	53 mg/l	48 h
Hydrogen Peroxide	semi- static test LC50	Daphnia pulex (Water flea)	2.4 mg/l	48 h

SDS Revision Date:

06/12/2015

Toxicity to aquatic plants

Components	End point	Species	Value	Exposure time
Diethylene glycol monoethyl ether	static test EC50 Read- across (Analogy)	Desmodesmus subspicatus (green algae)	> 100 mg/l	96 h
2-Propenoic acid, polymer with ethenylbenzene and (1- methylethenyl)benzene	No data available			
Tributoxyethyl phosphate	static test EC50	Pseudokirchneriella subcapitata (green algae)	61 mg/l	72 h
Hydrogen Peroxide	static test EC50	Skeletonema costatum	1.38 mg/l	72 h

Persistence and degradability

Component	Biodegradation	Exposure time	Summary
Diethylene glycol monoethyl ether	100 %	28 d	Readily biodegradable
2-Propenoic acid, polymer with ethenylbenzene and (1- methylethenyl)benzene	No data available		
Tributoxyethyl phosphate	87 %	28 d	Readily biodegradable
Hydrogen Peroxide	> 99 %	30 min	Readily biodegradable

Bioaccumulative potential

Component	Bioconcentration factor (BCF)	Partition Coefficient n- Octanol/water (log)
Diethylene glycol monoethyl ether	3,162	0.54
2-Propenoic acid, polymer with ethenylbenzene and (1- methylethenyl)benzene	No data available	No data available
Tributoxyethyl phosphate	5.8 Measured	3.75 Measured
Hydrogen Peroxide	No data available	-1.57

SDS Revision Date:

06/12/2015

Mobility

Component	End point	Value
Diethylene glycol monoethyl ether	No data available	
2-Propenoic acid, polymer with ethenylbenzene and (1- methylethenyl)benzene	No data available	
Tributoxyethyl phosphate	log Koc	2.5
Hydrogen Peroxide	No data available	

PBT and vPvB assessment

Component	Results
Diethylene glycol monoethyl ether	Not fulfilling PBT and vPvB criteria

Tributoxyethyl phosphate	Not fulfilling PBT and vPvB criteria

Other adverse effects : None known.

13. DISPOSAL CONSIDERATIONS

May discard empty container in trash, or recycle where facilities exist. Dispose of liquid must be made according to official regulations. Do not allow product to reach sewage system.

14. TRANSPORT INFORMATION

Please refer to the Bill of Lading/receiving documents for up-to-date shipping information.

Land transport

Not classified as dangerous in the meaning of transport regulations.

Sea transport

Not classified as dangerous in the meaning of transport regulations.

Air transport

Not classified as dangerous in the meaning of transport regulations.

SDS Revision Date:	06/12/2015
15. REGULATORY INFORMATION	
Notification status :	All ingredients of this product are listed or are excluded from listing on the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.
Notification status :	All ingredients of this product comply with the New Substances Notification requirements under the Canadian Environmental Protection Act (CEPA).
California Prop. 65	: This product is not subject to the reporting requirements under California's Proposition 65.

16. OTHER INFORMATION

HMIS Ratings	
Health	1
Flammability	0
Reactivity	0

NFPA Ratings		
Health	1	
Fire	0	
Reactivity	0	
Special	-	

This information is being provided in accordance with the Occupational Safety and Health Administration (OSHA) regulation (29 CFR 1910.1200). The information supplied is designed for workplaces where product use and frequency of exposure exceeds that established for the labeled consumer use.

Further information

This document has been prepared using data from sources considered to be technically reliable. It does not constitute a warranty, expressed or implied, as to the accuracy of the information contained herein. Actual conditions of use are beyond the seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

Prepared by	GEORGE TAUB PRODUCTS & FUSION
	CO. INC.