# **SAFETY DATA SHEETS**

This SDS packet was issued with item: 077056856

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

077056831 077056849

Reference Code Revision Date Revision Number Material / Trade Name	MATERIAL SAFET VPDR8025F (29 Cut) & VPDR8024F (53 G Reviewed Aug. 2014 5 Velopex AquaCut 29 Cut & Velopex A	Cut)	Page 1 of 4
1 - SUBSTANCE ID	ENTIFICATION		
Material / Trade Name Material Type Company Address Telephone Fax Email	Velopex AquaCut 29 Cut & Velopex / Cutting Agent (Aluminium Oxide) Medivance Instruments Limited Barretts Green Road Harlesden London NW10 7AP 020 8965 2913 020 8963 1270 enquirries@velopex.com	AquaCut 53 Cut	
2 - COMPOSITION	and the second se		and the second
Substance Aluminium Oxide	% Wt. >90	Cas Number 1344-28-1	EC (EINECS) Number 215-691-6
3 - HAZARD IDENTI	FICATION		
a – Hazard Symbols b – Risk & Safety	Not Applicable Do not breath dust Avoid contact with eyes		
4 - FIRST-AID MEAS	SURES		
a – Inhalation b – Eyes c – Skin d – Ingestion	No toxic effects Classified as nuisance material Irrigate with water for at least 15 minu If irritation persists, contact doctor No harmful effects Remove contaminated clothing Wash with soap and clean with plenty No toxic effects. Treat symptomatical	y of water	cessary

# MATERIAL SAFETY DATA SHEET

I/PDR8025F (29 Cut) & I/PDR8024F (53 Cut) Reviewed Aug. 2014 5

Velopex AquaCut 29 Cut & Velopex AquaCut 53 Cut

Page 2 of 4

## FIRE FIGHTING MEASURES

- a Suitable Extinguishers
- **b** Unsuitable Extinguishers
- c Hazardous Decomposition d - Special Procedures

Not applicable. Non flammable material Not applicable None

Not applicable. Non flammable material

## ACCIDENTAL RELEASE MEASURES

a - Exposure Controls

**b** - Personal Protection c - Disposal Considerations Isolate the spillage Clean as appropriate. Use vacuum to remove fine dust If eye contact is possible wear eye protection Scoop up and plastic container to await transfer Dispose of in accordance with Local Authority regulations

## HANDLING AND STORAGE

a - Handling

Avoid creating dust Avoid eye contact Wear suitable protective clothing Store in tightly closed labelled containers

b - Storage

## EXPOSURE CONTROL

**Occupational Exposure Limit Biological Exposure Limit Protective Equipment** 

PROTEC

gloves

GENERAL

VENT

Wear Nitrite rubber Use in well ventilated areas

Not assigned Wear appropriate eye and respiratory protection

8hr TWA 10mg/m3 total dust 4mg/m3 respirable dust

	8
ł	HYGIENE

If skin is contaminated wash off immediately



Keep skin covered



If splashing is likely

Reference Code Revision Date Revision Number Material / Trade Name I/PDR8025F (29 Cut) & I/PDR8024F (53 Cut) Reviewed Aug. 2014 5

Velopex AquaCut 29 Cut & Velopex AquaCut 53 Cut

Page 3 of 4

## 9 – PHYSICAL AND CHEMICAL PROPERTIES

Appearance	White solid
Odour	n/a
Ph	n/a
Boiling Point / range	>3000°C
Melting Point / range	2050°C
Flash Point	n/a
Flammability	Non flammable
Auto Flammability	n/a
Explosive Properties	n/a
Oxidising Properties	None
Vapour Pressure	n/a
Relative Density	3.95 g/cm <sup>2</sup>
Solubility	Insoluble
Partition Coefficient	n/a
Miscibility	n/a
Vapour Density	n/a
Evaporation Rate	n/a
Viscosity	n/a

n/a = not applicable

# 10 - STABILITY AND REACTIVITY

Stability	
Hazardous I	Polymerisation
Conditions	to Avoid
Materials to	Avoid
Hazardous I	Decomposition
Products	

Stable and inert Will not occur n/a None known

## 11 – TOXICOLOGICAL INFORMATION

Rat intra-pleural Health Effects Acute Effects Chronic Effects TD LO 90 mg/kg (Classified as non toxic) Irritating to eyes None known None known

## 12 - ECOLOGICAL INFORMATION

No adverse environmental effects foreseen

# **MATERIAL SAFETY DATA SHEET**

I/PDR8025F (29 Cut) & I/PDR8024F (53 Cut) Reviewed Aug. 2014 5

Velopex AquaCut 29 Cut & Velopex AquaCut 53 Cut

Page 4 of 4

= none established

n/e = none established

## 13 – DISPOSAL CONSIDERATIONS

Dispose of in accordance with Local Authority regulations

## **14 – TRANSPORT INFORMATION**

UN/SI Number	n/e			
IMO	n/e			
IATA/ICAO	n/e	Packing Group	n/e	
ADR/RID	n/e	Packing Group	n/e	
Transport Name	Road – Non hazardous	Item	n/e	
Hazchem/Kemler Code	n/e			
Marine Pollutant	No			<i>n/e</i> =

## **15 – REGULATORY INFORMATION**

a – Hazard Symbols b – Risk and Safety c – Other Regulations	Not applicable Not applicable Health and Safety at Work Control of Substances Haz Environmental Protection /	zardous to Health Regulations 1999	
d – Transport Information			
UN/SI Number	n/e		
IMO	n/e		
IATA/ICAO	n/e	Packing Group	n/e
ADR/RID	n/e	Packing Group	n/e
Transport Name	Road – Non hazardous	Item	n/e
Hazchem/Kemler Code	n/e		
Marine Pollutant	No		

## 16 – OTHER INFORMATION

The Aluminium Oxide used in the Velopex 29 cut and 53 cut contains no free Silica and is classified as a nuisance material. Dust exposure limits are given in EH/40 published by the Health and Safety Executive.

This data sheet is compiled to be of assistance but is without guarantee. Users are responsible for safe working.

# ProCut/ProCut<sup>+</sup> SAFETY DATA SHEET VELOPEX ALUMINIUM OXIDE



## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

<u>1.1 Product identifier</u>	
Product Name	I/PDR 8025F (29 Cut) Aluminium Oxide
	I/PDR 8024F (53 cut) Aluminium Oxide
Synonyms	PROCUT, PROCUT <sup>+</sup> , Alumina
<u>1.2 Uses of the product</u>	
Identified Uses	Dental abrasive for professional use
Uses Advised Against	None known
<u>1.3 Details of the supplier of t</u>	<u>he safety data sheet</u>
Supplier	Medivance Instruments Ltd. Barretts Green Road Harlesden London NW10 7AP T +44 (0) 20 8965 2913 F +44 (0) 20 8963 1270 enquiries@velopex.com

## 1.4 Emergency telephone number

020 8965 2913

## SECTION 2: HAZARDS IDENTIFICATION

## 2.1 Classification

Not applicable

### 2.2 Label elements

Does not require labeling under the CLP Regulation (EC) No. 1272/2008. But please take note of this product information. No risk of silicosis during application.

Safety Instructions

Possible dust exposure due to fine dust particles. Do not breathe dust. Avoid contact with eyes.

#### 2.3 Other hazards

Not known

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients	Mean Values
Alumina (Al <sub>2</sub> O <sub>3</sub> )	99.69%
Titanium dioxide (TiO <sub>2</sub> )	-/-

Chemical Characteristation	EINECS	CAS No.	<ul><li>(1) REACH Registration No.</li><li>(2) CLP Notification No.</li></ul>	Classification accord Regulation EC N	ing to CLP Io. 1272 / 2008
				Hazard classes / Hazard categories	Hazard statements
Alumina (Al <sub>2</sub> O <sub>3</sub> )	215-691-6	1344-28-1	(1) 01-2119529248-35-0010	-/-	-/-
			(2) 02-2119709295-38-0000		
Titanium dioxide (TiO <sub>2</sub> )	236-675-5	13463-67-7	(2) 02-2119879066-28-0000	-/-	-/-

### Hazardous substances

No dangerous ingredients

## Substances with prescribed EC exposure limits

Does not contain substances with EC exposure limits

## **SECTION 4: FIRST AID MEASURES**

## 4.1 Description of first aid measures

#### General Information

Consult a doctor in case of health disorders.

#### After Inhalation

Provide the affected person with fresh air. Consult a doctor in case of irritation of the respiratory tract.

### After eye contact

Remove contact lenses and Irrigate with water for at least 15 minutes. If irritation persists, then consult doctor

### After skin contact

No harmful effects Remove contaminated clothing Wash with soap and plenty of water

## After swallowing

Rinse mouth and drink plenty of water. Do not induce vomiting. If you feel unwell, seek medical advice.

## 4.2 Most important symptoms and effects, both acute and delayed

Not known

## 4.3 Indication of any immediate medical attention and special treatment need

Treat symptomatically

## **SECTION 5: FIREFIGHTING MEASURES**

## 5.1 Extinguishing media

#### Suitable extinguishing media

Product does not burn. Match extinguishing measures to ambient situation.

#### Unsuitable extinguishing media

Not known

## 5.2 Special hazards arising from the product

Not known

## 5.3 Advice for firefighters

Match the firefighting measures to the environmental conditions.

### Additional information

Not known

# Page 2 of 7

Obtained by Global Safety Management, www.globalsafetynet.com, (877) 683-7460

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1 personal precautions

Avoid dust formation

## 6.2 Environmental protection precautions

Not known

## 6.3 Methods and material for containment and cleaning up

Pick up mechanically and dispose of properly.

## <u>6.4 References to other sections</u>

Refer to protective measures in sections 7 and 8.

### Additional Information

Not known

## SECTION 7: HANDLING AND STORAGE

## 7.1 Precautions for safe handling

## Information on safe handling

Avoid dust formation

## Information on fire and explosion protection

No special fire protection measures are neccessary

### Additional Information

Not known

## 7.2 Conditions for safe storage, including any incompatibilities

## Information on storage conditions

Always store product in dry conditions.

## Requirements for storage rooms and containers

No special requirements needed.

## <u>Storage class VCI</u> LGK 13 (non-combustible solids)

## 7.3 Specific end use(s)

Dental air abrasion powder for cutting, caries removal and cavity preparation.

## SECTION 8: LIMITATION AND MONITORING OF EXPOSURE/PERSONAL PROTECTICE EQUIPMENT

## 8.1 Control parameters

## Occupational exposure limit values in the workplace and/or biological limit values

## Occupational Exposure Limits (OEL) in Germany for dusts

Inhalable fraction (E) Respirable fracton (A) with exceeding factor 2 each, ref. TRGS 900 10 mg/m3 1.25 mg /m3

## Community exposure limits

Country specific. Please inquire in individual cases.

## 8.2 Exposure Controls

### Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over the use of personal protective equipment. Provide adequate ventilation. This can be achieved by local suction or general air extraction.

Aluminium Oxide is not a hazardous substance, thus only the general dust limit value applies.

Suitable assessment methods tap verify the effectiveness of the protective measures taken include metrological and nonmetrological determination methods as described in the Technical Rules for hazardous Substances (TRGS) 4021 and BS EN 14042 "Workplace areas, Guidelines for the implementation and application of processes for assessment of exposure to chemical and biological agents".

#### Personal protective equipment

The use of personal protective equipment is dependent on the concentrations and quantity of hazardous substances and their use in specific workplaces.

#### Respiratory protection

Normally, no personal respiratory protective equipment is necessary. In case of insufficient ventilation or exceeded workplace limits, a protective breathing mask should be worn (FFP filtering half mask depending on the existing concentration).

#### Hand protection

Wear appropriate gloves

#### Eye protection

Tight-sealing protective eyewear (dust-protection goggles) in accordance with EN 166:2001.

#### **Body protection**

With normal use, no body protection by half or full-body coverall and boots is required.

#### Information on industrial hygiene

Minimum standards for protective measure when handling Working materials are listed in TRGS 500. Do not eat, drink, smoke or take drugs while using this product. Avoid contact with skin, eyes and clothing. Remove soiled or soaked clothing immediately. Wash hands before breaks and at end of work. Protect skin by using skin creams.

#### Environmental protection measures

See sections 6 and 7; no further action is required

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 Information on basic physical and chemical properties

#### Appearance

Appearance Physical state Colour Odour Angular Solid White Odourless

#### Safety data

Explosion hazard	The product itself is not explosive; however, formation of explosive air/dust mixtures is possible.
Lower explosion limit	Not known
Upper explosion limit	Not known
Vapour pressure	Not relevant
Specific gravity	approx. 3.9 to 4.1g/cm3
Flow time	Not relevant
Water solubility	Insoluble in water
pH value	Not applicable
Boling point/range	>3000 °C
Flash point	Not determined as product is not flammable
Melting point	approx. 2000 °C
Ignition temperature	Not determined as product is not flammable

### 9.2 Other Information

None

## Page 4 of 7 Obtained by Global Safety Management, www.globalsafetynet.com, (877) 683-7460

## SECTION 10: STABILITY AND REACTIVITY

## 10.1 Reactivity

Alumina is non-reactive and does not change with proper handling and storage.

## 10.2 Chemical stability

Alumina is chemically stable and does not change with proper handling and storage.

## 10.3 Possibility of hazard reactions

No hazardous reactions known.

## 10.4 Conditions to avoid

None.

### 10.5 Incompatible materials

No hazardous reactions known.

#### 10.6 Hazardous decomposition products

No known hazardous decomposition products.

## SECTION 11: TOXICOLOGICAL INFORMATION

#### 11.1 Information on toxicological effects

According to current IFA reports the product contains no silicosis-inducing, toxic or carcinogenic components. The indications given in section 8 of this product information must be observed.

Acute Toxicity	No data on the product available
Irritation	No data on the product available
Corrosivity	No data on the product available
Sensitisation	No data on the product available
Repeated dose toxicity	No known toxicity of Alumina
CMR effects (carinogenic, mutagenic and toxic to reproduction)	No carcinogenic effect according to IFA reports
Summarised evaluation of the CMR properties	No known CMR properties
Practical experience (relevant for classification and other observations)	No data on the product available
Carcinogenicity	No known carcinogenicity of Alumina
Mutagenicity	No data on the product available
Reproductive toxicity	No data on the product available
Other information	Not known

# SECTION 12: ECOLOGICAL INFORMATION

### 12.1 Toxicity

No known effects

#### **Ecotoxicity**

For Aluminium Oxide no environmental problems are to be expected when handled and used properly.

### Fish toxicity

Harmful effects for aquatic organisms are not expected.

## Aquatic invertebrates

Harmful effects for aquatic organisms are not expected.

### Water plants

Harmful effects for aquatic organisms are not expected.

## 12.2 Persistence and degradability

Based on current experience, this product is inert and not degradable.

## 12.3 Bioaccumulative potential

No data available. Accumulation in biological materials is rather unlikely, as it is inert and insoluble.

## 12.4 Mobility in soil

Potential not known

## 12.5 Results of PBT and vPvB assessment

Not relevant. The substances in this product do not meet the criteria for classification as PBT or vPvB.

## 12.6 Other harmful effects

None known.

## SECTION 13: DISPOSAL CONSIDERATIONS

## 13.1 Waste treatment methods

### Product

Alumina. If recycling is not possible, waste must be disposed of in compliance with national and local regulations. Confirm the exact waste code with the disposer.

## 13.2 Packaging

National and local regulations must be followed.

### Contaminated packaging

Packaging with Aluminium Oxide residues can be recycled.

### <u>Cleaned packaging</u>

Packaging can be reused after being cleaned or recycled.

## SECTION 14: TRANSPORT INFORMATION

Alumina is not dangerous goods.

## SECTION 15: REGULATORY INFORMATION

## 15.1 Safety, health and environmental regulations/legislations specific for the product

### EU Legislation

Not known

## National regulations

## <u>Water hazard class</u>

Not hazardous to water; classification according to VwVwS, Annex 4.

#### Technical instruction on air quality (TA-Luft)

Substances not mentioned by name.

#### Hazardous Incident Ordinance (12. BImSchV [German Federal Immission Control Regulation])

Substances not mentioned by name.

#### **Chemicals Prohibition Ordinance**

Substances not mentioned by name.

## Relevant Technical Rules for Hazardous Substances

Contains no hazardous substances.

## **Employment Restrictions**

Not known

# Page 6 of 7

Obtained by Global Safety Management, www.globalsafetynet.com, (877) 683-7460

### **Miscellaneous**

Aluminium Oxide is not subject to the VOC Regulation.

#### International regulations

All Aluminium Oxide ingredients are listed with TSCA, A1CS, DSL (NDSL), NEPA and PICCS and registered with MITI / ENCS under 1-23

## 15.2 Chemical Safety Assessment

Not relevant

## SECTION 16: OTHER INFORMATION

Further applicable EC directives

Not known

### Restrictions on use recommended by the manufacturer

For Dental application only.

### Literature and data sources

### Regulations

REACH Regulation (EC) No. 1907/2006 CLP Regulation (EC) No. 1272/2008 Hazardous Substances Ordinance (GefStoffV) Commission Decision 2000/532/EC (AVV) Transport Regulations according to ADR, RID and IATA TRGS 900 VOC Regulation (ChemVOCFarbV)

### Hazard statements, referred to in section 2 and 3 according to Regulation (EC) No. 1272/2008:

None

## <u>Legend</u>

ADR	European agreement concerning the international carriage of dangerous goods by road
AVV/EWC	European Waste Catalogue
BImSchV	Regulation on the Implementation of the (German) Federal Immission Control Ordinance
CAS	Chemical Abstracts Service
EC	European Community
EN	European Standard
IATA-DGR	International Air Transport Association-Dangerous Goods Regulations
PBT	persistent, bioaccurnulative, toxic
RID	Regulations concerning the International Carriage of Dangerous Goods
TRGS	Technical Rules For hazardous Substances
TSCA	Toxic Substances Control Act
VOC	Volatile Organic Compounds (VOCs)
vPvB	very persistent and very bioaccumulative
vPvB	very persistent and very bioaccumulative
VwVwS	Administrative Regulation on Substances Hazardous to Water

lssued by	Chemistry Manager
Revision Date	01/06/2015
Revision	GHS1

#### Disclaimer

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.

# Page 7 of 7