# **SAFETY DATA SHEETS**

# This SDS packet was issued with item:

077218308

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

077217904 077217912 077217920 077218290

The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).

077218183 077218191 273003680



according to Regulation (EU) No. 1907/2006

### ParaPost ParaCore handmix Base

Revision date : 06.05.2010 Print date : 18.05.2010 Page 1 of 4

### 1. Identification of the substance/preparation and of the company/undertaking

#### Identification of the substance or preparation

ParaPost ParaCore handmix Base

### Use of the substance/preparation

for dental use only

### Company/undertaking identification

Company name:

Street:
Feldwiesenstrasse 20
Place:
CH-9450 Altstätten
Telephone:
+41 (71) 75 75 300
Telefax:
+41 (71) 75 75 301

e-mail : info@coltenewhaledent.ch
Internet : www.coltenewhaledent.com

### 2. Hazards identification

#### Classification

Indications of danger: Irritant

R-phrases:

Irritating to respiratory system.

May cause sensitization by skin contact.

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

### 3. Composition/information on ingredients

Chemical characterization (Mixture)

### Hazardous components

EC-No.	CAS-No.	Chemical name	Quantity	Classification
216-367-7	1565-94-2	BISGMA	10 - 15 %	Xi R36/37/38
202-617-2	97-90-5	ethylene dimethacrylate	1 - 5 %	Xi R37-43
221-950-4	3290-92-4	ТМРТМА	1 - 5 %	N R51-53
231-667-8	7681-49-4	sodium fluoride	< 1 %	T, Xi R25-36/38-32

Full text of each relevant R phrase can be found in heading 16.

### 4. First aid measures

### After contact with skin

After contact with skin, wash immediately with: Water and soap.

### After contact with eyes

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

#### After ingestion

Seek medical attention if problems persist.

### 5. Fire-fighting measures



according to Regulation (EU) No. 1907/2006

### ParaPost ParaCore handmix Base

Revision date: 06.05.2010 Print date: 18.05.2010 Page 2 of 4

#### Suitable extinguishing media

Water. Foam. Extinguishing powder. Carbon dioxide (CO2). Sand.

#### Additional information

Extinguishing materials should be selected according to the surrounding area.

### 6. Accidental release measures

### Personal precautions

Avoid contact with skin and eyes.

#### **Environmental precautions**

Do not empty into drains or the aquatic environment.

### Methods for cleaning up/taking up

Wipe up with absorbent material (eg. cloth, fleece). Clear contaminated area thoroughly.

## 7. Handling and storage

### **Handling**

#### Advice on safe handling

Avoid contact with skin and eyes.

Restricted to professional users. Keep out of the reach of children.

### Further information on handling

After use replace the closing cap immediately.

# **Storage**

### Further information on storage conditions

Substances sensitive to light.

Recommended storage temperature: 4 - 8 °C

### 8. Exposure controls/personal protection

### **Exposure limit values**

### **Exposure controls**

## Protective and hygiene measures

When using do not eat, drink or smoke.

#### Hand protection

Single-use gloves. Suitable material: PVC (Polyvinyl chloride).

Roeko Glovyl - or comparable makes from other companies.

### Eye protection

Framed glasses.

## Skin protection

Lab apron.

# 9. Physical and chemical properties

### **General information**

Physical state : Paste Colour : off-white

### Important health, safety and environmental information



according to Regulation (EU) No. 1907/2006

### ParaPost ParaCore handmix Base

Revision date: 06.05.2010 Print date: 18.05.2010 Page 3 of 4

Test method

Changes in the physical state

Density (at 23 °C):

Water solubility (at 23 °C):

Solubility in other solvents:

2.1 g/cm³

insoluble

Ethanol. (partially soluble)

# 10. Stability and reactivity

#### Conditions to avoid

Liaht.

UV-radiation/sunlight.

# 11. Toxicological information

### Sensitising effects

May cause sensitization in susceptible people.

## 12. Ecological information

#### **Further information**

According to the criteria of the EC-classification and labelling "dangerous for the environment" (93/21/EEC) the material/product is not to be classified as dangerous to the environment.

### 13. Disposal considerations

#### Advice on disposal

Can be burnt together with household waste in compliance with official regulations in contact with approved waste disposal companies and with authorities in charge.

## 14. Transport information

### Land transport (ADR/RID)

UN number : ---

Warning plate

### **Inland waterways transport**

UN number: ---

**Marine transport** 

UN number : ---

Air transport

UN/ID number : ---

#### **Further Information**

Not a hazardous material with respect to these transportation regulations.

# 15. Regulatory information

### Labelling

Danger symbols : Xi - Irritant

Hazardous component(s) to be indicated on label

ethylene dimethacrylate



according to Regulation (EU) No. 1907/2006

### ParaPost ParaCore handmix Base

Revision date : 06.05.2010 Print date : 18.05.2010 Page 4 of 4

#### R phrases

37 Irritating to respiratory system.

43 May cause sensitization by skin contact.

52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

# National regulatory information

### 16. Other information

### Full text of R-phrases referred to under sections 2 and 3

Toxic if swallowed.
Contact with acids liberates very toxic gas.
Irritating to eyes, respiratory system and skin.
Irritating to eyes and skin.
Irritating to respiratory system.
May cause sensitization by skin contact.

Toxic to aquatic organisms.

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

May cause long-term adverse effects in the aquatic environment.

### **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)



according to Regulation (EU) No. 1907/2006

# ParaPost ParaCore handmix Catalyst

Revision date: 06.05.2010 Print date: 22.06.2010 Page 1 of 4

### 1. Identification of the substance/preparation and of the company/undertaking

#### Identification of the substance or preparation

ParaPost ParaCore handmix Catalyst

### Use of the substance/preparation

for dental use only

### Company/undertaking identification

Company name: Coltène/Whaledent AG
Street: Feldwiesenstrasse 20
Place: CH-9450 Altstätten
Telephone: +41 (71) 75 75 300
Telefax: +41 (71) 75 75 301

e-mail : info@coltenewhaledent.ch
Internet : www.coltenewhaledent.com

### 2. Hazards identification

#### Classification

Indications of danger: Irritant

R-phrases:

Irritating to respiratory system.

May cause sensitization by skin contact.

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

### 3. Composition/information on ingredients

Chemical characterization (Mixture)

### Hazardous components

EC-No.	CAS-No.	Chemical name	Quantity	Classification
216-367-7	1565-94-2	BISGMA	10 - 15 %	Xi R36/37/38
202-617-2	97-90-5	ethylene dimethacrylate	1 - 5 %	Xi R37-43
221-950-4	3290-92-4	ТМРТМА	1 - 5 %	N R51-53
202-327-6	94-36-0	dibenzoyl peroxide; benzoyl peroxide	< 1 %	E, O, Xi R3-7-36-43

Full text of each relevant R phrase can be found in heading 16.

### 4. First aid measures

### After contact with skin

After contact with skin, wash immediately with: Water and soap.

### After contact with eyes

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

#### After ingestion

Seek medical attention if problems persist.

### 5. Fire-fighting measures



according to Regulation (EU) No. 1907/2006

# ParaPost ParaCore handmix Catalyst

Revision date : 06.05.2010 Print date : 22.06.2010 Page 2 of 4

### Suitable extinguishing media

Water. Foam. Extinguishing powder. Carbon dioxide (CO2). Sand.

### Additional information

Extinguishing materials should be selected according to the surrounding area.

### 6. Accidental release measures

### Personal precautions

Avoid contact with skin and eyes.

#### **Environmental precautions**

Do not empty into drains or the aquatic environment.

#### Methods for cleaning up/taking up

Wipe up with absorbent material (eg. cloth, fleece). Clear contaminated area thoroughly.

## 7. Handling and storage

### **Handling**

#### Advice on safe handling

Avoid contact with skin and eyes.

Restricted to professional users. Keep out of the reach of children.

### Further information on handling

After use replace the closing cap immediately.

### **Storage**

### Further information on storage conditions

Substances sensitive to light.

Recommended storage temperature: 4 - 8 °C

### 8. Exposure controls/personal protection

### **Exposure limit values**

### **Exposure limits (EH40)**

CAS-No.	Chemical name	ml/m³	mg/m³	F/ml	Category	Origin
94-36-0	Dibenzoyl peroxide	-	5		TWA (8 h)	WEL
		-	-		STEL (15 min)	WEL

### **Exposure controls**

# Protective and hygiene measures

When using do not eat, drink or smoke.

# Hand protection

Single-use gloves. Suitable material: PVC (Polyvinyl chloride).

Roeko Glovyl - or comparable makes from other companies.

### Eye protection

Framed glasses.

#### Skin protection

Lab apron.



according to Regulation (EU) No. 1907/2006

# ParaPost ParaCore handmix Catalyst

Revision date: 06.05.2010 Print date: 22.06.2010 Page 3 of 4

# 9. Physical and chemical properties

**General information** 

Physical state : Paste Colour : off-white

Important health, safety and environmental information

Test method

Changes in the physical state

Density (at 23 °C):

Water solubility (at 23 °C):

Solubility in other solvents:

2.1 g/cm³

insoluble

Ethanol. (partially soluble)

## 10. Stability and reactivity

#### Conditions to avoid

Light.

UV-radiation/sunlight.

### 11. Toxicological information

### Sensitising effects

May cause sensitization in susceptible people.

# 12. Ecological information

### **Further information**

According to the criteria of the EC-classification and labelling "dangerous for the environment" (93/21/EEC) the material/product is not to be classified as dangerous to the environment.

### 13. Disposal considerations

#### Advice on disposal

Can be burnt together with household waste in compliance with official regulations in contact with approved waste disposal companies and with authorities in charge.

### 14. Transport information

### Land transport (ADR/RID)

UN number : ---

Warning plate

#### Inland waterways transport

UN number : ---

Marine transport

UN number : ---

Air transport

UN/ID number : ---

### **Further Information**

Not a hazardous material with respect to these transportation regulations.



according to Regulation (EU) No. 1907/2006

# ParaPost ParaCore handmix Catalyst

Revision date: 06.05.2010 Print date: 22.06.2010 Page 4 of 4

## 15. Regulatory information

### Labelling

Danger symbols : Xi - Irritant Hazardous component(s) to be indicated on label

ethylene dimethacrylate

#### R phrases

37 Irritating to respiratory system.

43 May cause sensitization by skin contact.

52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

### S phrases

Avoid contact with skin.Wear suitable gloves.

### National regulatory information

### 16. Other information

### Full text of R-phrases referred to under sections 2 and 3

^^			I Charles Care	(1	
03	Extreme risk of exp	าเกรเกท ทv รทกเ	YK TRICTION TIRE	AN OTHER SOURCES	ot ignition
00			// / / / / / / / / / / / / / / / / / /		or ignition.

May cause fire.Irritating to eyes.

36/37/38 Irritating to eyes, respiratory system and skin.

37 Irritating to respiratory system.

43 May cause sensitization by skin contact.

51 Toxic to aquatic organisms.

52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

May cause long-term adverse effects in the aquatic environment.

### **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)



according to Regulation (EC) No 1907/2006

#### **ParaCore**

Revision date: 05.05.2015 Print date: 17.05.2016 Page 1 of 6

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

ParaCore

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

for dental use only

### 1.3. Details of the supplier of the safety data sheet

Company name: Coltène/Whaledent AG Street: Feldwiesenstrasse 20 Place: CH-9450 Altstätten Telephone: +41 (71) 75 75 300 Telefax: +41 (71) 75 75 301 e-mail: info.ch@coltene.com Internet: www.coltene.com Responsible Department: Regulatory Affairs msds@coltene.com

**1.4. Emergency telephone** +41 (0) 44 251 51 51 - Tox Info Suisse (24 h)

number:

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

### Regulation (EC) No. 1272/2008

Hazard categories:

Skin corrosion/irritation: Skin Irrit. 2

Serious eye damage/eye irritation: Eye Irrit. 2 Respiratory or skin sensitisation: Skin Sens. 1

Hazardous to the aquatic environment: Aquatic Chronic 3

Hazard Statements: Causes skin irritation.

May cause an allergic skin reaction.

Causes serious eye irritation.

Harmful to aquatic life with long lasting effects.

#### 2.2. Label elements

# Regulation (EC) No. 1272/2008

### Hazard components for labelling

**TEGDMA** 

Signal word: Warning

Pictograms:



#### **Hazard statements**

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

#### **Precautionary statements**

P280 Wear protective gloves/protective clothing/eye protection/face protection.



according to Regulation (EC) No 1907/2006

	ParaCore	
Revision date: 05.05.2015	Print date: 17.05.2016	Page 2 of 6

P302+P352 IF ON SKIN: Wash with plenty of water.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

#### Additional advice on labelling

Medical devices as defined in Directive 93/42/EEC and which are invasive or used in direct physical contact with the human body, are exempted from the provisions of Regulation (EC) No 1272/2008 (CLP/GHS) usually if they are in the finished state and intended for the final user.

### **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

#### **Hazardous components**

CAS No	Chemical name	Quantity		
	EC No	Index No	REACH No	
	Classification according to	Regulation (EC) No. 1272/2008	[CLP]	
72869-86-4	UDMA			10 - < 15 %
	276-957-5			
	Aquatic Chronic 3; H412			
3290-92-4	ТМРТМА			10 - < 15 %
	221-950-4		01-2119542176-41	
	Aquatic Chronic 2; H411	·		
1565-94-2	BISGMA	5 - < 10 %		
	216-367-7			
	Skin Irrit. 2, Eye Irrit. 2, ST	OT SE 3; H315 H319 H335	·	
109-16-0	TEGDMA			1 - < 5 %
	203-652-6			
	Skin Irrit. 2, Eye Irrit. 2, Sk	in Sens. 1, STOT SE 3; H315 H	319 H317 H335	
94-36-0	dibenzoyl peroxide; benzo	yl peroxide		< 1 %
	202-327-6	617-008-00-0		
	Org. Perox. B, Eye Irrit. 2,	Skin Sens. 1; H241 H319 H317	•	
7681-49-4	sodium fluoride			< 1 %
	231-667-8	009-004-00-7		
	Acute Tox. 3, Eye Irrit. 2, S	Skin Irrit. 2; H301 H319 H315 EU	IH032	
		<u> </u>	<u> </u>	

Full text of H and EUH statements: see section 16.

# **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

#### After contact with skin

After contact with skin, wash immediately with: Water and soap.

#### After contact with eyes

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

## After ingestion

Seek medical attention if problems persist.

### **SECTION 5: Firefighting measures**



according to Regulation (EC) No 1907/2006

#### **ParaCore**

Revision date: 05.05.2015 Print date: 17.05.2016 Page 3 of 6

#### 5.1. Extinguishing media

#### Suitable extinguishing media

Water. Foam. Extinguishing powder. Carbon dioxide (CO2). Sand.

#### **Additional information**

Co-ordinate fire-fighting measures to the fire surroundings.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with skin and eyes.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

#### 6.3. Methods and material for containment and cleaning up

Wipe up with absorbent material (eg. cloth, fleece). Clear contaminated areas thoroughly.

### **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

#### Advice on safe handling

Avoid contact with skin and eyes.

for professional use only Keep out of the reach of children.

Observe instructions for use.

#### Further information on handling

After use replace the closing cap immediately.

#### 7.2. Conditions for safe storage, including any incompatibilities

#### Further information on storage conditions

Substances sensitive to light.

Recommended storage temperature: 4 - 8 °C

### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### **Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
94-36-0	Dibenzoyl peroxide	-	5		TWA (8 h)	WEL
		-	-		STEL (15 min)	WEL

#### 8.2. Exposure controls

### Protective and hygiene measures

When using do not eat, drink or smoke.

### Eye/face protection

Framed glasses.

### Hand protection

Single-use gloves.

### Skin protection

Lab apron.



according to Regulation (EC) No 1907/2006

#### **ParaCore**

Revision date: 05.05.2015 Print date: 17.05.2016 Page 4 of 6

### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state: Paste Colour: off-white

Test method

Changes in the physical state

Density (at 23 °C):

Water solubility:

(at 23 °C)

insoluble

Solubility in other solvents
Ethanol. (partially soluble)

# SECTION 10: Stability and reactivity

### 10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

#### 10.4. Conditions to avoid

Light.

UV-radiation/sunlight.

# **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

#### **Acute toxicity**

Based on available data, the classification criteria are not met.

CAS No	Chemical name						
	Exposure route	Dose		Species	Source		
72869-86-4	UDMA						
	oral	LD50	>2000 mg/kg	Rat	OECD 401		
3290-92-4	ТМРТМА						
	oral	LD50	> 5000 mg/kg	Rat	literature value		
	dermal	LD50	> 3000 mg/kg	Rabbit	literature value		
109-16-0	TEGDMA						
	oral	LD50	10837 mg/kg	Rat	literature value		
7681-49-4	sodium fluoride						
	oral	LD50	52 mg/kg	Rat	RTECS		

# Irritation and corrosivity

Causes skin irritation.

Causes serious eye irritation.

### Sensitising effects

May cause an allergic skin reaction. (TEGDMA), (dibenzoyl peroxide; benzoyl peroxide)

### **SECTION 12: Ecological information**

# 12.1. Toxicity



according to Regulation (EC) No 1907/2006

P	а	ra	C	n	re

Revision date: 05.05.2015 Print date: 17.05.2016 Page 5 of 6

CAS No	Chemical name					
	Aquatic toxicity	Dose		[h]   [d]	Species	Source
72869-86-4	UDMA					
	Acute fish toxicity	LC50	10.1 mg/l	96 h	Brachydanio rerio (zebra-fish)	OECD 203
3290-92-4	ТМРТМА					
	Acute fish toxicity	LC50	2 mg/l	96 h	Oncorhynchus mykiss	literature value
	Acute algae toxicity	ErC50	0.177 mg/l	96 h	Pseudokirchneriella subcapitata	literature value
	Acute crustacea toxicity	EC50	> 9.22 mg/l	48 h	Daphnia magna	
7681-49-4	sodium fluoride					
	Acute fish toxicity	LC50	925 mg/l	96 h	Gambusia affinis	
	Acute algae toxicity	ErC50	850 mg/l	72 h	Desmodesmus subspicatus	
	Acute crustacea toxicity	EC50	338 mg/l	48 h	Daphnia magna	IUCLID

### 12.2. Persistence and degradability

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation			
72869-86-4	UDMA			
	OECD 301 F	22%	28	
	Product is not easily biodegradable.			_

#### 12.3. Bioaccumulative potential

#### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
72869-86-4	UDMA	3.39
3290-92-4	ТМРТМА	3.53
1565-94-2	BISGMA	4.94
109-16-0	TEGDMA	1.88

#### **Further information**

According to the criteria of the EC-classification and labelling "dangerous for the environment" (93/21/EEC) the material/product is not to be classified as dangerous to the environment.

### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

#### Advice on disposal

Can be burnt together with household waste in compliance with official regulations in contact with approved waste disposal companies and with authorities in charge.

### **SECTION 14: Transport information**

Land transport (ADR/RID)

<u>14.1. UN number:</u> ---

Inland waterways transport (ADN)

14.1. UN number: ---

Marine transport (IMDG)

<u>14.1. UN number:</u> ---



according to Regulation (EC) No 1907/2006

#### **ParaCore**

Revision date: 05.05.2015 Print date: 17.05.2016 Page 6 of 6

### Air transport (ICAO)

14.1. UN number: ---

#### Other applicable information

Not a hazardous material with respect to these transportation regulations.

### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**National regulatory information** 

**Additional information** 

-----

### **SECTION 16: Other information**

### Relevant H and EUH statements (number and full text)

Π <b>∠4</b> Ι	nealing may cause a life of explosion.	
H301	Toxic if swallowed.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H319	Causes serious eye irritation.	
H335	May cause respiratory irritation.	
H411	Toxic to aquatic life with long lasting effects.	

H411 Harmful to aquatic life with long lasting effects.
H412 Harmful to aquatic life with long lasting effects.
EUH032 Contact with acids liberates very toxic gas.

### **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)