SAFETY DATA SHEETS

This SDS packet was issued with item:

075897244

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

075897236

MATERIAL SAFETY DATA SHEET: Embrace™ WetBond™ Resin Cement

IDENTITY Embrace™ WetBond™ Resin Cement

Codes: Low Viscosity: EMCA, EMCAR, EMCAR2; Medium Viscosity: EMCM, EMCMR, EMCMR2

Chemical Description: Glass-filled resin, with photo-initiator and self-cure chemistry

Product Use: Multi-purpose, dual-cure dental resin cement in two viscosities

SECTION I

Pulpdent Corporation Phone Numbers

80 Oakland Street 24 Hour Emergency: 1-800-535-5053

Watertown, MA 02472 USA Customer Service: 1-800-343-4342/1-617-926-6666

Date prepared: January 1, 2012

SECTION II - HAZARDOUS INGREDIENTS

DOT HAZARD CLASSIFICATION: Not regulated WHMIS CLASSIFICATION: D-2, Possible irritant

NFPA HMIS RATING: HEALTH: 1 FLAMMABILITY: 0 REACTIVITY: 1

SECTION II - PHYSICAL / CHEMICAL CHARACTERISTICS

Low Viscosity Medium Viscosity

Specific gravity 1.66 1.40

Light cure setting time 20 seconds 20 seconds
Film thickness 12 microns 12 microns

Appearance Part A: Thin yellow paste Part A: Yellow paste

Part B: Thin white paste Part B: White paste

Odor Mild, characteristic Mild, characteristic

SECTION IV - FIRE AND EXPLOSION HAZARD

Flash point: Not established Auto-ignition temperature: Not established Flammable limits: Not established

Hazardous Combustion Products: Under fire conditions, and with amounts greater than that supplied in this product, hazardous polymerization may occur with heat build up and release of carbon monoxide, carbon dioxide and oxides of nitrogen.

Extinguishing Media: Carbon dioxide, dry chemical, alcohol foam or water fog. Water spray may be used to keep exposed containers cool.

Special Fire Fighting Procedures: Fire fighters should wear a self-contained breathing apparatus. Cool exposed containers with water spray to prevent polymerization under fire conditions.

SECTION V - REACTIVITY DATA

Stability: Stable Conditions to avoid: Temperature >80°F / 27°C, intense light, cross-contamination.

Incompatibility: Reducing and oxidizing agents.

Hazardous Decomposition Products: Carbon monoxide, carbon dioxide, oxides of nitrogen

Hazardous Polymerization: None under normal conditions of use.

Conditions to avoid: Temperature >80°F / 27°C, intense light, cross-contamination.

MATERIAL SAFETY DATA SHEET: Embrace™ WetBond™ Resin Cement

SECTION VI - HEALTH HAZARD DATA

Summary of Acute Hazards: Minimal health hazard under normal conditions of dental practice. Material may be irritating to eyes, mucous membranes or skin on contact.

Route of Exposure Signs and Symptoms

Inhalation May be irritating to mucous membranes.

Eye Contact May be irritating.
Skin Absorption Not applicable

Skin Contact Primary route of exposure, possibly irritating or sensitizing.

Ingestion None expected under normal conditions of use. May be irritating to mucous

membranes.

Summary of Chronic Hazards: May be sensitizing, especially with prolonged and/or repeated exposure.

Carcinogenicity Not known to be a carcinogen.

Teratogenicity, Mutagenicity, Reproductive Toxicity: None known

Emergency First Aid Procedures

Inhalation Move exposed person to fresh air. Seek medical care.

Eye contact Flush eyes with running water for 15+ minutes. Seek medical attention.

Ingestion Rinse mouth. Consult physician.
Skin contact Wash skin with soap and water.

SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE

Handling/Storage Precautions: Avoid temperature extremes (>80°F/27°C, <5°C/40°F), strong light, cross-contamination, moisture.

Release or Spill: Wear gloves and safety glasses. Pick up with absorbent material, e.g., paper or cloth towels; collect for suitable disposal.

Waste Disposal Method: Follow all government regulations.

Other Precautions: Wash hands after use.

SECTION VIII - CONTROL MEASURES

Respiratory Protection: Not necessary under normal conditions of use of this product.

Ventilation: No special ventilation required under normal conditions of use of this product.

Protective Gloves: Recommended

Eye Protection: Safety glasses are recommended when normal conditions of use are anticipated.

Other Protective Clothing or Equipment: Emergency eye wash fountain should be close-by and maintained.

Work / Hygienic Practices: Wash hands after use

The information presented herein is believed to be factual as it has been derived from the works of persons believed to be qualified experts. However, nothing contained in this information is to be taken as a warranty or representation for which Pulpdent Corporation bears legal responsibility. The user should review any recommendations in the specific context of the intended use to determine whether they are appropriate.

2 of 2