# **SAFETY DATA SHEETS**

# This SDS packet was issued with item:

073242922

The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).

073242906 073242914 073242930 073242948 073242955

according to Regulation (EC) No 1907/2006

#### LuxaFlow

Print date: 11.01.2013 Product code: 2010 Page 1 of 4

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

### **Product identifier**

LuxaFlow

### Relevant identified uses of the substance or mixture and uses advised against

### Details of the supplier of the safety data sheet

Company name: DMG Chemisch-Pharmazeutische Fabrik GmbH

Street: Elbgaustraße 248
Place: D-22547 Hamburg

Telephone: +49. (0) 40. 84006-0 Telefax: +49. (0) 40. 84006-222

e-mail: info@dmg-dental.com Internet: www.dmg-dental.com

#### **SECTION 2: Hazards identification**

### Classification of the substance or mixture

Indications of danger: Irritant

R-phrases:

Irritating to eyes, respiratory system and skin. May cause sensitization by skin contact.

### **Label elements**

Danger symbols: Xi - Irritant



Xi - Irritani

# Hazardous components which must be listed on the label

Methacrylic esters.

R phrases

36/37/38 Irritating to eyes, respiratory system and skin.43 May cause sensitization by skin contact.

S phrases

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

28 After contact with skin, wash immediately with plenty of Water and soap. .

37/39 Wear suitable gloves and eye/face protection.

### **SECTION 3: Composition/information on ingredients**

#### **Mixtures**

### Chemical characterization

chemical characterization (preparation): Acrylate.-resin.

### **SECTION 4: First aid measures**

### **Description of first aid measures**

# After inhalation

Move victim to fresh air. Put victim at rest and keep warm.

#### After contact with skin

After contact with skin, wash immediately with: Water and soap.

according to Regulation (EC) No 1907/2006

#### LuxaFlow

Print date: 11.01.2013 Product code: 2010 Page 2 of 4

### After contact with eyes

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

#### After ingestion

Immediately get medical attention.

# **SECTION 5: Firefighting measures**

# Extinguishing media

#### Suitable extinguishing media

Water fog. Extinguishing powder. Sand. Foam. Carbon dioxide (CO2).

### Extinguishing media which must not be used for safety reasons

High power water jet.

### Special hazards arising from the substance or mixture

COx, NOx

#### **SECTION 6: Accidental release measures**

### Personal precautions, protective equipment and emergency procedures

Wear suitable protective clothing. Provide adequate ventilation.

#### **Environmental precautions**

Do not empty into drains or the aquatic environment.

### Methods and material for containment and cleaning up

Collect mechanically.

# **SECTION 7: Handling and storage**

# Precautions for safe handling

# Advice on safe handling

Keep container tightly closed. Wear suitable protective clothing and gloves. Avoid contact with eyes.

# Conditions for safe storage, including any incompatibilities

# Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place.

Store only in original container.

### **SECTION 8: Exposure controls/personal protection**

# **Control parameters**

# **Exposure controls**



#### Occupational exposure controls

Ensure adequate ventilation of the storage area.

#### Protective and hygiene measures

When using do not eat or drink.

# Respiratory protection

The following must be prevented: inhalation.

#### Hand protection

Tested protective gloves are to be worn: Suitable material: NBR (Nitrile rubber).

according to Regulation (EC) No 1907/2006

#### LuxaFlow

Print date: 11.01.2013 Product code: 2010 Page 3 of 4

### Eye protection

Tightly sealed safety glasses.

### **SECTION 9: Physical and chemical properties**

# Information on basic physical and chemical properties

Physical state: Paste
Colour: yellow
Odour: like: ester

Test method

pH-Value (at 20 °C): not applicable

Changes in the physical state

point of decomposition: > 200 °C
Flash point: > 150 °C
Density: 1.8 g/cm³
Water solubility: 1 g/L
(at 20 °C)
Vapour density: > 1

# **SECTION 10: Stability and reactivity**

### **Conditions to avoid**

Light. heat.

Decompostion takes place from temperatures above: 200 °C

Decomposition under formation of: Acrylate.

### Incompatible materials

Keep away from strong acids, leachates, heavy metal salts and reducing materials.

# **Hazardous decomposition products**

Can be released in case of fire: Gas / vapours, irritant. (Acrylate., pungent)

### **Further information**

Substances sensitive to light.

# **SECTION 11: Toxicological information**

#### Information on toxicological effects

#### Acute toxicity

LD50: Rat. 5000mg/kg

# Irritation and corrosivity

Frequently or prolonged contact with skin may cause dermal irritation.

Irritant effect on the eye:

#### Sensitising effects

May cause sensitization by skin contact.

# Additional information on tests

Contains Methacrylic esters.: May produce an allergic reaction.

# **SECTION 12: Ecological information**

# Persistence and degradability

Preparation not tested.

according to Regulation (EC) No 1907/2006

#### LuxaFlow

Print date: 11.01.2013 Product code: 2010 Page 4 of 4

#### **Further information**

Do not empty into drains or the aquatic environment. Leakage into the environment must be prevented.

### **SECTION 13: Disposal considerations**

### Waste treatment methods

#### Advice on disposal

Can be burnt together with household waste in compliance with official regulations in contact with approved waste disposal companies and with authorities in charge.

Paste: Carry out a burning of harzardous waste according to official regulations .

# Waste disposal number of waste from residues/unused products

180106

WASTES FROM HUMAN OR ANIMAL HEALTH CARE AND/OR RELATED RESEARCH (except kitchen and restaurant wastes not arising from immediate health care); wastes from natal care, diagnosis, treatment or prevention of disease in humans; chemicals consisting of or containing dangerous substances

Classified as hazardous waste.

# **SECTION 14: Transport information**

#### Other applicable information

Not a hazardous material with respect to these transportation regulations.

# **SECTION 15: Regulatory information**

# Safety, health and environmental regulations/legislation specific for the substance or mixture

# National regulatory information

Water contaminating class (D): 2 - water contaminating

# **SECTION 16: Other information**

# Full text of R-phrases referred to under sections 2 and 3

36/37/38 Irritating to eyes, respiratory system and skin.43 May cause sensitization by skin contact.

# **Further Information**

\_

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)

Telefax: +49. (0) 40. 84006-222

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

### LuxaFlow

Print date: 03.07.2014

Product code: 2010 GHS

Page 1 of 4

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

LuxaFlow

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

### 1.3. Details of the supplier of the safety data sheet

Company name:

DMG Chemisch-Pharmazeutische Fabrik GmbH

Street:

Elbgaustraße 248

Place:

D-22547 Hamburg

Telephone:

+49. (0) 40. 84006-0

e-mail:

info@dmg-dental.com

Internet:

www.dmg-dental.com

### SECTION 2: Hazards identification

# 2.1. Classification of the substance or mixture

Indications of danger: Xi - Irritant

R phrases:

Irritating to eyes, respiratory system and skin. May cause sensitisation by skin contact.

#### **GHS** classification

Hazard Statements:

May cause respiratory irritation.

Causes serious eye irritation.

Causes skin irritation.

May cause an allergic skin reaction.

#### 2.2. Label elements

Signal word:

Warning

Pictograms:

GHS07



#### Hazard statements

H335

May cause respiratory irritation.

H319

Causes serious eye irritation.

H315

Causes skin irritation.

H317

May cause an allergic skin reaction.

# Precautionary statements

P305+P351+P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P302+P352

IF ON SKIN: Wash with plenty of soap and water.

P280

Wear protective gloves/protective clothing/eye protection/face protection.

# SECTION 3: Composition/information on ingredients

# 3.2. Mixtures

# Chemical characterization

chemical characterization (preparation): Acrylate.-resin.

according to Regulation (EC) No 1907/2006

#### LuxaFlow

Print date: 03.07.2014

Product code: 2010\_GHS

Page 2 of 4

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

After inhalation

Move victim to fresh air. Put victim at rest and keep warm.

After contact with skin

After contact with skin, wash immediately with: Water and soap.

After contact with eyes

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

After ingestion

Immediately get medical attention.

# **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media

Water fog. Extinguishing powder. Sand. Foam. Carbon dioxide (CO2).

Extinguishing media which must not be used for safety reasons

High power water jet.

### 5.2. Special hazards arising from the substance or mixture

COx, NOx

#### SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Wear suitable protective clothing. Provide adequate ventilation.

#### 6.2. Environmental precautions

Do not empty into drains or the aquatic environment.

#### 6.3. Methods and material for containment and cleaning up

Collect mechanically.

# SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Advice on safe handling

Keep container tightly closed. Wear suitable protective clothing and gloves. Avoid contact with eyes.

# 7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place.

Store only in original container.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

#### 8.2. Exposure controls



# according to Regulation (EC) No 1907/2006

#### LuxaFlow

Print date: 03.07.2014

Product code: 2010 GHS

Page 3 of 4

Occupational exposure controls

Ensure adequate ventilation of the storage area.

Protective and hygiene measures

When using do not eat or drink.

Respiratory protection

The following must be prevented: inhalation.

Hand protection

Tested protective gloves are to be worn: Suitable material: NBR (Nitrile rubber).

Eye protection

Tightly sealed safety glasses.

### SECTION 9: Physical and chemical properties

# 9.1. Information on basic physical and chemical properties

Physical state:

Paste

Colour:

yellow

Odour:

like: ester

Test method

pH-Value (at 20 °C):

not applicable

Changes in the physical state

> 200 °C

point of decomposition:

200 0

Flash point: Density: > 150 °C 1.8 g/cm³

Water solubility:

1 g/L

(at 20 °C)

50

Vapour density:

> 1

### SECTION 10: Stability and reactivity

### 10.4. Conditions to avoid

Light. heat.

Decompostion takes place from temperatures above: 200 °C

Decomposition under formation of: Acrylate.

### 10.5. Incompatible materials

Keep away from strong acids, leachates, heavy metal salts and reducing materials.

#### 10.6. Hazardous decomposition products

Can be released in case of fire: Gas / vapours, irritant. (Acrylate., pungent)

#### **Further information**

Substances sensitive to light.

### SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity

LD50: Rat. 5000 mg/kg

#### Irritation and corrosivity

Frequently or prolonged contact with skin may cause dermal irritation.

Irritant effect on the eye:

### Sensitising effects

May cause sensitization by skin contact.

#### according to Regulation (EC) No 1907/2006

#### LuxaFlow

#### Additional information on tests

Contains Methacrylic esters.: May produce an allergic reaction.

### **SECTION 12: Ecological information**

#### 12.2. Persistence and degradability

Preparation not tested.

#### Further information

Do not empty into drains or the aquatic environment. Leakage into the environment must be prevented.

#### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

#### Advice on disposal

Can be burnt together with household waste in compliance with official regulations in contact with approved waste disposal companies and with authorities in charge.

Paste: Carry out a burning of harzardous waste according to official regulations.

#### Waste disposal number of waste from residues/unused products

180106 WASTES FROM HUMAN OR ANIMAL HEALTH CARE AND/OR RELATED RESEARCH (except

kitchen and restaurant wastes not arising from immediate health care); wastes from natal care, diagnosis, treatment or prevention of disease in humans; chemicals consisting of or containing dangerous substances

Classified as hazardous waste.

### **SECTION 14: Transport information**

### Other applicable information

Not a hazardous material with respect to these transportation regulations.

# SECTION 15: Regulatory information

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### National regulatory information

Water contaminating class (D): 2 - water contaminating

# SECTION 16: Other information

#### Full text of R phrases referred to under Sections 2 and 3

36/37/38 Irritating to eyes, respiratory system and skin.
43 May cause sensitisation by skin contact.

# Full text of H statements referred to under Sections 2 and 3

H315 Causes skin irritation. H317 May cause an allergic skin reaction.

H317 May cause an allergic skin reaction
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.

# **Further Information**

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)