SAFETY DATA SHEETS

This SDS packet was issued with item:

077028962

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

077028970 077028988

The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).

077111248

Printing date 26.02.20/3

l'ersion number 5

Revision: 26.02.2013

I Identification of the substance/mixture and of the company/undertaking

- Product identifier
- · Trade name: Futurabond U Liquid I
- · Relevant identified uses of the substance or nuxture and uses advised against Non-dental use.
- Application of the substance / the preparation Bonding
- · Details of the supplier of the safety data sheet
- · Manufacturen/Supplier:
- **FOCO GmbH**
- Anton-Fleuner-Sir. 1-3
- D-27472 Ciushaven
- Further Information obtainable from: Scientific department tel. +49 (0)4721-719-0
- · Emergency telephone number: Poison Control Center Main: +49 (0)6131-19240

2 Hazards identification

- · Classification of the substance or mixture
- Classification according to Directive 67/548/EEC or Directive 1999/45/EC
- Xi: Irritani
- R36/38: Irritating to eyes and skin.
- Xi: Sensitizing
- R43: May cause sensitisation by skin contact.
- · Classification system:
- The classification is according to the latest editions of the EU-lists, and extended by company and literature
- Labelling according to EU guidelines:
- As a medical device the product is not subject to labelling regulations under 1272/2008/EC.
- Code letter and inzard designation of product:



Xi Irritani

- Safety plirases:
- Avoid contact with skin.
- In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
- After cantact with skin, wash immediately with plenty of water.
- 37/39 Wear suitable gloves and eye/face protection.
- · Other hazards Use only for intended scope of application

3 Composition/information on ingredients

- Chemical characterization: Mixtures
- · Description: Mixture of substances listed below with nonhazordous additions.

CAS: 868-77-9 EINECS: 212-782-2	3-hydroxyethyl methactylate	XI R36/38	25-50%
CAS: 1565-94-2	BIS-GMA	X1 R36/38	25-50%
CAS: 6606-59-3	HEDMA	XI R36/37/38; N R51/53	10-25%
	Acidic adhesive monomer	C R34: X1 R36/38	5-10%
CAS: 72869-86-4 EINECS: 276-957-5	Urethanedimethacrylate	R52/53	3-10%
	Catalyst	Xn R20/22; XI R36/38; N R50	≤ 2.5%

(Contd. on page 2)

Printing date 26.02.2013

Fersion number 5

Revision: 26.02.2013

Trade name: Futurabond U Liquid 1

(Contd of page 1)

4 First aid measures

- Description of first aid measures
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing: If symptoms persist consult doctor.

5 Firefighting measures

Extinguishing media

Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Protective equipment: No special measures required.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- Handling:
- Precautions for safe handling For dental use only.
- Information about fire and explosion protection: No special measures required,
- Conditions for safe storage, including any incompatibilities
- Storuge:
- Requirements to be met by storerooms and receptacles: See storage instructions on package
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.

8 Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data: see item 7.
- Control parameters
- Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be manitored at the workplace.

Additional information: The lists valid during the making were used as basis.

- Exposure controls
- Personal protective equipment:

General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed,

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

(Contd. on page 3)

Printing date 26.02.2013

Version number 5

Revision: 26.02,2013

Trade name: Futurabond U Liquid 1

Respiratory protection: Not required.
Protection of hands:

(Contd of page 2)



Protective gloves

Material of glaves

The selection of the statable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection: Safety glasses

Information on basic physical	and chemical properties	
General Information	proper nea	
Appearance:		
Form:	Fluid	
Calaur:	Colourless	
Odour:	Characteristic	
pH-value at 20 °C:	2.3	
Change in condition		
Melting point/Melting range:	Undetermined.	
Bolling point/Boiling range:	Undetermined.	
Flash paint:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Self-igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Density at 20 °C;	1.1 g/cm²	
Solubility in / Miscibility with		
water:	Not miscible or difficult to mix.	

10 Stability and reactivity

- Reactivity
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of Inzurdous reactions No dangerous reactions known.
- Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 4)

Printing date 26,02.2013

Fersion number 5

Revision: 26,02,2013

Trade name: Futurabond U Liquid 1

(Contd. of page 3)

11 Toxicological information

- Information on toxicalogical effects
 Acute toxicity:
- · LD/LC50 values relevant for classification:

Acidic adhesive monomer

Oral | LD50 | > 2000 nig/kg (rai)

Primary irritant effect:

on the skin: Irritant to skin and mucous membranes.

on the eye: Irritating effect.

Sensitization: Sensitization possible through skin contact.

Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available,
- Additional ecological information:
- General notes: Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

13 Disposal considerations

- Waste treatment methods
- Recommendation

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Uncleaned packaging:

· Recommendation: Disposal must be made according to official regulations.

14 Transport information

- UN-Number
- UN proper shipping name -
- Transport linzard class(es) -

Marine pollutant;

VO

15 Regulatory information

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Department issuing MSDS: Scientific department
- Contact: Tel.: +49 (0)4721-719-0

īn-