## **SAFETY DATA SHEETS**

# This SDS packet was issued with item:

076485270

The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).

076485254 076485262 076485288 076485296 076485304

# **PENTRON Clinical**

Material Safety Data Sheet

in accordance with Community Regulation 2006/1907/EC (R.E.A.C.H.)

Revision Date: 31<sup>st</sup> May 2011

### **SECTION 1**

### **Product & Company identification**

### 1.1 Product name

**MOJOTM** Veneer Cement

### 1.2 <u>Uses/Application</u>:

Dental veneer cement.

### 1.3 Company (Name, address and info phone number)

### PENTRON CLINICAL

1717 West Collins Avenue

Orange, CA 92867

Free phone number: +1-800-5377-123

### 1.4 Emergency phone (according to communitarian directive 99/45/EC, article 17)

+39-081-8508325 (08.00-17.00, European time, GMT+1)

E-mail address: safety@kerrhawe.com

### **SECTION 2**

#### Hazard identification

2.1 <u>Hazard classification</u> (according to communitarian directives 67/548/EEC & 99/45/EC)

None.

### 2.2 Other hazard

Uncured material may be harmful if swallowed in large amounts.

### **SECTION 3**

### **Composition/Information on Ingredients**

(according to communitarian directives 67/548/EEC, 99/45/EC & 2001/58/EC)

### 3.1 <u>Hazardous ingredients</u>

HAZARDOUS	%	HAZARD	RISK	CAS N.	EINECS N.
INGREDIENTS		SYMBOLS	PHRASES		
None	N/A	N/A	N/A	N/A	N/A

### 3.2 Other non-hazardous ingredients

Titanium Dioxide (TiO<sub>2</sub>) and amorphous Silica (SiO<sub>2</sub>).

#### **SECTION 4**

#### First aid measures

- 4.1 Treatment for eye contact: Rinse with plenty of water and consult an ophthalmologist.
- 4.2 Treatment for skin contact: Wash with soap and water. Consult a physician if irritation occurs.
- 4.3 Treatment for inhalation (breathing): Remove to fresh air get medical attention if discomfort persists.
- 4.4 Treatment for ingestion (swallowing): Seek medical attention immediately.

#### **SECTION 5**

### **Fire-fighting Measures**

- 5.1 Suitable extinguishing media: Chemical foam, CO<sub>2</sub>, dry chemical.
- 5.2 Forbidden extinguishing media: Unknown.
- 5.3 Special fire fighting measures: None particular.
- <u>5.4 Unusual fire and explosion hazards</u>: Heat can cause polymerization with rapid release of energy.
- <u>5.5 Special protection equipment:</u> Wear a self contained breathing apparatus and protective clothing to prevent contact with skin and eyes.

#### **SECTION 6**

#### **Accidental Release Measures**

- 6.1 Personal Precautions: Follow recommended precautions listed in other sections.
- 6.2 Environmental Precautions: Material should not be allowed to drain into sewers.
- <u>6.3 Reclaiming Methods:</u> Absorb with inert material and collect in closed containers for disposal. Prevent spilled material to reach sewers.

### **SECTION 7**

Handling and Storage (according to article 5 of communitarian directive 98/24/EC)

- 7.1 Handling Precautions: Handle away from sources of ignition. Avoid exposure to excessive heat.
- 7.2 Precautions in case of Fire and Explosion: Extinguish all ignition sources.
- 7.3 Storage Conditions: Store in a cool, dry place away from heat, light and ignition sources.
- 7.4 Suggested container(s): Original sealed containers provided by manufacturer.
- 7.5 Indication for Combined Storage: Avoid the contact with reducing and oxidizing agents, peroxides and amines.
- 7.6 Environmental precautions: Do not allow product to reach sewers and rivers.
- 7.7 Other Precautions: Use according to directions.

SECTION 8						
Exposure controls/personal protection						
8.1 Exposure Limits:	SiO <sub>2</sub> TWA: 6 mg/m <sup>3</sup> ;(US OSHA); 3 mg/m <sup>3</sup> -breathable fraction (EU)					
-	<b>TiO<sub>2</sub></b> <u>PEL/TLV</u> : 3,1ppm (10 mg/m <sup>3</sup> )					
8.2 Exposure control measures	$\Sigma$					
8.2.1 Precautionary Meas						
(according to communite	arian directives 89/686/EEC & article 4 of 98/24/EC)					
	Local Exhaust Ventilation: Good general ventilation should be sufficient to					
	control airborne levels of vapours released by uncured material.					
Ventilation:	Special Ventilation: None required.					
	Mechanical (General) Ventilation: Good general ventilation recommended.					
	Other Ventilation: None required.					
Respiratory Protection:	Avoid prolonged or excessive breathing of vapours of uncured material					
Hands Protection:	Impervious rubber gloves recommended when contacting uncured material					
Eyes Protection:	Not required if used as directed. May be used safety glasses.					
Skin Protection:	Handle in accordance with good personal hygiene and safety practices.					
	These practices include avoiding unnecessary exposure to uncured material.					
Other Protective Equipments:	It would be better to use a lab coat.					
Measures listed in this paragraph are to be considered as indications and NOT prescriptions (89/656/EEC)						
8.2.2 Environment exposur	re control measures					
Not Applicable.						

SECTION 9 Physical and Chemical Properties						
9.1 General information						
Appearance: Paste, shaded Base and white Catalyst. Odour: Fruity ester-like odour.						
9.2 Information related to health, safety and envir	conment					
pH: Not available	Relative density: Not determined					
Boiling point: Not determined (N/D)	Specific gravity: 2,3 g/ml					
Flash point: Not determined	Solubility: Insoluble					
Flammability: Not flammable.	Partition coefficient n-octanol/water: N/D					
Lower Explosivity Limit (L.E.L.): N/A	<u>Viscosity</u> : Not determined					
Upper Explosivity Limit (U.E.L.): N/A	<u>Vapour density (air = 1)</u> : Not determined					
Oxidizing properties: None	Evaporation rate (n-butane = 1): Not determined					
<u>Vapour pressure</u> : Not determined <u>Melting point</u> : Not determined						
9.3 Other information (according to communitarian dire	ctive 94/9/EC):					
Miscibility: Not determined	Conducibility: Not determined					
Solubility in Lipids: Not determined	Gases Group: N/A					

#### **PENTRON**

### Material Safety Data Sheet for: MOJO Veneer Cement

#### **SECTION 10**

### **Stability and Reactivity**

Stability: Stable if stored as directed.

10.1 Conditions to avoid: Heat, light, aging and contamination.

10.2 Materials to avoid (incompatibility): Reducing and oxidizing agents, peroxides and amines.

10.3 Hazardous decomposition products: Carbon Oxides.

Other precautions:

Hazardous Polymerization Products: May occur

Safety significance in case of change in physical appearance: None

Stabilizers: The product is stabilized with non-hazardous polymerization inhibitors.

#### **SECTION 11**

### **Toxicological Information**

CMR effects (Carcinogenicity, Mutagenicity and toxicity for reproduction):

None

\_\_\_\_\_

Effects and hazards of eye contact: May cause irritation and damage if not removed promptly.

Effects and hazards of skin contact: Prolonged or repeated exposure to uncured material may cause irritation or skin rash especially in sensitive individuals.

<u>Effects and hazards of Inhalation (Breathing)</u>: Prolonged or excessive inhalation may cause respiratory tract irritation.

Effects and hazards of Ingestion (Swallowing): Uncured material may be harmful if swallowed in large amounts.

Effects for prolonged Exposure: Unknown.

Toxic-kinetic effects: Unknown.

Effects on metabolism: Unknown.

Toxicological data for ingredients:

#### 

Obtained by Global Safety Management, Inc. -Tel: 1-813-435-5161 - www.globalsafetynet.com

### **PENTRON**

### **SECTION 12**

### **Ecological Information**

This product has not known ecological hazardous effects.

12.1 Eco-toxicity: Not available

12.2 Mobility: Not available

12.3 Persistence and degradability: Not available

12.4 Bioaccumulative potential: Not available

12.5 Results of PBT (Persistent Bio-Toxicity) assessment: Not available

12.6 Other adverse effects: Not available

\_\_\_\_\_

### Aquatic toxicity data for ingredients:

Titanium Dioxide	LC <sub>50</sub> (Leuciscus Idus)	> 1000 mg/l (48 hours)
	EC <sub>50</sub> (Daphnia magna, crustacea)	> 3 mg/l (30 days)
	EC <sub>50</sub> (Pseudomonas fluorescens)	> 10000 mg/l (24 hours)

### **SECTION 13**

### **Disposal considerations**

Unpolymerized (uncured) material may be hazardous waste. Dispose of in accordance of local regulations.

### **SECTION 14**

### **Transport information**

### 14.1 Sea transportation (IMDG)

The product is not regulated.

### 14.2 Air transportation (ICAO/IATA)

The product is not regulated.

### 14.3 Transportation by Road/Railway (RID/ADR)

The product is not regulated.

### **SECTION 15** (Classification according to communitarian directives 67/548/EEC & 99/45/EC)

### **Regulatory information**

Hazard labelling not required.

This product is an exempted medical device (directive 1999/45/EC, article 1, paragraph 5g).

### **PENTRON**

## **SECTION 16**

# Other information

# 16.1 Risk phrases of all ingredients

None.

### 16.1.1 Safety phrases of all ingredients

None.

### 16.2 Sources of key data used to compile the Safety Data Sheet:

European Chemicals Bureau (ECB – www.ecb.jrc.it)

European chemical Substances Information System (ESIS - www.ecb.jrc.it/esis)

A.C.G.I.H. (www.acgih.org)

N.I.OS.H. (www.cdc.gov/niosh/)

O.S.H.A. (www.osha.gov/)

U.E. (www.europa.eu/index it.htm)

I.A.R.C. (www.iarc.fr/)

N.T.P. (www.ntp.niehs.nih.gov)

### **European Community Directives:**

67/548/EEC:	Classification, packaging and labelling of dangerous substances.
99/45/EC:	Directive concerning the approximation of the laws, regulations and administrative
	provisions of the Member States relating to the classification, packaging and labelling of
	dangerous preparations.
2001/58/EC:	Second amendment of directive 91/155/EEC for the definition of a detailed arrangement
	of specific information relating to dangerous preparations (art. 14 of 99/45/EC) and
	substances (art. 27 of 67/548/EEC).
89/656/EEC:	Directive on the minimum health and safety requirements for the use by workers of
	personal protective equipment at the workplace (third individual directive within the
	meaning of Article 16 (1) of Directive 89/391/EEC).
89/686/EEC:	Approximation of the laws of the Member States relating to personal protective
	equipment.
94/9/EC:	Approximation of the laws of the Member States concerning equipment and protective
	systems intended for use in potentially explosive atmospheres
98/24/EC:	Protection of the health and safety of workers from the risks related to chemical agents at
	work.
	•

<u>Document modification history</u>: First version in compliance of Community Regulation 2006/1907/EC (R.E.A.Ch.)

#### **CAUTION: PRODUCT FOR PROFESSIONAL USE**

The information on this Safety Sheet is based on presently available data and to our best knowledge for the correct handling of the product under normal conditions. Any use of this product in any way not indicated on this Sheet or the use of this product together with any other process/procedure will be exclusively under the user's responsibility. This document does not constitute explicit or implicit warranty of product quality or fitness for a particular purpose.

# SAFETY DATA SHEET

### Mojo™ Veneer Cement

## **Section 1. Identification**

**GHS** product identifier

: Mojo™ Veneer Cement

Other means of identification

: Not available.

**Product type** 

: Paste.

Relevant identified uses of the substance or mixture and uses advised against

Product use : Dental product: Cements.

Area of application : Professional applications.

Manufacturer : Pentron Clinical

1717 West Collins Avenue Orange, CA 92867-5422

Telephone no.: 1-203-265-7397, Toll Free: 1-800-551-0283

e-mail address of person responsible for this SDS

: edwin.varela@kavokerrgroup.com

Emergency telephone number (with hours of

operation)

: CHEMTREC® (24 hours) U.S.: 1-800-424-9300 International: +1-703-527-3887

# Section 2. Hazards identification

**OSHA/HCS** status

: This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Health effects are based on the uncured material.

Classification of the substance or mixture

: SKIN IRRITATION - Category 2 EYE IRRITATION - Category 2A

SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) (Respiratory tract

irritation) - Category 3

Percentage of the mixture consisting of ingredient(s) of unknown toxicity: 31.5%

**GHS** label elements

Hazard pictograms



Signal word : Warning

**Hazard statements** : Causes serious eye irritation.

Causes skin irritation.

May cause respiratory irritation.

**Precautionary statements** 

Prevention : Wear protective gloves. Wear eye or face protection. Use only outdoors or in a well-

ventilated area. Avoid breathing dust. Wash hands thoroughly after handling.

Date of issue/Date of revision : 02/10/2015 Date of previous issue : No previous validation Version : 1 1/11

# Section 2. Hazards identification

Response : IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing. Call a POISON CENTER or physician if you feel unwell. IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing. Wash contaminated clothing before reuse. If skin irritation occurs: Get medical attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. If eye irritation persists: Get medical attention.

**Storage** : Store locked up.

Disposal : Dispose of contents and container in accordance with all local, regional, national and

international regulations.

Hazards not otherwise

classified

: None known.

# Section 3. Composition/information on ingredients

Substance/mixture

Other means of identification

: Mixture: Not available.

### **CAS** number/other identifiers

CAS number : Not applicable.

Product code : Not available.

Ingredient name	Other names	%	CAS number
Poly(oxy-1,2-ethanediyl), $\alpha,\alpha'$ -[(1-methylethylidene)di-4,1-phenylene]bis[ $\omega$ -[(2-methyl-1-oxo-2-propen-1-yl)oxy]-	Not available.	10-30	41637-38-1
1,6-hexanediyl bismethacrylate	1,6-hexanediyl bismethacrylate	1-10	6606-59-3

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health and hence require reporting in this section.

## Section 4. First aid measures

### **Description of necessary first aid measures**

**Eye contact**: No special measures are required. In case of contact with eyes, rinse immediately with

plenty of water. Get medical attention if symptoms occur.

**Inhalation** : No special measures required. If inhaled, remove to fresh air. Get medical attention if

symptoms occur.

**Skin contact**: No special measures required. In case of contact, immediately flush skin with plenty of

water. Get medical attention if symptoms occur.

Ingestion : Wash out mouth with water. If material has been swallowed and the exposed person is

conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Get medical attention if adverse health effects persist or

are severe.

### Most important symptoms/effects, acute and delayed

#### Potential acute health effects

Eye contactInhalationCauses serious eye irritation.May cause respiratory irritation.

**Skin contact** : Causes skin irritation.

**Ingestion**: Irritating to mouth, throat and stomach.

Over-exposure signs/symptoms

Date of issue/Date of revision : 02/10/2015 Date of previous issue : No previous validation Version : 1 2/11

## Section 4. First aid measures

**Eye contact** : Adverse symptoms may include the following:

pain or irritation watering redness

**Inhalation** : Adverse symptoms may include the following:

respiratory tract irritation

coughing

**Skin contact**: Adverse symptoms may include the following:

irritation redness

**Ingestion**: No specific data.

### Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician : Treat symptomatically. Contact poison treatment specialist immediately if large

quantities have been ingested or inhaled.

**Specific treatments**: No specific treatment.

**Protection of first-aiders** : In case of major fire and large quantities: No action shall be taken involving any

personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

### See toxicological information (Section 11)

# Section 5. Fire-fighting measures

#### **Extinguishing media**

Suitable extinguishing

media

: Use an extinguishing agent suitable for the surrounding fire.

Unsuitable extinguishing

media

: Do not use water jet.

Specific hazards arising from the chemical

Hazardous thermal decomposition products

: No specific fire or explosion hazard.

: Decomposition products may include the following materials: carbon dioxide

carbon monoxide metal oxide/oxides

Special protective actions

for fire-fighters

: In case of major fire and large quantities: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Fire fighters should wear appropriate a

Special protective equipment for fire-fighters

: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

# Section 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: Low release. For professional use only. Handling of product in very small amounts or in situations where release is highly unlikely

For emergency responders: Low release. See also the information in "For non-emergency personnel".

**Environmental precautions** 

: Low release. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Date of issue/Date of revision : 02/10/2015 Date of previous issue : No previous validation Version : 1 3/11

# Section 6. Accidental release measures

#### Methods and materials for containment and cleaning up

**Small spill** 

- : Small Quantity. For professional use only. Absorb with an inert material and place in an appropriate waste disposal container.
- Large spill Small Quantity. For professional use only. Absorb with an inert material and place in an appropriate waste disposal container.

# Section 7. Handling and storage

#### **Precautions for safe handling**

**Protective measures** 

: No special measures are required for small quantities under normal and intended conditions of product use. For professional use only. Put on appropriate personal protective equipment (see Section 8). Handle with care and dispose in a safe manner.

Advice on general occupational hygiene : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

including any incompatibilities

Conditions for safe storage, : Store between the following temperatures: 20 to 25°C (68 to 77°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

# Section 8. Exposure controls/personal protection

#### Control parameters

Occupational exposure limits

None.

**Appropriate engineering** controls

**Environmental exposure** controls

- : No special measures are required for small quantities under normal and intended conditions of product use.
- : No special measures are required for small quantities under normal and intended conditions of product use.

#### **Individual protection measures**

**Hygiene measures** 

: No special measures are required for small quantities under normal and intended conditions of product use.

**Eye/face protection** 

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.

**Skin protection Hand protection** 

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

**Body protection** 

: No special measures are required for small quantities under normal and intended conditions of product use.

Date of issue/Date of revision

: 02/10/2015 Date of previous issue

: No previous validation

Version :1

4/11

# Section 8. Exposure controls/personal protection

Other skin protection : Appropriate footwear and any additional skin protection measures should be selected

based on the task being performed and the risks involved and should be approved by a

specialist before handling this product.

**Respiratory protection**: No special measures are required for small quantities under normal and intended

conditions of product use.

# Section 9. Physical and chemical properties

**Appearance** 

Physical state : Solid. [Paste.]

Color : Various

Odor : Fruity ester-like
Odor threshold : Not available.

pH : Not available.

Melting point: Not available.Boiling point: Not available.

Flash point : Not available.

Evaporation rate : Not available.

Flammability (solid, gas) : Not available.

Lower and upper explosive (flammable) limits

: Not available.

(flammable) limits

Vapor pressure : Not available.
Vapor density : Not available.
Relative density : Not available.

**Solubility** : Insoluble in the following materials: cold water and hot water.

Solubility in water : Not available.

Partition coefficient: n- : Not available.

octanol/water

Auto-ignition temperature : Not available.

Decomposition temperature : Not available.

SADT : Not available.

Viscosity : Not available.

Density : 1.8 g/cm³

# Section 10. Stability and reactivity

**Reactivity**: No specific test data related to reactivity available for this product or its ingredients.

**Chemical stability**: The product is stable.

Possibility of hazardous reactions

: Under normal conditions of storage and use, hazardous reactions will not occur.

Under normal conditions of storage and use, hazardous polymerization will not occur.

**Conditions to avoid** : Keep away from heat and direct sunlight.

Incompatible materials : Reactive or incompatible with the following materials: oxidizing materials and reducing

materials. Peroxide. Amines.

Date of issue/Date of revision: 02/10/2015Date of previous issue: No previous validationVersion: 1

# Section 10. Stability and reactivity

**Hazardous decomposition** products

: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# Section 11. Toxicological information

### **Information on toxicological effects**

### **Acute toxicity**

Not available.

**Conclusion/Summary** 

: Based on analysis and test results, this product is considered as biocompatible per EN ISO 7405:2008 and EN ISO 10993-1:2009.

Based on the criteria of the protocol, this product is considered non-cytotoxic per ISO 10993-5.

**Irritation/Corrosion** 

Not available.

**Sensitization** 

Not available.

**Conclusion/Summary** 

Skin : Non-sensitizer to skin.

**Mutagenicity** Not available.

**Conclusion/Summary** 

**Carcinogenicity** Not available.

Reproductive toxicity

Not available.

**Teratogenicity** 

Not available.

: No mutagenic effect.

### Specific target organ toxicity (single exposure)

Name	3.7	Route of exposure	Target organs
Poly(oxy-1,2-ethanediyl), $\alpha,\alpha'$ -[(1-methylethylidene)di-4,1-phenylene]bis[ $\omega$ -[(2-methyl-1-oxo-2-propen-1-yl)oxy]-	Category 3		Respiratory tract irritation
1,6-hexanediyl bismethacrylate	Category 3	Not applicable.	Respiratory tract irritation

#### Specific target organ toxicity (repeated exposure)

Not available.

### **Aspiration hazard**

Not available.

Information on the likely routes of exposure

: Routes of entry anticipated: Oral, Dermal, Inhalation.

Potential acute health effects

**Eye contact** : Causes serious eye irritation. Inhalation : May cause respiratory irritation.

**Skin contact** : Causes skin irritation.

Ingestion : Irritating to mouth, throat and stomach.

Date of issue/Date of revision : 02/10/2015 Date of previous issue : No previous validation Version :1 6/11

# Section 11. Toxicological information

#### Symptoms related to the physical, chemical and toxicological characteristics

**Eye contact**: Adverse symptoms may include the following:

pain or irritation watering redness

**Inhalation** : Adverse symptoms may include the following:

respiratory tract irritation

coughing

**Skin contact**: Adverse symptoms may include the following:

irritation redness

Ingestion : No specific data.

#### Delayed and immediate effects and also chronic effects from short and long term exposure

**Short term exposure** 

**Potential immediate** 

effects

: Not available.

Potential delayed effects : Not available.

**Long term exposure** 

Potential immediate

: Not available.

effects

Potential delayed effects : Not available.

#### Potential chronic health effects

Not available.

General : No known significant effects or critical hazards.
 Carcinogenicity : No known significant effects or critical hazards.
 Mutagenicity : No known significant effects or critical hazards.
 Teratogenicity : No known significant effects or critical hazards.
 Developmental effects : No known significant effects or critical hazards.
 Fertility effects : No known significant effects or critical hazards.

#### **Numerical measures of toxicity**

**Acute toxicity estimates** 

Not available.

# **Section 12. Ecological information**

#### **Toxicity**

Not available.

#### Persistence and degradability

Not available.

### **Bioaccumulative potential**

Date of issue/Date of revision: 02/10/2015Date of previous issue: No previous validationVersion: 1

Mojo™ Veneer Cement

# Section 12. Ecological information

Product/ingredient name	LogPow	BCF	Potential
Poly(oxy-1,2-ethanediyl), $\alpha$ , $\alpha$ '-[(1-methylethylidene)di-4,1-phenylene]bis[ $\omega$ -[(2-methyl-1-oxo-2-propen-1-yl)oxy]-		2372	high

**Mobility in soil** 

Soil/water partition coefficient (Koc)

: Not available.

Other adverse effects

: No known significant effects or critical hazards.

# Section 13. Disposal considerations

**Disposal methods** 

: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

# **Section 14. Transport information**

	DOT Classification	IMDG	IATA
UN number	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-
Transport hazard class(es)	-	-	-
Packing group	-	-	-
Environmental hazards	No.	No.	No.
Additional information	-	-	-

Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according : Not available. to Annex II of MARPOL 73/78 and the IBC Code

Date of issue/Date of revision : 02/10/2015 Date of previous issue : No previous validation Version :1 8/11

# Section 15. Regulatory information

U.S. Federal regulations : TSCA 8(a) PAIR: meguinol

United States inventory (TSCA 8b): All components are listed or exempted.

Clean Air Act Section 112

(b) Hazardous Air Pollutants (HAPs) : Listed

**Clean Air Act Section 602** 

Class I Substances

: Not listed

Clean Air Act Section 602

Class II Substances

: Not listed

DEA List I Chemicals

(Precursor Chemicals)

: Not listed

**DEA List II Chemicals** 

: Not listed

(Essential Chemicals)

#### **SARA 302/304**

### **Composition/information on ingredients**

			SARA 302 TPQ		SARA 304 RQ	
Name	%	EHS	(lbs)	(gallons)	(lbs)	(gallons)
ethylene oxide	<0.0286	Yes.	1000	-	10	-

**SARA 304 RQ** : 38850 lbs / 17637.9 kg

**SARA 311/312** 

Classification : Immediate (acute) health hazard

### **Composition/information on ingredients**

Name	%		Sudden release of pressure	Reactive	(acute) health	Delayed (chronic) health hazard
Poly(oxy-1,2-ethanediyl), $\alpha,\alpha'$ -[(1-methylethylidene)di-4,1-phenylene]bis[ $\omega$ -[(2-methyl-1-oxo-2-propen-1-yl)oxy]-	10-30	No.	No.	No.	Yes.	No.
1,6-hexanediyl bismethacrylate	1-5	No.	No.	Yes.	Yes.	No.

#### **SARA 313**

Not applicable.

### State regulations

Massachusetts : The following components are listed: MINERAL WOOL FIBER

New York
None of the components are listed.
None of the components are listed.
Pennsylvania
None of the components are listed.

### California Prop. 65

**WARNING:** This product contains a chemical or chemicals known to the State of California to cause cancer, birth defects or other reproductive harm.

Ingredient name	Cancer	•	level	Maximum acceptable dosage level
ethylene oxide	Yes.	Yes.	Yes.	Yes.

Date of issue/Date of revision : 02/10/2015 Date of previous issue : No previous validation Version : 1 9/11

## Section 16. Other information

### **Hazardous Material Information System (U.S.A.)**



Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks Although HMIS® ratings are not required on SDSs under 29 CFR 1910. 1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

The customer is responsible for determining the PPE code for this material.

#### **National Fire Protection Association (U.S.A.)**



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

### **History**

Date of issue/Date of : 02/10/2015

revision

Date of previous issue : No previous validation

Version : 1
Prepared by : IHS

**Key to abbreviations** : ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships,

1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)

**UN = United Nations** 

References : HCS (U.S.A.)- Hazard Communication Standard

International transport regulations

Indicates information that has changed from previously issued version.

**Notice to reader** 

Date of issue/Date of revision : 02/10/2015 Date of previous issue : No previous validation Version :1 10/11

Mojo™ Veneer Cement

# Section 16. Other information

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Date of issue/Date of revision: 02/10/2015Date of previous issue: No previous validationVersion: 1