

## **SAFETY DATA SHEETS**

**This SDS packet was issued with item:**

077174717

**The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).**

070386938 070386946 070386953 070386961 070386979 070386987 070386995 070387001 070387019 070387027  
070442509 070442517 070442525 070442533 070442541 070442558 070442566 070442574 070442582 070442590  
070442608 070442616 070442624 070442632 070442640 070442657 070442665 070442673 070442681 070442699  
070442889 070442897 070442913 070442939 070442947 070442954 077143613 077143621 077143639 077143647  
077143654 077144843 077173008 077173016 077173024 077173032 077173040 077173057 077173065 077173305  
077173313 077173321 077173339 077173347 077173354 077173362 077173370 077173388 077173396 077173404  
077173412 077173420 077173438 077173446 077173453 077173461 077173479 077173487 077173495 077173503  
077173511 077173529 077173537 077173545 077173552 077173560 077173578 077173586 077173594 077173602  
077173610 077173628 077173636 077173644 077173651 077173669 077173677 077173685 077173693 077173701  
077173982 077173990 077174006 077174014 077174022 077174030 077174048 077174055 077174063 077174071  
077174089 077174139 077174147 077174154 077174162 077174170 077174188 077174196 077174204 077174212  
077174220 077174238 077174287 077174295 077174303 077174311 077174329 077174337 077174345 077174352  
077174360 077174378 077174501 077174519 077174527 077174535 077174543 077174550 077174568 077174576  
077174584 077174592 077174600 077174618 077174626 077174634 077174642 077174659 077174667 077174675  
077174683 077174691 077174709 077174725 077174733 077174741 077174758 077174766 077174774 077174782  
077174790 077174808 077174816 077174824 077174832 077174840 077174899 077175383 077176118 077176126  
077176134 077176142 077176159 077176167 077176175 077176183 077176191 077176209 077176217 077176225  
077176233 077176241 077176258 077176266 077176274 077176282 077176290 077176308 077176316 273010807

**The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).**

070215517 077175359

## 1 Identification

- **Product identifier**
- **Trade name:** IPS Classic Glaze and Stain Liquid
- **CAS Number:**  
107-21-1
- **EC number:**  
203-473-3
- **Index number:**  
603-027-00-1
- **Relevant identified uses of the substance or mixture and uses advised against**  
No further relevant information available.
- **Application of the substance / the mixture** Auxiliary for manufacture of dental prothesis
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
Ivoclar Vivadent Inc.  
175 Pineview Drive, Amherst, N.Y. 14228  
USA  
Tel. +1 800 533 6825  
Fax +1 716 691 2285  
  
Ivoclar Vivadent Inc.  
1-6600 Dixie Road  
Mississauga, Ontario  
L5T 2Y2  
Canada  
Phone: +1 905 670 8499  
Fax: +1 905 670 3102
- **Information department:** Quality Assurance / Regulatory Affairs
- **Emergency telephone number:**  
24 Hour Emergency Assistance:  
Emergency-Call USA - Infotrac: 1-800-535-5053  
Emergency-Call Canada - Canutec: 1-613-996-6666  
  
General SDS Assistance:  
US: 1-800-533-6825  
Canada: 1-800-263-8182

## 2 Hazard(s) identification

- **Classification of the substance or mixture**  
Acute Tox. 4 H302 Harmful if swallowed.
- **Classification according to Directive 67/548/EEC or Directive 1999/45/EC**  
Harmful  
Harmful if swallowed.
- **Information concerning particular hazards for human and environment:** Not applicable.
- **Label elements**
- **GHS label elements**  
The substance is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 2)

US

# Safety Data Sheet

acc. to OSHA HCS

Printing date 05/20/2015

Version number 6

Reviewed on 04/11/2015

Trade name: **IPS Classic Glaze and Stain Liquid**

(Contd. of page 1)

· **Hazard pictograms**



GHS07

· **Signal word** Warning

· **Hazard-determining components of labeling:**

ethanediol

· **Hazard statements**

Harmful if swallowed.

· **Precautionary statements**

Wash thoroughly after handling.

If swallowed: Call a poison center/doctor if you feel unwell.

Rinse mouth.

· **Classification system:**

· **NFPA ratings (scale 0 - 4)**



Health = 2

Fire = 1

Reactivity = 0

· **HMIS-ratings (scale 0 - 4)**



Health = 2

Fire = 1

Reactivity = 0

· **Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.· **vPvB:** Not applicable.

## 3 Composition/information on ingredients

· **Chemical characterization: Substances**

· **CAS No. Description**

107-21-1 ethanediol

· **Identification number(s)**

· **EC number:** 203-473-3· **Index number:** 603-027-00-1

## 4 First-aid measures

· **Description of first aid measures**

· **After inhalation:**

Supply fresh air; consult doctor in case of complaints.

In case of unconsciousness place patient stably in side position for transportation.

· **After skin contact:** Immediately wash with water and soap and rinse thoroughly.

· **After eye contact:**

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· **After swallowing:**

Rinse out mouth and then drink plenty of water.

(Contd. on page 3)

US

# Safety Data Sheet

## acc. to OSHA HCS

Printing date 05/20/2015

Version number 6

Reviewed on 04/11/2015

Trade name: **IPS Classic Glaze and Stain Liquid**

(Contd. of page 2)

Induce vomiting and call for medical help.

- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**  
CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

### 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

### 7 Handling and storage

- **Handling:**
- **Precautions for safe handling**  
Only adequately trained personnel should handle this product.  
For use in dentistry only.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Store only in the original receptacle.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**  
Keep receptacle tightly sealed.  
This product is hygroscopic.
- **Specific end use(s)** No further relevant information available.

### 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.

(Contd. on page 4)

US

## Safety Data Sheet

acc. to OSHA HCS

Printing date 05/20/2015

Version number 6

Reviewed on 04/11/2015

**Trade name: IPS Classic Glaze and Stain Liquid**

(Contd. of page 3)

· **Control parameters**

· **Components with limit values that require monitoring at the workplace:**

**107-21-1 ethanediol**

|     |                                                                                                                                    |
|-----|------------------------------------------------------------------------------------------------------------------------------------|
| TLV | Long-term value: NIC-10* mg/m <sup>3</sup><br>Ceiling limit value: (100) mg/m <sup>3</sup><br>(H);*as inhalable fraction and vapor |
|-----|------------------------------------------------------------------------------------------------------------------------------------|

· **Additional information:** The lists that were valid during the creation were used as basis.

· **Exposure controls**

· **Personal protective equipment:**

· **General protective and hygienic measures:**

Usual hygienic measures for dental practice.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· **Breathing equipment:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

Butyl rubber, BR

Fluorocarbon rubber (Viton)

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:** Safety glasses

### 9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

Form: Fluid

Color: Colorless

· **Odor:** Odorless

· **Odour threshold:** Not determined.

· **pH-value:** Not determined.

· **Change in condition**

Melting point/Melting range: -12.4 °C (10 °F)

(Contd. on page 5)

US

# Safety Data Sheet

acc. to OSHA HCS

Printing date 05/20/2015

Version number 6

Reviewed on 04/11/2015

Trade name: **IPS Classic Glaze and Stain Liquid**

(Contd. of page 4)

|                                                                   |                                               |
|-------------------------------------------------------------------|-----------------------------------------------|
| <b>Boiling point/Boiling range:</b>                               | 197 °C (387 °F)                               |
| · <b>Flash point:</b>                                             | 111 °C (232 °F)                               |
| · <b>Flammability (solid, gaseous):</b>                           | Not applicable.                               |
| · <b>Ignition temperature:</b>                                    | 410 °C (770 °F)                               |
| · <b>Auto igniting:</b>                                           | Not determined.                               |
| · <b>Danger of explosion:</b>                                     | Product does not present an explosion hazard. |
| · <b>Explosion limits:</b>                                        |                                               |
| <b>Lower:</b>                                                     | 3.2 Vol %                                     |
| <b>Upper:</b>                                                     | 53 Vol %                                      |
| · <b>Vapor pressure at 20 °C (68 °F):</b>                         | 0.08 hPa                                      |
| · <b>Density at 20 °C (68 °F):</b>                                | 1.11 g/cm <sup>3</sup> (9.263 lbs/gal)        |
| · <b>Relative density</b>                                         | Not determined.                               |
| · <b>Vapour density</b>                                           | Not determined.                               |
| · <b>Evaporation rate</b>                                         | Not determined.                               |
| · <b>Solubility in / Miscibility with Water at 20 °C (68 °F):</b> | 1 g/l                                         |
| · <b>Partition coefficient (n-octanol/water):</b>                 | Not determined.                               |
| · <b>Viscosity:</b>                                               |                                               |
| <b>Dynamic:</b>                                                   | Not determined.                               |
| <b>Kinematic:</b>                                                 | Not determined.                               |
| · <b>Other information</b>                                        | No further relevant information available.    |

## 10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability** Stable under normal handling and storage conditions.
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions**  
Reacts with strong oxidizing agents.  
Reacts with alkali (lyes).
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** None under normal conditions of storage and use.

## 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**

### 107-21-1 ethanediol

|        |      |                     |
|--------|------|---------------------|
| Oral   | LD50 | 5840 mg/kg (rat)    |
| Dermal | LD50 | 9530 mg/kg (rabbit) |

- **Primary irritant effect:**
- **on the skin:** No irritant effect.
- **on the eye:** No irritating effect.
- **Sensitization:** No sensitizing effects known.

(Contd. on page 6)

US

# Safety Data Sheet

acc. to OSHA HCS

Printing date 05/20/2015

Version number 6

Reviewed on 04/11/2015

Trade name: **IPS Classic Glaze and Stain Liquid**

(Contd. of page 5)

· **Additional toxicological information:**

· **Carcinogenic categories**

· **NTP (National Toxicology Program)**

Substance is not listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

Substance is not listed.

## 12 Ecological information

· **Toxicity**

· **Aquatic toxicity:** No further relevant information available.

· **Persistence and degradability** No further relevant information available.

· **Behavior in environmental systems:**

· **Bioaccumulative potential** No further relevant information available.

· **Mobility in soil** No further relevant information available.

· **Additional ecological information:**

· **General notes:**

Water hazard class 1 (Assessment by list): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

· **Other adverse effects** No further relevant information available.

## 13 Disposal considerations

· **Waste treatment methods**

· **Recommendation:**

Take to an approved landfill or a waste incineration plant, under conditions approved by the local authority.

· **Uncleaned packagings:**

· **Recommendation:** Disposal must be made according to official regulations.

## 14 Transport information

· **UN-Number**

· **DOT, ADR, ADN, IMDG, IATA** Void

· **UN proper shipping name**

· **DOT, ADR, ADN, IMDG, IATA** Void

· **Transport hazard class(es)**

· **DOT, ADR, ADN, IMDG, IATA**

· **Class** Void

· **Packing group**

· **DOT, ADR, IMDG, IATA** Void

· **Environmental hazards:**

· **Marine pollutant:** No

(Contd. on page 7)

US

# Safety Data Sheet

acc. to OSHA HCS

Printing date 05/20/2015

Version number 6

Reviewed on 04/11/2015

Trade name: **IPS Classic Glaze and Stain Liquid**

(Contd. of page 6)

- |                                                                                  |                                                                                |
|----------------------------------------------------------------------------------|--------------------------------------------------------------------------------|
| · <b>Special precautions for user</b>                                            | Not applicable.                                                                |
| · <b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b> | Not applicable.                                                                |
| · <b>Transport/Additional information:</b>                                       | Product is not classified as a dangerous good for transport (ADR, IMDG, IATA). |
| · <b>UN "Model Regulation":</b>                                                  | -                                                                              |

## 15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **Sara**

· **Section 355 (extremely hazardous substances):**

Substance is not listed.

· **Section 313 (Specific toxic chemical listings):**

Substance is listed.

· **TSCA (Toxic Substances Control Act):**

Substance is listed.

· **Proposition 65**

· **Chemicals known to cause cancer:**

Substance is not listed.

· **Chemicals known to cause reproductive toxicity for females:**

Substance is not listed.

· **Chemicals known to cause reproductive toxicity for males:**

Substance is not listed.

· **Chemicals known to cause developmental toxicity:**

Substance is not listed.

· **Carcinogenic categories**

· **EPA (Environmental Protection Agency)**

Substance is not listed.

· **TLV (Threshold Limit Value established by ACGIH)**

107-21-1 ethanediol

A4

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

Substance is not listed.

· **GHS label elements**

The substance is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms**



GHS07

· **Signal word** Warning

(Contd. on page 8)

US

## Safety Data Sheet

### acc. to OSHA HCS

Printing date 05/20/2015

Version number 6

Reviewed on 04/11/2015

**Trade name: IPS Classic Glaze and Stain Liquid**

(Contd. of page 7)

- **Hazard-determining components of labeling:**  
ethanediol
- **Hazard statements**  
Harmful if swallowed.
- **Precautionary statements**  
Wash thoroughly after handling.  
If swallowed: Call a poison center/doctor if you feel unwell.  
Rinse mouth.
- **National regulations:**
- **Other regulations, limitations and prohibitive regulations**  
The product is a medical device according to the Directive 93/42/EEC.  
This product is classified as a medical device under US and Canadian regulations and has been reviewed by the US Food and Drug Administration and Health Canada.
- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Date of preparation / last revision** 05/20/2015 / 5
- **Abbreviations and acronyms:**  
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
DOT: US Department of Transportation  
IATA: International Air Transport Association  
ACGIH: American Conference of Governmental Industrial Hygienists  
EINECS: European Inventory of Existing Commercial Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
NFPA: National Fire Protection Association (USA)  
HMIS: Hazardous Materials Identification System (USA)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
Acute Tox. 4: Acute toxicity, Hazard Category 4
- **\* Data compared to the previous version altered.**

US