# **SAFETY DATA SHEETS**

# This SDS packet was issued with item:

077181605

The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).

071039908 077181613 077181621 077181639 077181662 077181704 273024645

# **Material Safety Data Sheet**

May be used to comply with OSHA's Hazard Communication Standard.

Identity	Lab-Putty Activator				_
etion I		· · · · · · · · · · · · · · · · · · ·	<u> </u>	·—·	
Manufacturer's Name	Coltène/Whaledent Inc.	Emergency Tel. N	to. 201-5	512-8000	
Address	750 Corporate Drive	Tel. No. for Inform		12-8000	
	Mahwah, NJ 07430	Date Prepared	1993-		
· ·		Signature of Prep	arer		
Section II - Hazard	ous Ingredients / Identity Info	rmation			
Hazardous Componen	ts OS	SHA PEL A	IA PEL ACGIH TLV		
(Specific Chemical Identity; Common Name(s))				Recommended	(optio
Dialkyttin dicarboxylate	s0.1mg(	Sn)/m3 (skin) _0.1mg	g(Sn)/m3_(skin)_	·	8
Alkyl silicales		··			2
					_
		· ·			-
	· <del>-</del> - · · · · · · · · · · · · · · · · · ·		<del>_</del> ··-		—
<del>-</del>		··			
Section III - Physic	al/Chemical Characteristics				
Boiling Point	> 150 °C	Specific Gravity		1.0	
Vapor Pressure at	°C n.a. (mm H	g)   Melting Point		n.a. °C	
Vapor Density (AIR = 1	) >1	Evaporation Rate		n.a. (Butyl ac	elate = 1
Solubility in Water	попе				
Appearance and Odor	blue Jelly paste				
Section IV - Fire an	d Explosion Hazard Data				
Flash Point	> 150 °C	Flammable Limits	at °C LE	L n.a.% UEL	n.a. %
Extinguishing Media	water fog, spray, hal	ones, CO2, dry extingui	shing media, sar	<u>nd</u>	
Special Fire Fighting Pr	rocedures none				
Unusual Fire and Explo	osion Hazards none	<u> </u>		·	
Section V - Reactive	vity Data				
Stability	Unstable	Conditions to Avoid			
	Stable X	none			
Incompatibility (Materi	als to Avoid)	none	·	- ·	
Hazardous Decomposi	tion or Byproducts	попе			_
Hazardous Polymeriza	tion May Occur	Conditions to Avoid			
<b>_</b>	Will Not Occur X	none	· · · · · · · · · · · · · · · · · · ·	<b>_</b>	

outes of Entry	Inhalation	n Skin	Ingestion		
	X	X			
ealth Hazards (Acute and Chronic)		Interaction of unset mixed polysiloxane impression materials with the mucous membrane after temporary contact has not been reported			
arcinogenicity	NTP	(ARC Monographs	OSHA Regulated		
none					
gns and Symptoms of Exp	osure	none			
edical Conditions	<del></del> ·····	n,n,			
enerally Aggravated by Ex	posure		·		
nergency and First Aid Pro	ocedures	n.a.			
ection VII - Precaution	s for Safe	Hendling and Use			
eps to Be Taken	<del></del> -	Remove set material. Spilled Spilled Spilled			
Case Material Is Released	or Spilled				
aste Disposal Method		According to local prescriptions.			
ecautions to Be Taken  Store in a cold, dry place, water will decompose the activator.  Pure, unmixed catalyst may be irritant to the eye or allergenic to					
ther Precautions		Follow mixing instructions. Wear gloves and avoid direct contact with pure unmixe catalyst. The product should only be supplied to dentists or dental technicians or upon their instructions.			
ection VIII - Control N	leasures				
espiratory Protection (Spe	cify Type)	not required	· · · · · · · · · · · · · · · · · · ·		
entilation Local Exh	aust	Special	-		
Mechanic	al (General)	Other	•		
rotective Gloves X		Eye Protection -			
ther Protective Clothing of	r Equipmen	t -			
fork / Hygienic Practices		Wash hands before breaks and after the	end of a day's work.		
ection IX - Informatio	n				
eplace MSDS dated 1993-	.07.06		- <del>-</del>		



according to Regulation (EC) No 1907/2006

# **Lab Putty Activator**

Revision date: 16.07.2012 Print date: 23.04.2013 Page 1 of 4

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Lab Putty Activator

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Activator.

# 1.3. Details of the supplier of the safety data sheet

Company name:
Coltène/Whaledent AG
Street:
Feldwiesenstrasse 20
Place:
CH-9450 Altstätten
Telephone:
+41 (71) 75 75 300
Telefax:
+41 (71) 75 75 301
e-mail:
info.ch@coltene.com
Internet:
www.coltene.com

### **Further Information**

Only supplied to dentists and dental laboratories or upon their instructions

### **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

Indications of danger: Xn - Harmful, Xi - Irritant

R phrases: Flammable.

Irritating to respiratory system and skin.

Risk of serious damage to eyes.

Harmful: danger of serious damage to health by prolonged exposure if swallowed.

May cause long-term adverse effects in the aquatic environment.

# 2.2. Label elements

Danger symbols: Xn - Harmful



Xn - Harmful

#### Hazardous components which must be listed on the label

Alkyl silicates

R phrases

10 Flammable.

37/38 Irritating to respiratory system and skin. 41 Risk of serious damage to eyes.

48/22 Harmful: danger of serious damage to health by prolonged exposure if swallowed.

May cause long-term adverse effects in the aquatic environment.

S phrases

26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

Avoid release to the environment. Refer to special instructions / Safety data sheets.

36/37/39 Wear suitable protective clothing, gloves and eye/face protection.

# **SECTION 3: Composition/information on ingredients**



according to Regulation (EC) No 1907/2006

# **Lab Putty Activator**

Revision date: 16.07.2012 Print date: 23.04.2013 Page 2 of 4

### 3.2. Mixtures

### Hazardous components

EC No	Chemical name	Quantit
CAS No	Classification	
Index No	GHS classification	
REACH No		
	Alkyl silicates	20 - 25 %
	Xn - Harmful, Xi - Irritant R10-20-37/38-41-48/22-53	
	Dioctyltin dicarboxylate	5 - 10 %
	Xn - Harmful R48/22-53	

Full text of R and H phrases: see Section 16.

# **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

#### After contact with skin

After contact with skin, wash immediately with: Water and soap.

#### After contact with eyes

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

# After ingestion

Seek medical attention if problems persist.

# **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

# Suitable extinguishing media

Water. Foam. Extinguishing powder. Carbon dioxide (CO2). Sand.

# **Additional information**

Extinguishing materials should be selected according to the surrounding area.

### **SECTION 6: Accidental release measures**

## 6.2. Environmental precautions

Do not empty into drains or the aquatic environment.

## 6.3. Methods and material for containment and cleaning up

Wipe up with absorbent material (eg. cloth, fleece). Clear contaminated area thoroughly.

# **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

## Advice on safe handling

Avoid contact with skin and eyes.

# Further information on handling

After use replace the closing cap immediately.

### 7.2. Conditions for safe storage, including any incompatibilities

### Further information on storage conditions

Keep the packing dry and well sealed to prevent contamination and absorbtion of dampness.



according to Regulation (EC) No 1907/2006

# **Lab Putty Activator**

Revision date: 16.07.2012 Print date: 23.04.2013 Page 3 of 4

Recommended storage temperature: 15 - 23 °C

### SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

# 8.2. Exposure controls

### Protective and hygiene measures

When using do not eat, drink or smoke.

Hand protection

Single-use gloves.

Eye protection

Framed glasses.

Skin protection

Lab apron.

### **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state: Paste Colour: blue

Odour: characteristic

Test method

Changes in the physical state

Boiling point: >150 °C

Density (at 23 °C): 1.0 g/cm³

Water solubility: insoluble

(at 23 °C)

Solubility in other solvents

ketone.

# **SECTION 10: Stability and reactivity**

### 10.4. Conditions to avoid

Air, humid.

#### **Further information**

Keep the packing dry and well sealed to prevent contamination and absorbtion of dampness.

# **SECTION 11: Toxicological information**

# 11.1. Information on toxicological effects

# **Acute toxicity**

LD50: >2000 mg/kg (Rat.)

The statement is derived from products of similar composition.

# Irritation and corrosivity

Irritant effect on the skin: (Rabbit.)

Not an irritant.

The statement is derived from products of similar composition.

# Sensitising effects

Guinea-pig.

no danger of sensitization.

The statement is derived from products of similar composition.



according to Regulation (EC) No 1907/2006

# **Lab Putty Activator**

Revision date: 16.07.2012 Print date: 23.04.2013 Page 4 of 4

# **SECTION 12: Ecological information**

#### **Further information**

May cause long-term adverse effects in the aquatic environment. Do not allow uncontrolled leakage of product into the environment.

# **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

# Advice on disposal

Can be burnt together with household waste in compliance with official regulations in contact with approved waste disposal companies and with authorities in charge.

# **SECTION 14: Transport information**

## Other applicable information

Not a hazardous material with respect to these transportation regulations.

### **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**National regulatory information** 

# **SECTION 16: Other information**

### Full text of R phrases referred to under Sections 2 and 3

10 Flammable.

20 Harmful by inhalation.

37/38 Irritating to respiratory system and skin.41 Risk of serious damage to eyes.

48/22 Harmful: danger of serious damage to health by prolonged exposure if swallowed.

May cause long-term adverse effects in the aquatic environment.

#### **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)



according to Regulation (EC) No 1907/2006

# **Lab Putty Base**

Revision date: 20.04.2015 Print date: 30.04.2015 Page 1 of 3

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Lab Putty Base

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

### Use of the substance/mixture

for dental use only

# 1.3. Details of the supplier of the safety data sheet

Coltène/Whaledent AG Company name: Street: Feldwiesenstrasse 20 Place: CH-9450 Altstätten Telephone: +41 (71) 75 75 300 Telefax: +41 (71) 75 75 301 e-mail: info.ch@coltene.com www.coltene.com Internet: Responsible Department: Regulatory Affairs msds@coltene.com

#### **Further Information**

Only supplied to dentists and dental laboratories or upon their instructions

#### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

This mixture is classified as not hazardous according to Regulation (EC) 1272/2008 [GHS].

The preparation is not dangerous in the sense of Directive 1999/45/EC.

Preparation/mixture without hazards for human health or environment

#### 2.2. Label elements

## Hazardous components which must be listed on the label

According to EC directive 1999/45/EC or annex VI of directive 67/548/EEC the preparation does not have to be labelled.

# **SECTION 3: Composition/information on ingredients**

# 3.2. Mixtures

#### **Chemical characterization**

Polymer preparations and compounds

## **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

# **General information**

No special measures are necessary.

# After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

# **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

# Suitable extinguishing media

Water. Foam. Extinguishing powder. Carbon dioxide (CO2). Sand.

Revision No: 2 GB - EN



according to Regulation (EC) No 1907/2006

# **Lab Putty Base**

Revision date: 20.04.2015 Print date: 30.04.2015 Page 2 of 3

#### Additional information

Co-ordinate fire-fighting measures to the fire surroundings.

#### **SECTION 6: Accidental release measures**

### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

# 6.3. Methods and material for containment and cleaning up

Wipe up with absorbent material (eg. cloth, fleece). Clear contaminated areas thoroughly.

### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

### Advice on safe handling

No special precautionary measures are necessary.

Observe instructions for use.

### 7.2. Conditions for safe storage, including any incompatibilities

### Further information on storage conditions

Keep the packing dry and well sealed to prevent contamination and absorbtion of humidity.

Recommended storage temperature: 15 - 23 °C

# **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

# 8.2. Exposure controls

# Protective and hygiene measures

When using do not eat, drink or smoke.

# **Hand protection**

Single-use gloves.

Unsuitable material: NR (Natural rubber (Caoutchouc), Natural latex).

### **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state: Paste

Colour:

Test method

# Changes in the physical state

Initial boiling point and boiling range: >150 °C

Water solubility: (at 23 °C)

insoluble

# Solubility in other solvents

ketone.

# **SECTION 10: Stability and reactivity**

### **Further information**

No special measures are necessary.

# **SECTION 11: Toxicological information**

# 11.1. Information on toxicological effects

Revision No: 2 GB - EN



according to Regulation (EC) No 1907/2006

# **Lab Putty Base**

Revision date: 20.04.2015 Print date: 30.04.2015 Page 3 of 3

#### Acute toxicity

LD50: >2000 mg/kg (Rat)

The statement is derived from products of similar composition.

#### Irritation and corrosivity

Irritant effect on the skin: (Rabbit)

Not an irritant.

The statement is derived from products of similar composition.

#### Sensitising effects

Guinea-pig.

no danger of sensitization.

The statement is derived from products of similar composition.

# **SECTION 12: Ecological information**

#### **Further information**

No special environmental measures are necessary.

# **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

### Advice on disposal

Can be burnt together with household waste in compliance with official regulations in contact with approved waste disposal companies and with authorities in charge.

# **SECTION 14: Transport information**

# Other applicable information

Not a hazardous material with respect to these transportation regulations.

# **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulatory information

**Additional information** 

\_\_\_\_

### **SECTION 16: Other information**

### **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)

Revision No: 2 GB - EN