

SAFETY DATA SHEETS

This SDS packet was issued with item:

077186810

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

077186802

according to Regulation (EC) No 1907/2006

DuoTemp

Revision date: 12.07.2012

Print date: 03.04.2013

Page 1 of 5

SECTION 1: Identification of the substance/mixture and of the company/undertaking**Product identifier**

DuoTemp

Relevant identified uses of the substance or mixture and uses advised against**Use of the substance/mixture**

for dental use only

Details of the supplier of the safety data sheet

Company name: Coltène/Whaledent AG
Street: Feldwiesenstrasse 20
Place: CH-9450 Altstätten
Telephone: +41 (71) 75 75 300
Telefax: +41 (71) 75 75 301
e-mail: info.ch@coltene.com
Internet: www.coltene.com

SECTION 2: Hazards identification**Classification of the substance or mixture**

Indications of danger : Irritant, Dangerous for the environment

R-phrases:

Risk of serious damage to eyes.

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Label elements

Danger symbols:

Xi - Irritant; N - Dangerous for the environment



Xi - Irritant



N - Dangerous for the environment

R phrases

41 Risk of serious damage to eyes.
50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

S phrases

26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
39 Wear eye/face protection.
61 Avoid release to the environment. Refer to special instructions / Safety data sheets.

SECTION 3: Composition/information on ingredients**Mixtures**

according to Regulation (EC) No 1907/2006

DuoTemp

Revision date: 12.07.2012

Print date: 03.04.2013

Page 2 of 5

Hazardous components

EC No	Chemical name	Quantity
CAS No	Classification	
Index No	GHS classification	
REACH No		
215-222-5	zinc oxide	30 - 35 %
1314-13-2	N R50-53	
030-013-00-7	Aquatic Acute 1, Aquatic Chronic 1; H400 H410	
276-957-5	UDMA	15 - 20 %
72869-86-4	R52-53	
231-793-3	zinc sulfate monohydrate	10 - 15 %
7446-19-7	Xn, Xi, N R22-41-50-53	
	Acute Tox. 4, Eye Dam. 1, Aquatic Chronic 1; H302 H318 H410	

Full text of R- and H-phrases: see section 16.

SECTION 4: First aid measures**Description of first aid measures****After contact with skin**

After contact with skin, wash immediately with: Water and soap.

After contact with eyes

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

After ingestion

Seek medical attention if problems persist.

SECTION 5: Firefighting measures**Extinguishing media****Suitable extinguishing media**Water. Foam. Extinguishing powder. Carbon dioxide (CO₂). Sand.**Additional information**

Extinguishing materials should be selected according to the surrounding area.

SECTION 6: Accidental release measures**Personal precautions, protective equipment and emergency procedures**

Avoid contact with skin and eyes.

Environmental precautions

Do not empty into drains or the aquatic environment.

Methods and material for containment and cleaning up

Wipe up with absorbent material (eg. cloth, fleece). Clear contaminated area thoroughly.

SECTION 7: Handling and storage**Precautions for safe handling****Advice on safe handling**

Avoid contact with skin and eyes.

Restricted to professional users. Keep out of the reach of children.

according to Regulation (EC) No 1907/2006

DuoTemp

Revision date: 12.07.2012

Print date: 03.04.2013

Page 3 of 5

Further information on handling

After use replace the closing cap immediately.

Conditions for safe storage, including any incompatibilities**Further information on storage conditions**

Recommended storage temperature: 15 - 23 °C

SECTION 8: Exposure controls/personal protection**Control parameters****Exposure controls****Protective and hygiene measures**

When using do not eat, drink or smoke.

Hand protection

Single-use gloves.

Eye protection

Framed glasses.

Skin protection

Lab apron.

SECTION 9: Physical and chemical properties**Information on basic physical and chemical properties**

Physical state:	Paste
Colour:	off-white
Odour:	fruity

Test method**Changes in the physical state****Flammability**

Density (at 23 °C):

Water solubility:

(at 23 °C)

Solubility in other solvents

ketone.

ISO 10156

2.5 g/cm³

insoluble

SECTION 10: Stability and reactivity**Conditions to avoid**

Light.

UV-radiation/sunlight.

SECTION 11: Toxicological information**Information on toxicological effects**

according to Regulation (EC) No 1907/2006

DuoTemp

Revision date: 12.07.2012

Print date: 03.04.2013

Page 4 of 5

Acute toxicity

CAS No	Chemical name				
	Exposure routes	Method	Dose	Species	Source
1314-13-2	zinc oxide				
	oral	LD50 mg/kg	> 5000	Rat	IUCLID
7446-19-7	zinc sulfate monohydrate				
	oral	ATE	500 mg/kg		

Additional information on tests

No data available

SECTION 12: Ecological information**Further information**

No data available

SECTION 13: Disposal considerations**Waste treatment methods****Advice on disposal**

Can be burnt together with household waste in compliance with official regulations in contact with approved waste disposal companies and with authorities in charge.

SECTION 14: Transport information**Land transport (ADR/RID)**

UN number: 3077
UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S., zinc oxide
Transport hazard class(es): 9
Packing group: III
Hazard label: 9
Classification code: M7
Limited quantity: LQ27
Hazard No: 90

Other applicable information (land transport)

Special provisions: 274 335 601

E1
: 3
E

Marine transport

UN number: 3077
UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S., zinc oxide
Transport hazard class(es): 9
Packing group: III
Hazard label: 9
Marine pollutant: •

according to Regulation (EC) No 1907/2006

DuoTemp

Revision date: 12.07.2012

Print date: 03.04.2013

Page 5 of 5

Limited quantity: 5 kg
EmS: F-A, S-F

Other applicable information (marine transport)

Special provisions: 274, 909, 944

Air transport**UN/ID number:** 3077**UN proper shipping name:** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S., zinc oxide**Transport hazard class(es):** 9**Packing group:** III

Hazard label: 9

Limited quantity Passenger: 30 kg G

IATA-packing instructions - Passenger: 911

IATA-max. quantity - Passenger: 400 kg

IATA-packing instructions - Cargo: 911

IATA-max. quantity - Cargo: 400 kg

Other applicable information (air transport)

E1

: Y911

400 kg

SECTION 15: Regulatory information**Safety, health and environmental regulations/legislation specific for the substance or mixture****National regulatory information****SECTION 16: Other information****Full text of R-phrases referred to under sections 2 and 3**

- 22 Harmful if swallowed.
41 Risk of serious damage to eyes.
50 Very toxic to aquatic organisms.
50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
52 Harmful to aquatic organisms.
53 May cause long-term adverse effects in the aquatic environment.

Full text of H-Statements referred to under sections 2 and 3

- H302 Harmful if swallowed.
H318 Causes serious eye damage.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)

according to Regulation (EC) No 1907/2006

DuoTemp

Revision date: 23.04.2015

Print date: 17.05.2016

Page 1 of 6

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

DuoTemp

1.2. Relevant identified uses of the substance or mixture and uses advised against**Use of the substance/mixture**

for dental use only

1.3. Details of the supplier of the safety data sheet

Company name:	Coltène/Whaledent AG
Street:	Feldwiesenstrasse 20
Place:	CH-9450 Altstätten
Telephone:	+41 (71) 75 75 300
Telefax:	+41 (71) 75 75 301
e-mail:	info.ch@coltene.com
Internet:	www.coltene.com
Responsible Department:	Regulatory Affairs msds@coltene.com

1.4. Emergency telephone number: +41 (0) 44 251 51 51 - Tox Info Suisse (24 h)

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Regulation (EC) No. 1272/2008**

Hazard categories:

Serious eye damage/eye irritation: Eye Dam. 1

Hazardous to the aquatic environment: Aquatic Acute 1

Hazardous to the aquatic environment: Aquatic Chronic 1

Hazard Statements:

Causes serious eye damage.

Very toxic to aquatic life with long lasting effects.

2.2. Label elements**Regulation (EC) No. 1272/2008****Hazard components for labelling**

zinc sulfate monohydrate

Signal word: Danger**Pictograms:****Hazard statements**

H318 Causes serious eye damage.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Special labelling of certain mixtures

EUH208 Contains Pfefferminzaroma. May produce an allergic reaction.

according to Regulation (EC) No 1907/2006

DuoTemp

Revision date: 23.04.2015

Print date: 17.05.2016

Page 2 of 6

Additional advice on labelling

Medical devices as defined in Directive 93/42/EEC and which are invasive or used in direct physical contact with the human body, are exempted from the provisions of Regulation (EC) No 1272/2008 (CLP/GHS) usually if they are in the finished state and intended for the final user.

SECTION 3: Composition/information on ingredients**3.2. Mixtures****Hazardous components**

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification according to Regulation (EC) No. 1272/2008 [CLP]			
1314-13-2	zinc oxide			30 - < 35 %
	215-222-5	030-013-00-7		
	Aquatic Acute 1, Aquatic Chronic 1; H400 H410			
72869-86-4	UDMA			15 - < 20 %
	276-957-5			
	Aquatic Chronic 3; H412			
7446-19-7	zinc sulfate monohydrate			10 - < 15 %
	231-793-3			
	Acute Tox. 4, Eye Dam. 1, Aquatic Chronic 1; H302 H318 H410			
	Pfefferminzaroma			< 1 %
	Skin Irrit. 2, Eye Irrit. 2, Skin Sens. 1, Aquatic Chronic 3; H315 H319 H317 H412			

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures**4.1. Description of first aid measures****After contact with skin**

After contact with skin, wash immediately with: Water and soap.

After contact with eyes

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

After ingestion

Seek medical attention if problems persist.

SECTION 5: Firefighting measures**5.1. Extinguishing media****Suitable extinguishing media**Water. Foam. Extinguishing powder. Carbon dioxide (CO₂). Sand.**Additional information**

Co-ordinate fire-fighting measures to the fire surroundings.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

Avoid contact with skin and eyes.

according to Regulation (EC) No 1907/2006

DuoTemp

Revision date: 23.04.2015

Print date: 17.05.2016

Page 3 of 6

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Wipe up with absorbent material (eg. cloth, fleece). Clear contaminated areas thoroughly.

SECTION 7: Handling and storage**7.1. Precautions for safe handling****Advice on safe handling**

Avoid contact with skin and eyes.

for professional use only Keep out of the reach of children.

Observe instructions for use.

Further information on handling

After use replace the closing cap immediately.

7.2. Conditions for safe storage, including any incompatibilities**Further information on storage conditions**

Recommended storage temperature: 15 - 23 °C

SECTION 8: Exposure controls/personal protection**8.1. Control parameters****8.2. Exposure controls****Protective and hygiene measures**

When using do not eat, drink or smoke.

Eye/face protection

Framed glasses.

Hand protection

Single-use gloves.

Skin protection

Lab apron.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical state:	Paste
Colour:	off-white
Odour:	fruity

Test method**Changes in the physical state**

Density (at 23 °C):	2.5 g/cm³
---------------------	-----------

Water solubility: (at 23 °C)	insoluble
---------------------------------	-----------

Solubility in other solvents

ketone. (partially soluble)

SECTION 10: Stability and reactivity**10.1. Reactivity**

No hazardous reaction when handled and stored according to provisions.

10.4. Conditions to avoid

Light.

according to Regulation (EC) No 1907/2006

DuoTemp

Revision date: 23.04.2015

Print date: 17.05.2016

Page 4 of 6

UV-radiation/sunlight.

SECTION 11: Toxicological information**11.1. Information on toxicological effects****Acute toxicity**

Based on available data, the classification criteria are not met.

CAS No	Chemical name			
	Exposure route	Dose	Species	Source
1314-13-2	zinc oxide			
	oral	LD50 > 5000 mg/kg	Rat	IUCLID
72869-86-4	UDMA			
	oral	LD50 >2000 mg/kg	Rat	OECD 401
7446-19-7	zinc sulfate monohydrate			
	oral	LD50 574-2949 mg/kg	Rat	
	dermal	LD50 >2000 mg/kg	Rat	

Irritation and corrosivity

Causes serious eye damage.

Sensitising effects

Based on available data, the classification criteria are not met.

Additional information on tests

No data available

SECTION 12: Ecological information**12.1. Toxicity**

CAS No	Chemical name				
	Aquatic toxicity	Dose	[h] [d]	Species	Source
72869-86-4	UDMA				
	Acute fish toxicity	LC50 10.1 mg/l	96 h	Brachydanio rerio (zebra-fish)	OECD 203
7446-19-7	zinc sulfate monohydrate				
	Acute crustacea toxicity	EC50 1.13 mg/l	48 h	Ceriodaphnia spec	US EPA 821-R-02-012

12.2. Persistence and degradability

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation			
72869-86-4	UDMA			
	OECD 301 F	22%	28	
	Product is not easily biodegradable.			

12.3. Bioaccumulative potential**Partition coefficient n-octanol/water**

CAS No	Chemical name	Log Pow
72869-86-4	UDMA	3.39

according to Regulation (EC) No 1907/2006

DuoTemp

Revision date: 23.04.2015

Print date: 17.05.2016

Page 5 of 6

Further information

No data available

SECTION 13: Disposal considerations**13.1. Waste treatment methods****Advice on disposal**

Can be burnt together with household waste in compliance with official regulations in contact with approved waste disposal companies and with authorities in charge.

SECTION 14: Transport information**Land transport (ADR/RID)**

14.1. UN number:	UN 3077
14.2. UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S., zinc oxide
14.3. Transport hazard class(es):	9
14.4. Packing group:	III
Hazard label:	9
Classification code:	M7
Limited quantity:	LQ27
Hazard No:	90

Other applicable information (land transport)

Special provisions: 274 335 601
E1
: 3
E

Marine transport (IMDG)

14.1. UN number:	UN 3077
14.2. UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S., zinc oxide
14.3. Transport hazard class(es):	9
14.4. Packing group:	III
Hazard label:	9
Marine pollutant:	•
Limited quantity:	5 kg
EmS:	F-A, S-F

Other applicable information (marine transport)

Special provisions: 274, 909, 944

Air transport (ICAO)

14.1. UN number:	UN 3077
14.2. UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S., zinc oxide
14.3. Transport hazard class(es):	9
14.4. Packing group:	III
Hazard label:	9
Limited quantity Passenger:	30 kg G
IATA-packing instructions - Passenger:	911
IATA-max. quantity - Passenger:	400 kg
IATA-packing instructions - Cargo:	911

according to Regulation (EC) No 1907/2006

DuoTemp

Revision date: 23.04.2015

Print date: 17.05.2016

Page 6 of 6

IATA-max. quantity - Cargo:

400 kg

Other applicable information (air transport)

E1

: Y911

400 kg

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****National regulatory information****Additional information**

SECTION 16: Other information**Relevant H and EUH statements (number and full text)**

H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
EUH208	Contains Pfefferminzaroma. May produce an allergic reaction.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)