This SDS packet was issued with item:

071441005

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

071440510 071441971

The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).

071439041 071439538 273019998



NAME OF PRODUCT: TRUSOFT™ Liquid

FILE NO.: SDS252 SDS DATE: 04/27/2015

SECTION 1: IDENTIFICATION

PRODUCT NAME:

TRUSOFT Liquid

PRODUCT CODES:

0921250, 0921253, 0921252, 0921255

IDENTIFIED USES:

Dentistry

USES ADVISED AGAINST: MANUFACTURER:

Non-dental use Harry J. Bosworth Company

ADDRESS:

7227 North Hamlin Avenue, Skokie, Illinois 60076-3999, USA

TELEPHONE: FAX:

847-679-3400 847-679-2080

EMAIL:

hjbinfo@bosworth.com

EMERGENCY PHONE:

800-535-5053 (US and Canada)

352-323-3500 (International)

SECTION 2: HAZARDS IDENTIFICATION

CLASSIFICATION:

Flammable liquids (Category 3)

Reproductive toxicity (Category 1B)

Acute aquatic toxicity (Category 1) Chronic aquatic toxicity (Category 1)

LABELING:

FDA regulated device - exempt from Regulation (US) 29 CFR 1910.1200.

PICTOGRAM:

SIGNAL WORD: Danger **HAZARD STATEMENTS:**

H226

Flammable liquid and vapor.

May damage fertility or the unborn child. H360

Very toxic to aquatic life with long lasting effects. H410

PRECAUTIONARY STATEMENTS:

P201 Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. P202

Keep away from heat/sparks/open flames/hot surfaces. - No smoking. P210

P234 Keep only in original container. P235+P410 Keep cool. Protect from sunlight.

P240 Ground/bond container and receiving equipment.

Use explosion-proof electrical/ ventilating/ lighting/ equipment. P241

Use only non-sparking tools. P242

P243 Take precautionary measures against static discharge. Avoid breathing dust/fume/gas/mist/vapors/spray. P261

Wash thoroughly after handling. P264

Do not eat, drink or smoke when using this product. P270

Avoid release to the environment. P273

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P301+P330+P331

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for P304+P340

breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if P305+P351+P338 present and easy to do. Continue rinsing.

IF exposed or concerned: Get medical advice/ attention. P308+P313

Specific treatment (see supplemental first aid instructions on this label). P321 If skin irritation occurs: Get medical advice/attention. P332+P313

P337+P313 If eye irritation persists: Get medical advice/attention.

In case of fire: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide P370+P378

for extinction.

Collect spillage. P391 Store in a dry place. P402

Store in a well-ventilated place. Keep container tightly closed. P403+P233 Dispose of contents/container to an approved waste disposal plant. P501

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS



NAME OF PRODUCT: TRUSOFT™ Liquid

FILE NO.: SDS252

SDS DATE: 04/27/2015

COMPONENT	CAS NO.	%WT	OSHA PEL - TWA	ACGIH TLV - TWA	CLASSIFICATION
Benzyl butyl	85-68-7	50-85	N/E	N/E	Repr. 1B; Aquatic Acute 1; Aquatic
phthalate					Chronic 1; H360, H410
Ethanol	64-17-5	15-25	1000 ppm	1000 ppm	Flam. Liq. 2; H225

For full text of H-statements mentioned in this section, see section 16.

SECTION 4: FIRST-AID MEASURES

INHALATION: Move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

Wash off with soap and plenty of water. Consult a physician. SKIN:

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. EYE:

INGESTION: Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water.

Consult a physician.

SECTION 5: FIRE-FIGHTING MEASURES

SUITABLE EXTINGUISHING MEDIA: Water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

HAZARDOUS DECOMPOSITION PRODUCTS: Oxides of carbon.

SPECIAL HAZARDS: Vapors are heavier than air and may travel to ignition source.

ADVICE FOR FIREFIGHTERS: Fight fires from safe distance or protected areas. Cool containers of material exposed to heat with cold water

spray. Wear self contained breathing apparatus for firefighting if necessary.

SECTION 6: ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS: Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation.

Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form

explosive concentrations. Vapors can accumulate in low areas.

ENVIRONMENTAL PRECAUTIONS: Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the

environment must be avoided.

CONTAINMENT AND CLEANUP: Soak up with inert absorbent material and collect with an electrically protected vacuum cleaner or by wet-

brushing. Place in suitable, closed container for disposal according to official regulations.

SECTION 7: HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING: Product is intended for dental use only. Handling of this product should be by trained dental healthcare

professionals only. Observe normal care for working with chemicals. Avoid contact with the eyes and skin. Avoid inhalation of vapor or mist. Keep away from sources of ignition - No smoking. Take measures to prevent the buildup of electrostatic charge. Keep away from foodstuffs, beverages and animal feed.

CONDITIONS FOR SAFE STORAGE:

Store only in the original package. Keep container tightly sealed in a dry and well-ventilated place. Protect from heat and direct sunlight. Store away from food and beverages.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROLS: Handle in accordance with good industrial hygiene and safety practice. Use with adequate general or local

> exhaust ventilation to maintain exposure levels below the occupational exposure limits. Local exhaust ventilation is preferred since it prevents contamination dispersion into the work area by controlling it at its source. Provide eyewash and safety shower if contact or splash hazard exists. Wash hands before breaks and

at the end of work. Safety glasses.

EYE/FACE PROTECTION:

SKIN PROTECTION: Glove material impermeable and resistant to the product.

BODY PROTECTION: Protective work clothing.

RESPIRATORY PROTECTION: NIOSH (US) or CEN (EU) approved respirators and components.

ENVIRONMENTAL EXPOSURE: Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the

environment must be avoided.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE/COLOR:

Clear, colorless liquid Wintergreen

ODOR: **BOILING POINT:**

525°F (274°C)

PREPARED BY: SS

PAGE 2 OF 4



NAME OF PRODUCT: TRU5OFT™ Liquid

FLASH POINT: 125°F (52°C)

UPPER FLAMMABILITY LIMIT:

19.0

LOWER FLAMMABILITY LIMIT: VAPOR PRESSURE:

3.3

VAPOR DENSITY (AIR=1.0):

44.6 mmHg 1.59

RELATIVE DENSITY (H2O=1.0):

1.06 g/cm3 Slightly soluble

SECTION 10: STABILITY AND REACTIVITY

CHEMICAL STABILITY: HAZARDOUS REACTIONS:

WATER SOLUBILITY:

Stable under recommended storage conditions.

CONDITIONS TO AVOID:

Vapors may form explosive reactions with air.

INCOMPATIBLE MATERIALS:

Heat, flames and sparks. Light. Extremes of temperature and direct sunlight. Alkali metals, ammonia, peroxides, strong bases and oxidizing agents.

HAZARDOUS DECOMPOSITION PRODUCTS: Oxides of carbon.

SECTION 11: TOXICOLOGICAL INFORMATION

POTENTIAL HEALTH EFFECTS:

EYES: May cause eye irritation with redness, tearing and stinging.

SKIN: May cause skin irritation with redness, swelling and itching. Repeated or prolonged contact may cause

FILE NO.: SDS252

SDS DATE: 04/27/2015

drying, defatting of the skin and dermatitis.

INGESTION: May cause mucous membrane and gastrointestinal irritation with nausea, vomiting and diarrhea. May cause nervous system depression with symptoms of headache, dizziness, nausea, vomiting, weakness,

fatigue, confusion, and unconsciousness.

INHALATION: May cause mucous membrane and respiratory irritation and central nervous system depression

with symptoms of headache, dizziness, drowsiness, nausea, vomiting, and unconsciousness. High vapor concentrations may cause burning sensation of the nose and throat and watering of the eyes.

CARCINOGENICITY:

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or possible carcinogen by OSHA.

ACGIH: Ethanol is identified as a confirmed animal carcinogen with unknown relevance to humans by ACGIH.

NTP: Ethanol is identified as a known human carcinogen by NTP.

IARC: Ethanol is identified as a human carcinogen by IARC. Benzyl butyl phthalate is identified as not

classifiable as to its carcinogenicity to humans by IARC.

Benzyl butyl phthalate is a presumed human reproductive toxicant. Overexposure may cause reproductive

disorders based on tests with laboratory animals.

SECTION 12: ECOLOGICAL INFORMATION

ADVERSE EFFECTS:

REPRODUCTIVE TOXICITY:

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Very toxic to

aquatic life with long lasting effects. Avoid release to the environment.

SECTION 13: DISPOSAL CONSIDERATIONS

PRODUCT:

Contact a licensed professional waste disposal service to dispose of this material. Burn in a chemical

incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Disposal must be made

according to official regulations.

CONTAMINATED PACKAGING:

Dispose of as unused product.

SECTION 14: TRANSPORT INFORMATION

UN NUMBER:

HN1170

PROPER SHIPPING NAME:

Ethanol Solution

HAZARD CLASS:

111

PACKING GROUP: LABEL STATEMENT:

Flammable Liquid

SECTION 15: REGULATORY INFORMATION

US FEDERAL REGULATIONS

PAGE 3 OF 4 PREPARED BY: 55



NAME OF PRODUCT: TRUSOFT™ Liquid

This product is an FDA regulated device and not subject to TSCA regulations.

This product is a medical device and not subject to chemical notification requirements.

FILE NO.: SDS252

SDS DATE: 04/27/2015

CERCLA: This product is an FDA regulated device and not subject to reporting requirements. There may be specific

reporting requirements at the local, regional, or state level.

SARA 313 TOXIC CHEMICALS: The following components are subject to reporting levels established by SARA Title III, Section 313 (40 CFR

372): None.

SARA 311/312 HAZARDS: This product is an FDA regulated device and not subject to reporting requirements.

US STATE REGULATIONS

TSCA:

CALIFORNIA PROPOSITION 65: This product may contain a chemical known to the State of California to cause cancer and/or reproductive

toxicity.

INTERNATIONAL REGULATIONS

CANADIAN ENVIRONMENTAL

PROTECTION ACT:
EUROPEAN INVENTORY OF EXISTING

CONCERN INVENTORY OF EXISTING

COMMERCIAL CHEMICAL SUBSTANCES

(EINECS): This product is a medical device and not subject to chemical notification requirements.

SECTION 16: OTHER INFORMATION

FULL TEXT OF H STATEMENTS REFERRED TO UNDER SECTION 3

Aquatic Acute Acute aquatic toxicity
Aquatic Chronic Chronic aquatic toxicity
Flam. Liq. Flammable liquids

H225 Highly flammable liquid and vapor.
H360 May damage fertility or the unborn child.
H410 Very toxic to aquatic life with long lasting effects.

Repr. Reproductive toxicity

NFPA RATING

Health Hazard 1
Fire Hazard 2
Reactivity Hazard 0

PREPARATION INFORMATION: This SDS was prepared in accordance with the requirements of the OSHA Hazard Communication Standard (29 CFR 1910.1200) and is to be used only for this product.

DISCLAIMER: To the best of our knowledge, the information contained herein is accurate. However, The Harry I. Bosworth Company does not assume any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown health hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

PREPARED BY: SS PAGE 4 OF 4