

## SAFETY DATA SHEETS

**This SDS packet was issued with item:**

075038674

**The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).**

075034202 075035001 075035019 075035027 075035035 075035506 075035514 075035522 075035530 075035548  
075035555 075036322 075036439 075038625 075038633 075038641 075038658 075038666 075038682 075038690  
075038732 075038740 075038757 079367442 079367444 079367446 079367450 079367452 079367458 079367461  
079367464 079367467 079367478 079367481 273007026 273009774 273015030 273016431 273016443 273020314  
273022590 273023185



## Material Safety Data Sheet

Copyright, 2013, 3M Company All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

### SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

**PRODUCT NAME:** 3M™ ESPE™ RelyX™ Unicem Aplicap/Maxicap Powder

**MANUFACTURER:** 3M

**DIVISION:** 3M ESPE Dental Products

**ADDRESS:** 3M Center, St. Paul, MN 55144-1000

**EMERGENCY PHONE: 1-800-364-3577 or (651) 737-6501 (24 hours)**

**Issue Date:** 01/15/13

**Supersedes Date:** 10/08/12

**Document Group:** 18-0262-8

#### Product Use:

Intended Use: Dental Product  
Limitations on Use: For use only by dental professionals.  
Specific Use: Dental universal luting material.

### SECTION 2: INGREDIENTS

| <u>Ingredient</u>      | <u>C.A.S. No.</u> | <u>% by Wt</u> |
|------------------------|-------------------|----------------|
| SILANIZED GLASS POWDER | 65997-17-3        | 85 - 95        |
| SILANE TREATED SILICA  | 122334-95-6       | 5 - 10         |
| SUBSTITUTED PYRIMIDINE | 72846-00-5        | 1 - 5          |
| CALCIUM HYDROXIDE      | 1305-62-0         | < 3            |
| SODIUM PERSULFATE      | 7775-27-1         | < 1            |
| TITANIUM DIOXIDE       | 13463-67-7        | < 0.5          |

### SECTION 3: HAZARDS IDENTIFICATION

#### 3.1 EMERGENCY OVERVIEW

**Specific Physical Form:** Powder

**Odor, Color, Grade:** Odorless powders of different colors.

**General Physical Form:** Solid

**Immediate health, physical, and environmental hazards:** May cause allergic skin reaction. May cause allergic respiratory reaction. Contains a chemical or chemicals which can cause cancer. This document has been prepared in accordance with the U.S.

OSHA Hazard Communication Standard, which requires the inclusion of all known hazards of the product or ingredients regardless of the potential risk. The risks of the hazards communicated in this document may vary depending on the potential for exposure.

## 3.2 POTENTIAL HEALTH EFFECTS

### Eye Contact:

Mechanical eye irritation: Signs/symptoms may include pain, redness, tearing and corneal abrasion.

### Skin Contact:

Mechanical Skin irritation: Signs/symptoms may include abrasion, redness, pain, and itching.

Allergic Skin Reaction (non-photo induced): Signs/symptoms may include redness, swelling, blistering, and itching.

### Inhalation:

Respiratory Tract Irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

Allergic Respiratory Reaction: Signs/symptoms may include difficulty breathing, wheezing, cough, and tightness of chest.

### Ingestion:

Gastrointestinal Irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea.

### Carcinogenicity:

Contains a chemical or chemicals which can cause cancer.

| <u><b>Ingredient</b></u> | <u><b>C.A.S. No.</b></u> | <u><b>Class Description</b></u> | <u><b>Regulation</b></u>                    |
|--------------------------|--------------------------|---------------------------------|---------------------------------------------|
| TITANIUM DIOXIDE         | 13463-67-7               | Grp. 2B: Possible human carc.   | International Agency for Research on Cancer |

## SECTION 4: FIRST AID MEASURES

### 4.1 FIRST AID PROCEDURES

The following first aid recommendations are based on an assumption that appropriate personal and industrial hygiene practices are followed.

**Eye Contact:** Flush eyes with large amounts of water. If signs/symptoms persist, get medical attention.

**Skin Contact:** Remove contaminated clothing and shoes. Immediately flush skin with large amounts of water. Get medical attention. Wash contaminated clothing and clean shoes before reuse.

**Inhalation:** Remove person to fresh air. If signs/symptoms develop, get medical attention.

**If Swallowed:** Do not induce vomiting unless instructed to do so by medical personnel. Give victim two glasses of water. Never give anything by mouth to an unconscious person. Get medical attention.

## SECTION 5: FIRE FIGHTING MEASURES

### 5.1 FLAMMABLE PROPERTIES

|                                 |                          |
|---------------------------------|--------------------------|
| <b>Autoignition temperature</b> | <i>Not Applicable</i>    |
| <b>Flash Point</b>              | <i>Not Applicable</i>    |
| <b>Flammable Limits(LEL)</b>    | <i>No Data Available</i> |
| <b>Flammable Limits(UEL)</b>    | <i>No Data Available</i> |

## 5.2 EXTINGUISHING MEDIA

Non-combustible. Choose material suitable for surrounding fire.

## 5.3 PROTECTION OF FIRE FIGHTERS

**Special Fire Fighting Procedures:** Wear full protective equipment (Bunker Gear) and a self-contained breathing apparatus (SCBA).

**Unusual Fire and Explosion Hazards:** Not applicable.

**Note:** See STABILITY AND REACTIVITY (SECTION 10) for hazardous combustion and thermal decomposition information.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

Evacuate unprotected and untrained personnel from hazard area. The spill should be cleaned up by qualified personnel. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapors, in accordance with good industrial hygiene practice. Warning! A motor could be an ignition source and could cause flammable gases or vapors in the spill area to burn or explode.

### 6.2. Environmental precautions

Place in a closed container approved for transportation by appropriate authorities. Dispose of collected material as soon as possible.

#### Clean-up methods

Observe precautions from other sections. Call 3M- HELPS line (1-800-364-3577) for more information on handling and managing the spill. Contain spill. Collect as much of the spilled material as possible. Use wet sweeping compound or water to avoid dusting. Sweep up. Clean up residue.

**In the event of a release of this material, the user should determine if the release qualifies as reportable according to local, state, and federal regulations.**

## SECTION 7: HANDLING AND STORAGE

### 7.1 HANDLING

Avoid eye contact. Do not eat, drink or smoke when using this product. Wash exposed areas thoroughly with soap and water. Avoid eye contact with dust or airborne particles. Avoid prolonged or repeated skin contact.

### 7.2 STORAGE

Not applicable.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 ENGINEERING CONTROLS

Use with appropriate local exhaust ventilation. Not applicable. Do not use in a confined area or areas with little or no air movement.

### 8.2 PERSONAL PROTECTIVE EQUIPMENT (PPE)

#### 8.2.1 Eye/Face Protection

Avoid eye contact.

The following eye protection(s) are recommended: Safety Glasses with side shields

### 8.2.2 Skin Protection

Avoid skin contact. Avoid prolonged or repeated skin contact. Select and use gloves and/or protective clothing to prevent skin contact based on the results of an exposure assessment. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible materials. Gloves not normally required.

### 8.2.3 Respiratory Protection

Under normal use conditions, airborne exposures are not expected to be significant enough to require respiratory protection.

### 8.2.4 Prevention of Swallowing

Do not eat, drink or smoke when using this product. Wash exposed areas thoroughly with soap and water. Not applicable. Do not ingest.

## 8.3 EXPOSURE GUIDELINES

| <u>Ingredient</u>      | <u>Authority</u>        | <u>Type</u>              | <u>Limit</u> | <u>Additional Information</u> |
|------------------------|-------------------------|--------------------------|--------------|-------------------------------|
| CALCIUM HYDROXIDE      | ACGIH                   | TWA                      | 5 mg/m3      |                               |
| CALCIUM HYDROXIDE      | OSHA                    | TWA, respirable fraction | 5 mg/m3      |                               |
| CALCIUM HYDROXIDE      | OSHA                    | TWA, as total dust       | 15 mg/m3     |                               |
| SILANIZED GLASS POWDER | Manufacturer determined | TWA, as dust             | 10 mg/m3     |                               |
| PERSULFATE COMPOUNDS   | ACGIH                   | TWA, as persulfate       | 0.1 mg/m3    |                               |
| TITANIUM DIOXIDE       | ACGIH                   | TWA                      | 10 mg/m3     |                               |
| TITANIUM DIOXIDE       | CMRG                    | TWA, as respirable dust  | 5 mg/m3      |                               |
| TITANIUM DIOXIDE       | OSHA                    | TWA, as total dust       | 15 mg/m3     |                               |

### SOURCE OF EXPOSURE LIMIT DATA:

ACGIH: American Conference of Governmental Industrial Hygienists

CMRG: Chemical Manufacturer Recommended Guideline

OSHA: Occupational Safety and Health Administration

AIHA: American Industrial Hygiene Association Workplace Environmental Exposure Level (WEEL)

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

|                                 |                                       |
|---------------------------------|---------------------------------------|
| <b>Specific Physical Form:</b>  | Powder                                |
| <b>Odor, Color, Grade:</b>      | Odorless powders of different colors. |
| <b>General Physical Form:</b>   | Solid                                 |
| <b>Autoignition temperature</b> | Not Applicable                        |
| <b>Flash Point</b>              | Not Applicable                        |
| <b>Flammable Limits(LEL)</b>    | No Data Available                     |
| <b>Flammable Limits(UEL)</b>    | No Data Available                     |
| <b>Boiling Point</b>            | Not Applicable                        |
| <b>Density</b>                  | > 1 g/ml                              |
| <b>Vapor Density</b>            | Not Applicable                        |
| <b>Vapor Pressure</b>           | Not Applicable                        |
| <b>Specific Gravity</b>         | No Data Available                     |
| <b>pH</b>                       | Not Applicable                        |

**Melting point**

*No Data Available*

**Solubility in Water**

*Negligible*

**Evaporation rate**

*Not Applicable*

**Kow - Oct/Water partition coef**

*No Data Available*

**Viscosity**

*Not Applicable*

## SECTION 10: STABILITY AND REACTIVITY

**Stability:** Stable.

**Materials and Conditions to Avoid:**

**10.1 Conditions to avoid**

None known

**10.2 Materials to avoid**

None known

**Hazardous Polymerization:** Hazardous polymerization will not occur.

## Hazardous Decomposition or By-Products

**Substance**

None known.

**Condition**

During Combustion

## SECTION 11: TOXICOLOGICAL INFORMATION

Please contact the address listed on the first page of the MSDS for Toxicological Information on this material and/or its components.

## SECTION 12: ECOLOGICAL INFORMATION

### ECOTOXICOLOGICAL INFORMATION

Not determined.

### CHEMICAL FATE INFORMATION

Not determined.

## SECTION 13: DISPOSAL CONSIDERATIONS

**Waste Disposal Method:** For quantities <100 lbs. (50kg): dispose of waste product in a sanitary landfill. For larger quantities: incinerate in an industrial or commercial facility in the presence of a combustible material.

**EPA Hazardous Waste Number (RCRA):** Not regulated

Since regulations vary, consult applicable regulations or authorities before disposal.

## SECTION 14: TRANSPORT INFORMATION

LE-FSF6-5681-1, LE-FSF6-5681-2, LE-FSFD-5682-2

For Transport Information, please visit <http://3M.com/Transportinfo> or call 1-800-364-3577 or 651-737-6501.

## SECTION 15: REGULATORY INFORMATION

### US FEDERAL REGULATIONS

Contact 3M for more information.

#### 311/312 Hazard Categories:

Fire Hazard - No   Pressure Hazard - No   Reactivity Hazard - No   Immediate Hazard - Yes   Delayed Hazard - Yes

### STATE REGULATIONS

Contact 3M for more information.

### CALIFORNIA PROPOSITION 65

| <u><b>Ingredient</b></u> | <u><b>C.A.S. No.</b></u> | <u><b>Classification</b></u> |
|--------------------------|--------------------------|------------------------------|
| TITANIUM DIOXIDE         | 13463-67-7               | **Carcinogen                 |

\*\* WARNING: contains a chemical which can cause cancer.

### CHEMICAL INVENTORIES

This material contains one or more substances not listed on the TSCA Inventory. Commercial use of this material is regulated by the FDA.

Contact 3M for more information.

### INTERNATIONAL REGULATIONS

Contact 3M for more information.

This MSDS has been prepared to meet the U.S. OSHA Hazard Communication Standard, 29 CFR 1910.1200.

## SECTION 16: OTHER INFORMATION

### NFPA Hazard Classification

Health: 2   Flammability: 0   Reactivity: 0   Special Hazards: None

National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.

#### Revision Changes:

Section 3: Potential effects from skin contact information was modified.

Section 3: Potential effects from inhalation information was modified.

Section 13: Waste disposal method information was modified.

Section 2: Ingredient table was modified.

Section 8: Exposure guidelines ingredient information was modified.

Section 3: Carcinogenicity table was modified.

Section 15: California proposition 65 ingredient information was modified.

Section 6: Personal precautions information was modified.

Section 6: Environmental procedures information was modified.

Section 6: Methods for cleaning up information was modified.

Copyright was modified.

DISCLAIMER: The information in this Material Safety Data Sheet (MSDS) is believed to be correct as of the date issued. 3M MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

3M provides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information, 3M makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the MSDS available directly from 3M

**3M USA MSDSs are available at [www.3M.com](http://www.3M.com)**



## Safety Data Sheet

Copyright, 2015, 3M Company.

All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

|                        |           |                         |          |
|------------------------|-----------|-------------------------|----------|
| <b>Document Group:</b> | 18-0262-8 | <b>Version Number:</b>  | 8.00     |
| <b>Issue Date:</b>     | 05/19/15  | <b>Supersedes Date:</b> | 01/15/13 |

### SECTION 1: Identification

#### 1.1. Product identifier

3M™ ESPE™ RelyX™ Unicem Aplicap/Maxicap Powder

#### Product Identification Numbers

LE-FSF6-5681-1, LE-FSF6-5681-2, LE-FSFD-5682-2

#### 1.2. Recommended use and restrictions on use

##### Recommended use

Dental Product, Universal luting material.

##### Restrictions on use

For use only by dental professionals.

#### 1.3. Supplier's details

|                      |                                         |
|----------------------|-----------------------------------------|
| <b>MANUFACTURER:</b> | 3M                                      |
| <b>DIVISION:</b>     | 3M ESPE Dental Products                 |
| <b>ADDRESS:</b>      | 3M Center, St. Paul, MN 55144-1000, USA |
| <b>Telephone:</b>    | 1-888-3M HELPS (1-888-364-3577)         |

#### 1.4. Emergency telephone number

1-800-364-3577 or (651) 737-6501 (24 hours)

### SECTION 2: Hazard identification

This document has been prepared in accordance with the U.S. OSHA Hazard Communication Standard, which requires the inclusion of all known hazards of the product or ingredients regardless of the potential risk. The risks of the hazards communicated in this document may vary depending on the potential for exposure.

#### 2.1. Hazard classification

Serious Eye Damage/Irritation: Category 2A.

Respiratory Sensitizer: Category 1.

Skin Sensitizer: Category 1.

Carcinogenicity: Category 2.

#### 2.2. Label elements

##### Signal word

Danger

**Symbols**

Health Hazard |

**Pictograms****Hazard Statements**

Causes serious eye irritation.

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

May cause an allergic skin reaction.

Suspected of causing cancer.

**Precautionary Statements****Prevention:**

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Avoid breathing dust/fume/gas/mist/vapors/spray.

In case of inadequate ventilation wear respiratory protection.

Wear eye/face protection.

Wear protective gloves.

Wash thoroughly after handling.

Contaminated work clothing must not be allowed out of the workplace.

**Response:**

IF INHALED: If breathing is difficult, remove person to fresh air and keep comfortable for breathing.

If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

If eye irritation persists: Get medical advice/attention.

IF ON SKIN: Wash with plenty of soap and water.

If skin irritation or rash occurs: Get medical advice/attention.

Wash contaminated clothing before reuse.

IF exposed or concerned: Get medical advice/attention.

**Disposal:**

Dispose of contents/container in accordance with applicable local/regional/national/international regulations.

**2.3. Hazards not otherwise classified**

None.

**SECTION 3: Composition/information on ingredients**

| Ingredient                          | C.A.S. No.  | % by Wt                |
|-------------------------------------|-------------|------------------------|
| OXIDE GLASS CHEMICALS (non-fibrous) | 65997-17-3  | 80 - 95 Trade Secret * |
| SODIUM PERSULFATE                   | 7775-27-1   | < 1 Trade Secret *     |
| Titanium Dioxide                    | 13463-67-7  | < 1 Trade Secret *     |
| SILANE TREATED SILICA               | 122334-95-6 | 5 - 10 Trade Secret *  |
| CALCIUM HYDROXIDE                   | 1305-62-0   | < 3 Trade Secret *     |
| SUBSTITUTED PYRIMIDINE              | 72846-00-5  | 1 - 5 Trade Secret *   |

\*The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### **Inhalation:**

Remove person to fresh air. If you feel unwell, get medical attention.

#### **Skin Contact:**

Immediately wash with soap and water. Remove contaminated clothing and wash before reuse. If signs/symptoms develop, get medical attention.

#### **Eye Contact:**

Immediately flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. Get medical attention.

#### **If Swallowed:**

Rinse mouth. If you feel unwell, get medical attention.

### 4.2. Most important symptoms and effects, both acute and delayed

See Section 11.1. Information on toxicological effects.

### 4.3. Indication of any immediate medical attention and special treatment required

Not applicable

## SECTION 5: Fire-fighting measures

### 5.1. Suitable extinguishing media

Material will not burn.

### 5.2. Special hazards arising from the substance or mixture

None inherent in this product.

#### **Hazardous Decomposition or By-Products**

##### Substance

None known.

##### Condition

During Combustion

### 5.3. Special protective actions for fire-fighters

No special protective actions for fire-fighters are anticipated.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapors, in accordance with good industrial hygiene practice. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue. Seal the container. Dispose of collected material as soon as possible.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Do not handle until all safety precautions have been read and understood. Avoid breathing dust/fume/gas/mist/vapors/spray. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Use personal protective equipment (gloves, respirators, etc.) as required. A no-touch technique is recommended. If skin contact occurs, wash skin with soap and water. If product contacts glove, remove and discard glove, wash hands immediately with soap and water and then re-glove.

### 7.2. Conditions for safe storage including any incompatibilities

No special storage requirements.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

| <b>Ingredient</b>                   | <b>C.A.S. No.</b> | <b>Agency</b>           | <b>Limit type</b>                                                                     | <b>Additional Comments</b>     |
|-------------------------------------|-------------------|-------------------------|---------------------------------------------------------------------------------------|--------------------------------|
| CALCIUM HYDROXIDE                   | 1305-62-0         | ACGIH                   | TWA:5 mg/m <sup>3</sup>                                                               |                                |
| CALCIUM HYDROXIDE                   | 1305-62-0         | OSHA                    | TWA(as total dust):15 mg/m <sup>3</sup> ;TWA(respirable fraction):5 mg/m <sup>3</sup> |                                |
| Titanium Dioxide                    | 13463-67-7        | OSHA                    | TWA(as total dust):15 mg/m <sup>3</sup>                                               |                                |
| Titanium Dioxide                    | 13463-67-7        | ACGIH                   | TWA:10 mg/m <sup>3</sup>                                                              | A4: Not class. as human carcin |
| Titanium Dioxide                    | 13463-67-7        | CMRG                    | TWA(as respirable dust):5 mg/m <sup>3</sup>                                           |                                |
| OXIDE GLASS CHEMICALS (non-fibrous) | 65997-17-3        | Manufacturer determined | TWA(as dust):10 mg/m <sup>3</sup>                                                     |                                |
| PERSULFATE COMPOUNDS                | 7775-27-1         | ACGIH                   | TWA(as persulfate):0.1 mg/m <sup>3</sup>                                              |                                |

ACGIH : American Conference of Governmental Industrial Hygienists

AIHA : American Industrial Hygiene Association

CMRG : Chemical Manufacturer's Recommended Guidelines

OSHA : United States Department of Labor - Occupational Safety and Health Administration

TWA: Time-Weighted-Average

STEL: Short Term Exposure Limit

CEIL: Ceiling

### 8.2. Exposure controls

#### 8.2.1. Engineering controls

Use in a well-ventilated area.

#### 8.2.2. Personal protective equipment (PPE)

##### Eye/face protection

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended:

Safety Glasses with side shields

**Skin/hand protection**

See Section 7.1 for additional information on skin protection.

**Respiratory protection**

None required.

## SECTION 9: Physical and chemical properties

**9.1. Information on basic physical and chemical properties**

|                                                |                                       |
|------------------------------------------------|---------------------------------------|
| <b>General Physical Form:</b>                  | Solid                                 |
| <b>Specific Physical Form:</b>                 | Powder                                |
| <b>Odor, Color, Grade:</b>                     | Odorless powders of different colors. |
| <b>Odor threshold</b>                          | <i>No Data Available</i>              |
| <b>pH</b>                                      | <i>Not Applicable</i>                 |
| <b>Melting point</b>                           | <i>No Data Available</i>              |
| <b>Boiling Point</b>                           | <i>Not Applicable</i>                 |
| <b>Flash Point</b>                             | No flash point                        |
| <b>Evaporation rate</b>                        | <i>Not Applicable</i>                 |
| <b>Flammability (solid, gas)</b>               | Not Classified                        |
| <b>Flammable Limits(LEL)</b>                   | <i>No Data Available</i>              |
| <b>Flammable Limits(UEL)</b>                   | <i>No Data Available</i>              |
| <b>Vapor Pressure</b>                          | <i>Not Applicable</i>                 |
| <b>Vapor Density</b>                           | <i>Not Applicable</i>                 |
| <b>Density</b>                                 | > 1 g/ml                              |
| <b>Specific Gravity</b>                        | <i>No Data Available</i>              |
| <b>Solubility in Water</b>                     | Negligible                            |
| <b>Solubility- non-water</b>                   | <i>No Data Available</i>              |
| <b>Partition coefficient: n-octanol/ water</b> | <i>No Data Available</i>              |
| <b>Autoignition temperature</b>                | <i>Not Applicable</i>                 |
| <b>Decomposition temperature</b>               | <i>No Data Available</i>              |
| <b>Viscosity</b>                               | <i>Not Applicable</i>                 |
| <b>Volatile Organic Compounds</b>              | <i>Not Applicable</i>                 |

## SECTION 10: Stability and reactivity

**10.1. Reactivity**

This material is considered to be non reactive under normal use conditions.

**10.2. Chemical stability**

Stable.

**10.3. Possibility of hazardous reactions**

Hazardous polymerization will not occur.

**10.4. Conditions to avoid**

None known.

**10.5. Incompatible materials**

None known.

**10.6. Hazardous decomposition products**

**Substance**

None known.

**Condition**

Refer to section 5.2 for hazardous decomposition products during combustion.

## SECTION 11: Toxicological information

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labeling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

This document has been prepared in accordance with the U.S. OSHA Hazard Communication Standard, which requires the inclusion of all known hazards of the product or ingredients regardless of the potential risk. The risks of the hazards communicated in this document may vary depending on the potential for exposure.

The information below represents toxicological information associated with the individual components of the uncured product. Once properly mixed and/or cured, the product is safe for its intended use.

### 11.1. Information on Toxicological effects

#### Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

#### **Inhalation:**

Respiratory Tract Irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

Allergic Respiratory Reaction: Signs/symptoms may include difficulty breathing, wheezing, cough, and tightness of chest.

#### **Skin Contact:**

Mild Skin Irritation: Signs/symptoms may include localized redness, swelling, itching, and dryness. Allergic Skin Reaction (non-photo induced): Signs/symptoms may include redness, swelling, blistering, and itching.

#### **Eye Contact:**

Severe Eye Irritation: Signs/symptoms may include significant redness, swelling, pain, tearing, cloudy appearance of the cornea, and impaired vision.

#### **Ingestion:**

May be harmful if swallowed.

Gastrointestinal Irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea.

#### **Additional Health Effects:**

#### **Carcinogenicity:**

Contains a chemical or chemicals which can cause cancer.

| <b><u>Ingredient</u></b> | <b><u>CAS No.</u></b> | <b><u>Class Description</u></b> | <b><u>Regulation</u></b>                    |
|--------------------------|-----------------------|---------------------------------|---------------------------------------------|
| Titanium Dioxide         | 13463-67-7            | Grp. 2B: Possible human carc.   | International Agency for Research on Cancer |

#### **Toxicological Data**

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

**Acute Toxicity**

| Name                                | Route                          | Species                | Value                                                 |
|-------------------------------------|--------------------------------|------------------------|-------------------------------------------------------|
| Overall product                     | Dermal                         |                        | No data available; calculated ATE > 5,000 mg/kg       |
| Overall product                     | Ingestion                      |                        | No data available; calculated ATE 2,000 - 5,000 mg/kg |
| OXIDE GLASS CHEMICALS (non-fibrous) | Dermal                         |                        | LD50 estimated to be > 5,000 mg/kg                    |
| OXIDE GLASS CHEMICALS (non-fibrous) | Ingestion                      |                        | LD50 estimated to be 2,000 - 5,000 mg/kg              |
| SILANE TREATED SILICA               | Dermal                         | Professional judgement | LD50 estimated to be 2,000 - 5,000 mg/kg              |
| SILANE TREATED SILICA               | Ingestion                      | similar compounds      | LD50 estimated to be 2,000 - 5,000 mg/kg              |
| CALCIUM HYDROXIDE                   | Dermal                         | Rabbit                 | LD50 > 2,500 mg/kg                                    |
| CALCIUM HYDROXIDE                   | Ingestion                      | Rat                    | LD50 7,340 mg/kg                                      |
| SUBSTITUTED PYRIMIDINE              | Dermal                         | Professional judgement | LD50 estimated to be 2,000 - 5,000 mg/kg              |
| SUBSTITUTED PYRIMIDINE              | Ingestion                      | Rat                    | LD50 > 2,000 mg/kg                                    |
| SODIUM PERSULFATE                   | Dermal                         | Rabbit                 | LD50 > 10,000 mg/kg                                   |
| SODIUM PERSULFATE                   | Inhalation-Dust/Mist (4 hours) | Rat                    | LC50 > 47.93 mg/l                                     |
| SODIUM PERSULFATE                   | Ingestion                      | Rat                    | LD50 895 mg/kg                                        |
| Titanium Dioxide                    | Dermal                         | Rabbit                 | LD50 > 10,000 mg/kg                                   |
| Titanium Dioxide                    | Inhalation-Dust/Mist (4 hours) | Rat                    | LC50 > 6.82 mg/l                                      |
| Titanium Dioxide                    | Ingestion                      | Rat                    | LD50 > 10,000 mg/kg                                   |

ATE = acute toxicity estimate

**Skin Corrosion/Irritation**

| Name                                | Species                | Value                     |
|-------------------------------------|------------------------|---------------------------|
| OXIDE GLASS CHEMICALS (non-fibrous) | Professional judgement | No significant irritation |
| CALCIUM HYDROXIDE                   | Human                  | Corrosive                 |
| Titanium Dioxide                    | Rabbit                 | No significant irritation |

**Serious Eye Damage/Irritation**

| Name                                | Species                | Value                     |
|-------------------------------------|------------------------|---------------------------|
| OXIDE GLASS CHEMICALS (non-fibrous) | Professional judgement | No significant irritation |
| CALCIUM HYDROXIDE                   | Rabbit                 | Corrosive                 |
| Titanium Dioxide                    | Rabbit                 | No significant irritation |

**Skin Sensitization**

| Name                   | Species          | Value           |
|------------------------|------------------|-----------------|
| SUBSTITUTED PYRIMIDINE | Mouse            | Not sensitizing |
| Titanium Dioxide       | Human and animal | Not sensitizing |

**Respiratory Sensitization**

For the component/components, either no data are currently available or the data are not sufficient for classification.

**Germ Cell Mutagenicity**

| Name | Route | Value |
|------|-------|-------|
|------|-------|-------|

|                        |          |               |
|------------------------|----------|---------------|
|                        |          |               |
| SUBSTITUTED PYRIMIDINE | In Vitro | Not mutagenic |
| Titanium Dioxide       | In Vitro | Not mutagenic |
| Titanium Dioxide       | In vivo  | Not mutagenic |

**Carcinogenicity**

| Name             | Route      | Species                 | Value            |
|------------------|------------|-------------------------|------------------|
| Titanium Dioxide | Ingestion  | Multiple animal species | Not carcinogenic |
| Titanium Dioxide | Inhalation | Rat                     | Carcinogenic     |

**Reproductive Toxicity****Reproductive and/or Developmental Effects**

For the component/components, either no data are currently available or the data are not sufficient for classification.

**Target Organ(s)****Specific Target Organ Toxicity - single exposure**

| Name                   | Route      | Target Organ(s)        | Value                                                                        | Species | Test Result       | Exposure Duration |
|------------------------|------------|------------------------|------------------------------------------------------------------------------|---------|-------------------|-------------------|
| CALCIUM HYDROXIDE      | Inhalation | respiratory irritation | Some positive data exist, but the data are not sufficient for classification | Human   | LOAEL 2.5 mg/m3   | 20 minutes        |
| SUBSTITUTED PYRIMIDINE | Ingestion  | nervous system         | Some positive data exist, but the data are not sufficient for classification | Rat     | NOAEL 2,000 mg/kg |                   |

**Specific Target Organ Toxicity - repeated exposure**

| Name             | Route      | Target Organ(s)    | Value                                                                        | Species | Test Result         | Exposure Duration     |
|------------------|------------|--------------------|------------------------------------------------------------------------------|---------|---------------------|-----------------------|
| Titanium Dioxide | Inhalation | respiratory system | Some positive data exist, but the data are not sufficient for classification | Rat     | LOAEL 0.010 mg/l    | 2 years               |
| Titanium Dioxide | Inhalation | pulmonary fibrosis | All data are negative                                                        | Human   | NOAEL Not available | occupational exposure |

**Aspiration Hazard**

For the component/components, either no data are currently available or the data are not sufficient for classification.

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

**SECTION 12: Ecological information****Ecotoxicological information**

Please contact the address or phone number listed on the first page of the SDS for additional ecotoxicological information on this material and/or its components.

**Chemical fate information**

Please contact the address or phone number listed on the first page of the SDS for additional chemical fate information on this material and/or its components.

**SECTION 13: Disposal considerations****13.1. Disposal methods**

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Dispose of completely cured (or polymerized) material in a permitted industrial waste facility. As a disposal alternative, incinerate uncured product in a permitted waste incineration facility.

**EPA Hazardous Waste Number (RCRA):** Not regulated

## SECTION 14: Transport Information

For Transport Information, please visit <http://3M.com/Transportinfo> or call 1-800-364-3577 or 651-737-6501.

## SECTION 15: Regulatory information

### 15.1. US Federal Regulations

Contact 3M for more information.

#### 311/312 Hazard Categories:

Fire Hazard - No   Pressure Hazard - No   Reactivity Hazard - No   Immediate Hazard - Yes   Delayed Hazard - Yes

### 15.2. State Regulations

Contact 3M for more information.

#### California Proposition 65

| <u><b>Ingredient</b></u> | <u><b>C.A.S. No.</b></u> | <u><b>Classification</b></u> |
|--------------------------|--------------------------|------------------------------|
| Titanium Dioxide         | 13463-67-7               | Carcinogen                   |

WARNING: This product contains a chemical known to the State of California to cause cancer.

### 15.3. Chemical Inventories

The components of this product are in compliance with the new substance notification requirements of CEPA.

This material contains one or more substances not listed on the TSCA Inventory. Commercial use of this material is regulated by the FDA.

Contact 3M for more information.

### 15.4. International Regulations

Contact 3M for more information.

This SDS has been prepared to meet the U.S. OSHA Hazard Communication Standard, 29 CFR 1910.1200.

## SECTION 16: Other information

### NFPA Hazard Classification

**Health:** 2 **Flammability:** 0 **Instability:** 0 **Special Hazards:** None

National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.

**Document Group:** 18-0262-8  
**Issue Date:** 05/19/15

**Version Number:** 8.00  
**Supersedes Date:** 01/15/13

DISCLAIMER: The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. 3M MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

3M provides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information, 3M makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the SDS available directly from 3M

**3M USA SDSs are available at [www.3M.com](http://www.3M.com)**



## Safety Data Sheet

Copyright, 2015, 3M Company.

All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

|                        |           |                         |          |
|------------------------|-----------|-------------------------|----------|
| <b>Document Group:</b> | 17-9608-5 | <b>Version Number:</b>  | 6.00     |
| <b>Issue Date:</b>     | 03/03/15  | <b>Supersedes Date:</b> | 02/20/13 |

### SECTION 1: Identification

#### 1.1. Product identifier

3M™ ESPE™ RELYX™ UNICEM™ APLICAP/MAXICAP LIQUID

#### Product Identification Numbers

LE-FSF6-5681-0, LE-FSFD-5682-1

#### 1.2. Recommended use and restrictions on use

##### Recommended use

Dental Product, For use by dental professionals.

#### 1.3. Supplier's details

|                      |                                         |
|----------------------|-----------------------------------------|
| <b>MANUFACTURER:</b> | 3M                                      |
| <b>DIVISION:</b>     | 3M ESPE Dental Products                 |
| <b>ADDRESS:</b>      | 3M Center, St. Paul, MN 55144-1000, USA |
| <b>Telephone:</b>    | 1-888-3M HELPS (1-888-364-3577)         |

#### 1.4. Emergency telephone number

1-800-364-3577 or (651) 737-6501 (24 hours)

### SECTION 2: Hazard identification

This document has been prepared in accordance with the U.S. OSHA Hazard Communication Standard, which requires the inclusion of all known hazards of the product or ingredients regardless of the potential risk. The risks of the hazards communicated in this document may vary depending on the potential for exposure.

#### 2.1. Hazard classification

Flammable Liquid: Category 4.

Serious Eye Damage/Irritation: Category 1.

Skin Sensitizer: Category 1.

#### 2.2. Label elements

##### Signal word

Danger

##### Symbols

Corrosion | Exclamation mark |

**Pictograms****Hazard Statements**

Combustible liquid.

Causes serious eye damage.

May cause an allergic skin reaction.

**Precautionary Statements****Prevention:**

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Avoid breathing dust/fume/gas/mist/vapors/spray.

Wear protective gloves and eye/face protection.

Contaminated work clothing must not be allowed out of the workplace.

**Response:**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF ON SKIN: Wash with plenty of soap and water.

Immediately call a POISON CENTER or doctor/physician.

If skin irritation or rash occurs: Get medical advice/attention.

Wash contaminated clothing before reuse.

In case of fire: Use a fire fighting agent suitable for flammable liquids such as dry chemical or carbon dioxide to extinguish.

**Storage:**

Store in a well-ventilated place. Keep cool.

**Disposal:**

Dispose of contents/container in accordance with applicable local/regional/national/international regulations.

**2.3. Hazards not otherwise classified**

None.

## SECTION 3: Composition/information on ingredients

| Ingredient                                                                     | C.A.S. No.   | % by Wt                |
|--------------------------------------------------------------------------------|--------------|------------------------|
| mixture of mono-, di- and tri-glycerin-dimethacrylate-ester of phosphoric acid | 1224866-76-5 | 40 - 50 Trade Secret * |
| TRIETHYLENE GLYCOL DIMETHACRYLATE                                              | 109-16-0     | 25 - 35 Trade Secret * |
| SUBSTITUTED DIMETHACRYLATE                                                     | 27689-12-9   | 20 - 30 Trade Secret * |
| COPPER ACETATE                                                                 | 6046-93-1    | < 0.2 Trade Secret *   |

\*The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

## SECTION 4: First aid measures

#### 4.1. Description of first aid measures

**Inhalation:**

Remove person to fresh air. If you feel unwell, get medical attention.

**Skin Contact:**

Immediately wash with soap and water. Remove contaminated clothing and wash before reuse. If signs/symptoms develop, get medical attention.

**Eye Contact:**

Immediately flush with large amounts of water for at least 15 minutes. Remove contact lenses if easy to do. Continue rinsing. Immediately get medical attention.

**If Swallowed:**

Rinse mouth. If you feel unwell, get medical attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

See Section 11.1. Information on toxicological effects.

#### 4.3. Indication of any immediate medical attention and special treatment required

Not applicable

### SECTION 5: Fire-fighting measures

#### 5.1. Suitable extinguishing media

In case of fire: Use a fire fighting agent suitable for flammable liquids such as dry chemical or carbon dioxide to extinguish.

#### 5.2. Special hazards arising from the substance or mixture

Closed containers exposed to heat from fire may build pressure and explode.

#### Hazardous Decomposition or By-Products

**Substance**

Carbon monoxide  
Carbon dioxide

**Condition**

During Combustion  
During Combustion

#### 5.3. Special protective actions for fire-fighters

Water may not effectively extinguish fire; however, it should be used to keep fire-exposed containers and surfaces cool and prevent explosive rupture.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Use only non-sparking tools. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapors, in accordance with good industrial hygiene practice. Warning! A motor could be an ignition source and could cause flammable gases or vapors in the spill area to burn or explode. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

#### 6.2. Environmental precautions

Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

Contain spill. Collect as much of the spilled material as possible using non-sparking tools. Seal the container. Dispose of collected material as soon as possible.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

A no-touch technique is recommended. If skin contact occurs, wash skin with soap and water. Acrylates may penetrate commonly-used gloves. If product contacts glove, remove and discard glove, wash hands immediately with soap and water and then re-glove. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Avoid breathing dust/fume/gas/mist/vapors/spray. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wash contaminated clothing before reuse. Avoid contact with oxidizing agents (eg. chlorine, chromic acid etc.)

### 7.2. Conditions for safe storage including any incompatibilities

Store in a well-ventilated place. Keep cool. Store away from heat. Store away from acids. Store away from oxidizing agents.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

| Ingredient       | C.A.S. No. | Agency | Limit type                                                                          | Additional Comments |
|------------------|------------|--------|-------------------------------------------------------------------------------------|---------------------|
| COPPER COMPOUNDS | 6046-93-1  | ACGIH  | TWA(as Cu dust or mist):1 mg/m <sup>3</sup> ;TWA(as Cu, fume):0.2 mg/m <sup>3</sup> |                     |

ACGIH : American Conference of Governmental Industrial Hygienists

AIHA : American Industrial Hygiene Association

CMRG : Chemical Manufacturer's Recommended Guidelines

OSHA : United States Department of Labor - Occupational Safety and Health Administration

TWA: Time-Weighted-Average

STEL: Short Term Exposure Limit

CEIL: Ceiling

### 8.2. Exposure controls

#### 8.2.1. Engineering controls

Use in a well-ventilated area.

#### 8.2.2. Personal protective equipment (PPE)

##### Eye/face protection

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended:

Safety Glasses with side shields

##### Skin/hand protection

See Section 7.1 for additional information on skin protection.

##### Respiratory protection

None required.

## SECTION 9: Physical and chemical properties

**9.1. Information on basic physical and chemical properties**

|                                                |                                           |
|------------------------------------------------|-------------------------------------------|
| <b>General Physical Form:</b>                  | Liquid                                    |
| <b>Specific Physical Form:</b>                 | Liquid                                    |
| <b>Odor, Color, Grade:</b>                     | Clear yellow liquid with acrylate odor.   |
| <b>Odor threshold</b>                          | <i>No Data Available</i>                  |
| <b>pH</b>                                      | 2.3                                       |
| <b>Melting point</b>                           | <i>No Data Available</i>                  |
| <b>Boiling Point</b>                           | > 200 °F                                  |
| <b>Flash Point</b>                             | 64 °C [Test Method: Tagliabue Closed Cup] |
| <b>Evaporation rate</b>                        | <i>No Data Available</i>                  |
| <b>Flammability (solid, gas)</b>               | Not Applicable                            |
| <b>Flammable Limits(LEL)</b>                   | <i>No Data Available</i>                  |
| <b>Flammable Limits(UEL)</b>                   | <i>No Data Available</i>                  |
| <b>Vapor Pressure</b>                          | <i>No Data Available</i>                  |
| <b>Vapor Density</b>                           | <i>No Data Available</i>                  |
| <b>Density</b>                                 | 1.14 g/ml                                 |
| <b>Specific Gravity</b>                        | 1.14 [Ref Std: WATER=1]                   |
| <b>Solubility In Water</b>                     | < 63 g/l                                  |
| <b>Solubility- non-water</b>                   | <i>No Data Available</i>                  |
| <b>Partition coefficient: n-octanol/ water</b> | <i>No Data Available</i>                  |
| <b>Autoignition temperature</b>                | <i>No Data Available</i>                  |
| <b>Decomposition temperature</b>               | <i>No Data Available</i>                  |
| <b>Viscosity</b>                               | <i>No Data Available</i>                  |
| <b>Percent volatile</b>                        | <i>No Data Available</i>                  |

**SECTION 10: Stability and reactivity****10.1. Reactivity**

This material is considered to be non reactive under normal use conditions.

**10.2. Chemical stability**

Stable.

**10.3. Possibility of hazardous reactions**

Hazardous polymerization will not occur.

**10.4. Conditions to avoid**

Heat

**10.5. Incompatible materials**

None known.

**10.6. Hazardous decomposition products****Substance****Condition**

None known.

Refer to section 5.2 for hazardous decomposition products during combustion.

**SECTION 11: Toxicological information**

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be

reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labeling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

This document has been prepared in accordance with the U.S. OSHA Hazard Communication Standard, which requires the inclusion of all known hazards of the product or ingredients regardless of the potential risk. The risks of the hazards communicated in this document may vary depending on the potential for exposure.

The information below represents toxicological information associated with the individual components of the uncured product. Once properly mixed and/or cured, the product is safe for its intended use.

### 11.1. Information on Toxicological effects

#### Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

#### Inhalation:

Respiratory Tract Irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

#### Skin Contact:

Mild Skin Irritation: Signs/symptoms may include localized redness, swelling, itching, and dryness. Allergic Skin Reaction (non-photo induced): Signs/symptoms may include redness, swelling, blistering, and itching.

#### Eye Contact:

Corrosive (Eye Burns): Signs/symptoms may include cloudy appearance of the cornea, chemical burns, severe pain, tearing, ulcerations, significantly impaired vision or complete loss of vision.

#### Ingestion:

Gastrointestinal Irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea.

#### Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

#### Acute Toxicity

| Name                                                                           | Route     | Species                | Value                                           |
|--------------------------------------------------------------------------------|-----------|------------------------|-------------------------------------------------|
| Overall product                                                                | Ingestion |                        | No data available; calculated ATE > 5,000 mg/kg |
| mixture of mono-, di- and tri-glycerin-dimethacrylate-ester of phosphoric acid | Ingestion | Rat                    | LD50 > 2,000 mg/kg                              |
| TRIETHYLENE GLYCOL DIMETHACRYLATE                                              | Dermal    | Professional judgement | LD50 estimated to be > 5,000 mg/kg              |
| TRIETHYLENE GLYCOL DIMETHACRYLATE                                              | Ingestion | Rat                    | LD50 10,837 mg/kg                               |
| SUBSTITUTED DIMETHACRYLATE                                                     | Dermal    | Professional judgement | LD50 not applicable                             |
| SUBSTITUTED DIMETHACRYLATE                                                     | Ingestion | Rat                    | LD50 > 17,600 mg/kg                             |

ATE = acute toxicity estimate

#### Skin Corrosion/Irritation

| Name                                                                           | Species    | Value                     |
|--------------------------------------------------------------------------------|------------|---------------------------|
| mixture of mono-, di- and tri-glycerin-dimethacrylate-ester of phosphoric acid | Rabbit     | Minimal irritation        |
| TRIETHYLENE GLYCOL DIMETHACRYLATE                                              | Guinea pig | Mild irritant             |
| SUBSTITUTED DIMETHACRYLATE                                                     | Rabbit     | No significant irritation |

**Serious Eye Damage/Irritation**

| Name                                                                           | Species                | Value             |
|--------------------------------------------------------------------------------|------------------------|-------------------|
| mixture of mono-, di- and tri-glycerin-dimethacrylate-ester of phosphoric acid | Rabbit                 | Corrosive         |
| TRIETHYLENE GLYCOL DIMETHACRYLATE                                              | Professional judgement | Moderate irritant |
| SUBSTITUTED DIMETHACRYLATE                                                     | Rabbit                 | Mild irritant     |

**Skin Sensitization**

| Name                                                                           | Species          | Value           |
|--------------------------------------------------------------------------------|------------------|-----------------|
| mixture of mono-, di- and tri-glycerin-dimethacrylate-ester of phosphoric acid | Guinea pig       | Not sensitizing |
| TRIETHYLENE GLYCOL DIMETHACRYLATE                                              | Human and animal | Sensitizing     |
| SUBSTITUTED DIMETHACRYLATE                                                     | Guinea pig       | Not sensitizing |

**Respiratory Sensitization**

For the component/components, either no data are currently available or the data are not sufficient for classification.

**Germ Cell Mutagenicity**

| Name                                                                           | Route    | Value                                                                        |
|--------------------------------------------------------------------------------|----------|------------------------------------------------------------------------------|
| mixture of mono-, di- and tri-glycerin-dimethacrylate-ester of phosphoric acid | In Vitro | Not mutagenic                                                                |
| TRIETHYLENE GLYCOL DIMETHACRYLATE                                              | In Vitro | Some positive data exist, but the data are not sufficient for classification |
| SUBSTITUTED DIMETHACRYLATE                                                     | In Vitro | Not mutagenic                                                                |

**Carcinogenicity**

| Name                              | Route  | Species | Value            |
|-----------------------------------|--------|---------|------------------|
| TRIETHYLENE GLYCOL DIMETHACRYLATE | Dermal | Mouse   | Not carcinogenic |

**Reproductive Toxicity****Reproductive and/or Developmental Effects**

| Name                              | Route     | Value                            | Species | Test Result       | Exposure Duration |
|-----------------------------------|-----------|----------------------------------|---------|-------------------|-------------------|
| TRIETHYLENE GLYCOL DIMETHACRYLATE | Ingestion | Not toxic to female reproduction | Mouse   | NOAEL 1 mg/kg/day | 1 generation      |
| TRIETHYLENE GLYCOL DIMETHACRYLATE | Ingestion | Not toxic to male reproduction   | Mouse   | NOAEL 1 mg/kg/day | 1 generation      |
| TRIETHYLENE GLYCOL DIMETHACRYLATE | Ingestion | Not toxic to development         | Mouse   | NOAEL 1 mg/kg/day | 1 generation      |

**Target Organ(s)****Specific Target Organ Toxicity - single exposure**

For the component/components, either no data are currently available or the data are not sufficient for classification.

**Specific Target Organ Toxicity - repeated exposure**

| Name                              | Route  | Target Organ(s)       | Value                                                                        | Species | Test Result         | Exposure Duration |
|-----------------------------------|--------|-----------------------|------------------------------------------------------------------------------|---------|---------------------|-------------------|
| TRIETHYLENE GLYCOL DIMETHACRYLATE | Dermal | kidney and/or bladder | Some positive data exist, but the data are not sufficient for classification | Mouse   | NOAEL 833 mg/kg/day | 78 weeks          |
| TRIETHYLENE GLYCOL DIMETHACRYLATE | Dermal | blood                 | All data are negative                                                        | Mouse   | NOAEL 833 mg/kg/day | 78 weeks          |

**Aspiration Hazard**

For the component/components, either no data are currently available or the data are not sufficient for classification.

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

**SECTION 12: Ecological information****Ecotoxicological information**

Please contact the address or phone number listed on the first page of the SDS for additional ecotoxicological information on this material and/or its components.

**Chemical fate information**

Please contact the address or phone number listed on the first page of the SDS for additional chemical fate information on this material and/or its components.

**SECTION 13: Disposal considerations****13.1. Disposal methods**

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Dispose of completely cured (or polymerized) material in a permitted industrial waste facility. As a disposal alternative, incinerate uncured product in a permitted waste incineration facility.

**EPA Hazardous Waste Number (RCRA):** Not regulated

**SECTION 14: Transport Information**

For Transport Information, please visit <http://3M.com/Transportinfo> or call 1-800-364-3577 or 651-737-6501.

**SECTION 15: Regulatory information****15.1. US Federal Regulations**

Contact 3M for more information.

**311/312 Hazard Categories:**

Fire Hazard - No    Pressure Hazard - No    Reactivity Hazard - No    Immediate Hazard - Yes    Delayed Hazard - No

**15.2. State Regulations**

Contact 3M for more information.

**California Proposition 65****Ingredient**

Toluene  
Toluene

**C.A.S. No.**

108-88-3  
108-88-3

**Classification**

Female reproductive toxin  
Developmental Toxin

**WARNING:** This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.

### 15.3. Chemical Inventories

This material contains one or more substances not listed on the TSCA Inventory. Commercial use of this material is regulated by the FDA.

Contact 3M for more information.

### 15.4. International Regulations

Contact 3M for more information.

**This SDS has been prepared to meet the U.S. OSHA Hazard Communication Standard, 29 CFR 1910.1200.**

## SECTION 16: Other information

### NFPA Hazard Classification

**Health:** 3 **Flammability:** 2 **Instability:** 0 **Special Hazards:** None

National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.

**Document Group:** 17-9608-5  
**Issue Date:** 03/03/15

**Version Number:** 6.00  
**Supersedes Date:** 02/20/13

**DISCLAIMER:** The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. 3M MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

3M provides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information, 3M makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the SDS available directly from 3M

**3M USA SDSs are available at [www.3M.com](http://www.3M.com)**