SAFETY DATA SHEETS

This SDS packet was issued with item:

077181605

The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).

071039908 077181613 077181621 077181639 077181662 077181704 273024645

Material Safety Data Sheet

May be used to comply with OSHA's Hazard Communication Standard.

Identity	Lab-Putty Activator				_
etion I		· · · · · · · · · · · · · · · · · · ·	<u> </u>	·—·	
Manufacturer's Name	Coltène/Whaledent Inc.	Emergency Tel. N	to. 201-5	512-8000	
Address	750 Corporate Drive	Tel. No. for Inform		12-8000	
	Mahwah, NJ 07430	Date Prepared	1993-		
· ·		Signature of Prep	arer		
Section II - Hazard	ous Ingredients / Identity Info	rmation			
Hazardous Componen	ts OS	SHA PEL A	CGIH TLV	Other Limits	%
(Specific Chemical Ide	ntity; Common Name(s))			Recommended	(optio
Dialkyttin dicarboxylate	s0.1mg(Sn)/m3 (skin) _0.1mg	g(Sn)/m3_(skin)_	·	8
Alkyl silicales		··			2
					_
		· ·			-
	· - - · · · · · · · · · · · · · · · · · ·				—
-		··			
Section III - Physic	al/Chemical Characteristics			<u> </u>	
Boiling Point	> 150 °C	Specific Gravity		1.0	
Vapor Pressure at	°C n.a. (mm H	g) Melting Point		n.a. °C	
Vapor Density (AIR = 1) >1	Evaporation Rate		n.a. (Butyl ac	elate = 1
Solubility in Water	попе				
Appearance and Odor	blue Jelly paste				
Section IV - Fire an	d Explosion Hazard Data				
Flash Point	> 150 °C	Flammable Limits	at °C LE	L n.a.% UEL	n.a. %
Extinguishing Media	water fog, spray, hal	ones, CO2, dry extingui	shing media, sar	<u>nd</u>	
Special Fire Fighting Pr	rocedures none				
Unusual Fire and Explo	osion Hazards none	<u> </u>		·	
Section V - Reactive	vity Data				
Stability	Unstable	Conditions to Avoid			
	Stable X	none			
Incompatibility (Materi	als to Avoid)	none	·	- ·	
Hazardous Decomposi	tion or Byproducts	попе			_
Hazardous Polymeriza	tion May Occur	Conditions to Avoid			
_	Will Not Occur X	none	· · · · · · · · · · · · · · · · · · ·	_	

outes of Entry	Inhalation	n Skin	Ingestion			
	X	X				
ealth Hazards (Acute and Chronic)		Interaction of unset mixed polysiloxane impression materials with the mucous membrane after temporary contact has not been reported				
arcinogenicity	NTP	IARC Monographs	OSHA Regulated			
none						
gns and Symptoms of Exp	osure	none				
edical Conditions	 ·····	n,n,				
enerally Aggravated by Ex	posure		·			
nergency and First Aid Pro	ocedures	n.a.				
ection VII - Precaution	s for Safe	Hendling and Use				
eps to Be Taken	 -	Remove set material.				
Case Material Is Released	or Spilled	Silicone rubber preparations do not cause	disturbances in sewage plants.			
aste Disposal Method According to local prescriptions.						
ecautions to Be Taken Handling and Storing		Store in a cold, dry place, water will deco Pure, unmixed catalyst may be irritant to t				
ther Precautions		Follow mixing instructions. Wear gloves and avoid direct contact with pure unmixe catalyst. The product should only be supplied to dentists or dental technicians or upon their instructions.				
ection VIII - Control N	leasures					
espiratory Protection (Spe	cify Type)	not required	· · · · · · · · · · · · · · · · · · ·			
entilation Local Exh	aust	Special	-			
Mechanic	al (General)	Other	•			
rotective Gloves X		Eye Protection -				
ther Protective Clothing of	r Equipmen	t -				
fork / Hygienic Practices		Wash hands before breaks and after the	end of a day's work.			
ection IX - Informatio	n					
eplace MSDS dated 1993-	.07.06		- -			

Coltène/Whaledent AG

Safety Data Sheet



according to Regulation (EC) No 1907/2006

Lab Putty Activator

Revision date: 18.06.2015 Print date: 25.06.2015 Page 1 of 5

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Lab Putty Activator

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Activator.

1.3. Details of the supplier of the safety data sheet

Company name: Coltène/Whaledent AG Street: Feldwiesenstrasse 20 Place: CH-9450 Altstätten Telephone: +41 (71) 75 75 300 Telefax: +41 (71) 75 75 301 e-mail: info.ch@coltene.com www.coltene.com Internet: Responsible Department: Regulatory Affairs msds@coltene.com

Further Information

Only supplied to dentists and dental laboratories or upon their instructions

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Directive 67/548/EEC or 1999/45/EC

Indications of danger: Xn - Harmful

R phrases:

Harmful: danger of serious damage to health by prolonged exposure if swallowed.

May cause long-term adverse effects in the aquatic environment.

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazard categories:

Skin corrosion/irritation: Skin Irrit. 2

Serious eye damage/eye irritation: Eye Irrit. 2

Specific target organ toxicity - repeated exposure: STOT RE 2 Hazardous to the aquatic environment: Aquatic Chronic 4

Hazard Statements: Causes skin irritation. Causes serious eye irritation.

May cause damage to organs through prolonged or repeated exposure.

May cause long lasting harmful effects to aquatic life.

2.2. Label elements

Hazardous components which must be listed on the label

Alkyl silicates

Signal word: Warning
Pictograms: GHS07-GHS08







Page 2 of 5

according to Regulation (EC) No 1907/2006

Lab Putty Activator Print date: 25.06.2015

Hazard statements

Revision date: 18.06.2015

H315 Causes skin irritation. H319 Causes serious eye irritation.

H373 May cause damage to organs through prolonged or repeated exposure.

H413 May cause long lasting harmful effects to aquatic life.

Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P332+P313 If skin irritation occurs: Get medical advice/attention.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.
P314 Get medical advice/attention if you feel unwell.

P273 Avoid release to the environment.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

EC No	Chemical name	Quantity		
CAS No	Classification according to Directive 67/548/EEC			
Index No	Classification according to Regulation (EC) No. 1272/2008 [CLP]			
REACH No				
	Alkyl silicates	15 - < 20 %		
	Xn - Harmful, Xi - Irritant R10-20-36/37/38-48/22-53			
	Flam. Liq. 3, Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2, STOT SE 3, STOT RE 2, Aquatic Chronic 4; H226 H332 H315 H319 H335 H373 H413			
246-325-3	Dioctyltin dicarboxylate	5 - < 10 %		
24577-34-2	Xn - Harmful R48/22-53			
	STOT RE 2, Aquatic Chronic 4; H373 H413			

Full text of R-, H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

After contact with skin

After contact with skin, wash immediately with: Water and soap.

After contact with eyes

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

After ingestion

Seek medical attention if problems persist.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Water. Foam. Extinguishing powder. Carbon dioxide (CO2). Sand.

Additional information

Co-ordinate fire-fighting measures to the fire surroundings.



according to Regulation (EC) No 1907/2006

Lab Putty Activator

Revision date: 18.06.2015 Print date: 25.06.2015 Page 3 of 5

SECTION 6: Accidental release measures

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Wipe up with absorbent material (eg. cloth, fleece). Clear contaminated areas thoroughly.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid contact with skin and eyes. Observe instructions for use.

Further information on handling

After use replace the closing cap immediately.

7.2. Conditions for safe storage, including any incompatibilities

Further information on storage conditions

Keep the packing dry and well sealed to prevent contamination and absorbtion of humidity.

Recommended storage temperature: 15 - 23 °C

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.2. Exposure controls

Protective and hygiene measures

When using do not eat, drink or smoke.

Eye/face protection

Framed glasses.

Hand protection

Single-use gloves.

Skin protection

Lab apron.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Paste Colour: blue

Odour: characteristic

Test method

Changes in the physical state

Initial boiling point and boiling range: >150 °C

Density (at 23 °C): 1.0 g/cm³

Water solubility: insoluble

(at 23 °C)

Solubility in other solvents

ketone.

SECTION 10: Stability and reactivity



according to Regulation (EC) No 1907/2006

Lab Putty Activator

Revision date: 18.06.2015 Print date: 25.06.2015 Page 4 of 5

10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

10.4. Conditions to avoid

Air, humid.

Further information

Keep the packing dry and well sealed to prevent contamination and absorbtion of humidity.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

LD50: >2000 mg/kg (Rat)

The statement is derived from products of similar composition.

CAS No	Chemical name					
	Exposure routes	Method	Dose	Species	Source	
	Alkyl silicates					
	inhalative vapour	ATE	11 mg/l			
	inhalative aerosol	ATE	1.5 mg/l			
24577-34-2	Dioctyltin dicarboxylate					
	oral	LD50	2764 mg/kg	Rat		
	dermal	LD50	2764 mg/kg	Rabbit		

Irritation and corrosivity

Causes serious eye irritation.

Irritant effect on the skin: (Rabbit)

Not an irritant.

The statement is derived from products of similar composition.

Sensitising effects

Guinea-pig.

no danger of sensitization.

The statement is derived from products of similar composition.

Severe effects after repeated or prolonged exposure

May cause damage to organs through prolonged or repeated exposure.

SECTION 12: Ecological information

12.1. Toxicity

CAS No	Chemical name						
	Aquatic toxicity	Method	Dose	[h] [d]	Species	Source	
24577-34-2	Dioctyltin dicarboxylate						
	Acute fish toxicity	LC50	22.8 mg/l	96 h			
	Acute crustacea toxicity	EC50	12.2 mg/l	48 h	Daphnia magna		

Further information

May cause long-term adverse effects in the aquatic environment.

Do not allow uncontrolled leakage of product into the environment.

SECTION 13: Disposal considerations

Coltène/Whaledent AG

Safety Data Sheet



according to Regulation (EC) No 1907/2006

Lab Putty Activator

Revision date: 18.06.2015 Print date: 25.06.2015 Page 5 of 5

13.1. Waste treatment methods

Advice on disposal

Can be burnt together with household waste in compliance with official regulations in contact with approved waste disposal companies and with authorities in charge.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number: ------

Marine transport (IMDG)

14.1. UN number: ------

Air transport (ICAO)

14.1. UN number: ------

Other applicable information

Not a hazardous material with respect to these transportation regulations.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulatory information

Additional information

SECTION 16: Other information

Relevant R-phrases (Number and full text)

10 Flammable.

20 Harmful by inhalation.

36/37/38 Irritating to eyes, respiratory system and skin.

48/22 Harmful: danger of serious damage to health by prolonged exposure if swallowed.

53 May cause long-term adverse effects in the aquatic environment.

Relevant H- and EUH-phrases (Number and full text)

H226 Flammable liquid and vapour.
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H332 Harmful if inhaled.

nasz naminium iminaleu.

H335 May cause respiratory irritation.

H373 May cause damage to organs through prolonged or repeated exposure.

H413 May cause long lasting harmful effects to aquatic life.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)



according to Regulation (EC) No 1907/2006

Lab Putty Base

Revision date: 20.04.2015 Print date: 30.04.2015 Page 1 of 3

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Lab Putty Base

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

for dental use only

1.3. Details of the supplier of the safety data sheet

Coltène/Whaledent AG Company name: Street: Feldwiesenstrasse 20 Place: CH-9450 Altstätten Telephone: +41 (71) 75 75 300 Telefax: +41 (71) 75 75 301 e-mail: info.ch@coltene.com www.coltene.com Internet: Responsible Department: Regulatory Affairs msds@coltene.com

Further Information

Only supplied to dentists and dental laboratories or upon their instructions

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

This mixture is classified as not hazardous according to Regulation (EC) 1272/2008 [GHS].

The preparation is not dangerous in the sense of Directive 1999/45/EC.

Preparation/mixture without hazards for human health or environment

2.2. Label elements

Hazardous components which must be listed on the label

According to EC directive 1999/45/EC or annex VI of directive 67/548/EEC the preparation does not have to be labelled.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Polymer preparations and compounds

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

No special measures are necessary.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Water. Foam. Extinguishing powder. Carbon dioxide (CO2). Sand.



according to Regulation (EC) No 1907/2006

Lab Putty Base

Revision date: 20.04.2015 Print date: 30.04.2015 Page 2 of 3

Additional information

Co-ordinate fire-fighting measures to the fire surroundings.

SECTION 6: Accidental release measures

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Wipe up with absorbent material (eg. cloth, fleece). Clear contaminated areas thoroughly.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

No special precautionary measures are necessary.

Observe instructions for use.

7.2. Conditions for safe storage, including any incompatibilities

Further information on storage conditions

Keep the packing dry and well sealed to prevent contamination and absorbtion of humidity.

Recommended storage temperature: 15 - 23 °C

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.2. Exposure controls

Protective and hygiene measures

When using do not eat, drink or smoke.

Hand protection

Single-use gloves.

Unsuitable material: NR (Natural rubber (Caoutchouc), Natural latex).

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Paste

Colour:

Test method

Changes in the physical state

Initial boiling point and boiling range: >150 °C
Water solubility: insoluble

(at 23 °C)

Solubility in other solvents

ketone.

SECTION 10: Stability and reactivity

Further information

No special measures are necessary.

SECTION 11: Toxicological information

11.1. Information on toxicological effects



according to Regulation (EC) No 1907/2006

Lab Putty Base

Revision date: 20.04.2015 Print date: 30.04.2015 Page 3 of 3

Acute toxicity

LD50: >2000 mg/kg (Rat)

The statement is derived from products of similar composition.

Irritation and corrosivity

Irritant effect on the skin: (Rabbit)

Not an irritant.

The statement is derived from products of similar composition.

Sensitising effects

Guinea-pig.

no danger of sensitization.

The statement is derived from products of similar composition.

SECTION 12: Ecological information

Further information

No special environmental measures are necessary.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Can be burnt together with household waste in compliance with official regulations in contact with approved waste disposal companies and with authorities in charge.

SECTION 14: Transport information

Other applicable information

Not a hazardous material with respect to these transportation regulations.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulatory information

Additional information

SECTION 16: Other information

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)