SAFETY DATA SHEETS

This SDS packet was issued with item:

071805373

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

071784099 071805407 071851252 074082269

The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).

071017052 071805365 071805381 071805399 071837202

DENTSPLY Milford Safety Data Sheet

1. Product and Company Identification

Product Name	MSDS Code Number
CAULK® 50% Tooth CONDITIONER LIQUID	546899
CAULK® 34% Tooth CONDITIONER GEL	
Trade Name & Synonyms	Date of Last Revision
CAULK® 50% Tooth CONDITIONER LIQUID	9/16/16
CAULK® 34% Tooth CONDITIONER GEL	
Manufacturer	Address
DENTSPLY Milford	38 West Clarke Avenue
	Milford DE 19963-1805
	http://www.dentsply.com
Grades or Minor Variant Identities	Information Telephone Number
Bottles and Syringes	(302) 422-4511 (8:00 AM – 4:30 PM Eastern Time)
Product Use (for Canada)	Emergency Telephone Number
Not Applicable	(302) 422-4511 (8:00 AM – 4:30 PM Eastern Time)

2. Hazard(s) Identification



Danger Causes severe skin burns and eye damage

Do not breathe in dust or mist. Wash hands thoroughly after handling. Wear protective gloves.

If SWALLOWED: Rinse mouth. Do NOT induce vomiting.

IF ON SKIN: Remove immediately all contaminated clothing. Rinse skin with water.

If INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Immediately call a POISON Center or physician.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do so. Continue rinsing. Store locked up.

Dispose of contents/container in accordance with local regulations.

3. Composition of Ingredients - Tooth Conditioner Liquid

Hazardous Components	C.A.S. Number	Exposure Limits	%
Phosphoric Acid	7664-38-2	1 mg/M^3	50

3. Composition of Ingredients – Tooth Conditioner Gel

	Hazardous Components	C.A.S. Number	Exposure Limits	%
Ī	Phosphoric Acid	7664-38-2	1 mg/M^3	34

Other Information: Blue colorant is a fluorescent organic dye.

4. First Aid Measures

Routes of	First Aid Instructions	Immediate Medical	Delayed Effects
Exposure		Attention	
Eye	IF IN EYES: Rinse cautiously with water for several minutes. Remove	Not Applicable	Not Applicable
	contact lenses, if present and easy to do. Continue rinsing.		
	If symptoms persist consult physician.		
Skin	IF ON SKIN: Remove/Take off immediately all contaminated clothing.	Not Applicable	Not Applicable
	Rinse skin with water/shower. Wash contaminated clothing before reuse.		
	If symptoms persist consult physician.		
Inhalation	IF INHALED: Remove victim to fresh air and keep at a rest position	Not Applicable	Not Applicable
	comfortable for breathing.		

	Immediately call a poison center or if symptoms persist, consult physician.			
Ingestion	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.	Not Applicable	Not Applicable	
	If symptoms persist consult physician.			
Other	Not Applicable	Not Applicable	Not Applicable	
Note to Physicians (Treating Testing and Monitoring): Treat symptomatically				

5. Fire and Explosion Data

Flashpoint Method: Not Applicable	Flammable (Explosive) Limits in Air	Autoignition Temperature: Not Applicable	Other: Not	
	LEL: Not Established UEL: Not Established		Applicable	
Flame Propagation or Burning Rate	Properties Contributing to Fire Intensity: Not Applicable	Flammability Classification: Not		
(for Solids): Not Applicable		Applicable		
Extinguishing Media: Use extinguishing media suitable for surrounding area. Extinguishing Media to Avoid: Water with full jet.				
Protection and Procedures for Firefighters: Firefighters should wear self-contained respiratory protective devices.				
Unusual Fire and Explosion Hazards: For	mation of toxic gases is possible during heating or in case of	fire.		

6. Accidental Release Measures

Containment Techniques: For Liquid: Absorb with liquid binding material (sand, vermiculite, diatomite, acid binders, universal binders or sawdust). For Gel,						
since material is a paste, scoop up bulk material and	since material is a paste, scoop up bulk material and place in a suitable waste container.					
Spill/Leak Clean-up Procedures and Equipment: Absorb with liquid binding material (sand, vermiculite, diatomite, acid binders, universal binders or sawdust).						
Scoop up bulk material and place in a suitable waste container.						
Evacuation Procedures: Not Applicable Special Instructions: Not Applicable Reporting Requirements: Not Applicable						

7. Handling and Storage

Handling Practices and Warnings: Product is intended for dental use only. Handling of this product should be by trained dental healthcare professionals only.

Observe normal care for working with chemicals.

Storage Practices and Warnings: Store only in the original package. Keep package tightly sealed. Store in a dry area. Store away from food and beverages.

8. Exposure Control / Personal Protection









Ventilation: None	required during normal intended use of this product Other Engineering Con	ntrols: Not Applicable			
Routes of Entry	Personal Protective Equipment (PPE) for Normal Use	PPE for Emergencies			
Eye/Face	Safety Glasses	Not Applicable			
Skin	The glove material has to be impermeable and resistant to the	he product. Not Applicable			
Inhalation	Not required for normal volumes used in Dental off	ice. Not Applicable			
Body Protection	Protective work clothing	Not Applicable			
General Hygiene (Considerations and Work Practices: Keep away from foodstuffs, beverages and feed. Immed	liately remove all soiled and contaminated clothing.			
Wash hands before breaks and at end of work. Avoid contact with the eyes and skin.					
Protective Measures During Repair and Maintenance of Contaminated Equipment: Not Applicable					
Other Protective N	Other Protective Measures and Equipment: Not Applicable				

9. Physical and Chemical Characteristics

	v		
Appearance: Liquid is clear. Gel is blue colored p	Odor: Acrid.		
Normal Physical State: Liquid, Gel is a paste.		Melting Point: Not Applicable	
Specific Gravity: 1.3 g/cm ³	Solubility in Water: Not Soluble	pH: < 2	
Vapor Pressure (mm Hg): Not Established	Vapor Density (AIR=1): Not Applicable	Evaporation Rate (Butyl Acetate =1) Not Applicable	

10. Stability and Reactivity Data

Incompatibility (Materials to Avoid): Not Applicable	
Hazardous Products Produced During Decomposition: Not Applicable.	
Hazardous Polymerization: ☐May Occur ☐May Not Occur	Conditions to Avoid: High Temperatures, ignition sources.
Stability? Stable Unstable	Conditions to Avoid: High Temperatures, ignition sources.

11. Toxicological Information

Toxicity Da	icity Data, Epidemiology Studies, Carcinogenicity, Neurological Effects, Genetic Effects, Reproductive Effects, or Structure Activity Data:					
Material is	Material is a corrosive acid and as such is irritating to skin and mucous membranes.					
Emergency (Emergency Overview: Material is corrosive.					
Routes of	Routes of Signs and Symptoms Single, Repeated, or Severity (Mild, Acute and Chronic Health Effect(s) Target					
Exposure	Exposure Lifetime Exposure Moderate, Severe) Organ(s)					
Eye	Material is corrosive and	Single & Repeated	Severe	Irritation and possible corneal damage due	Not Applicable	

	may cause irritation.			to the corrosive nature of product.		
Skin	Material is corrosive and	Single & Repeated	Moderate to severe	Irritation due to the corrosive nature of the	Not Applicable	
	may cause irritation.		depending on	product.		
			contact time.			
Inhalation	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable	
Ingestion	Material is corrosive and	Not Applicable	Moderate	Irritation due to the corrosive nature of the	Not Applicable	
	may cause irritation.			product.		
Other	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable	
Medical Cor	ditions Aggravated by Expos	ure: Open sores and wounds of				
Carcinogenio	Carcinogenicity NTP?: Not listed IARC monographs?: Not listed OSHA regulated?: No All components of this product are in					
compliance	compliance with the inventory listing Requirements of the U. S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.					
Potential En	vironmental Effects Do not al	low to enter sewers/ surface or	ground water.			

12. Ecological Information

Toxicity Data, Environmental Fate, Physical/Chemical Data, or other Data Supporting Environmental Hazard Statements: Water Hazard class1 (Self-assessment): slightly hazardous for water. Do not allow undiluted product or large quantities of it to reach ground water, water streams or sewage system. Toxic to fish. Also poisonous for fish and plankton in water bodies. Toxic for aquatic organisms.

13. Disposal Considerations

Regulations: Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Dispose of material as solid waste in a closed container. Dispose of in accordance with Federal, State and Local regulations

NFPA Hazard Classification Ratings (Scale 0-4), Health = 3, Fire = 0, Reactivity = 0 Specific Hazard = Corrosive / Acid

Properties (Physical/Chemical) Affecting Disposal: Dispose of material as solid waste in a closed container.



14. Transport Information

Regulated for Shipping: Yes DOT Shipping Name: Corrosive Li	Shipping: Yes DOT Shipping Name: Corrosive Liquid, n.o.s. (contains Phosphoric Acid) Packing Group: II				
Do Changes in Quantities, packaging, or shipment method change	product Hazard Class: 8 UN Identification Num	ber: 1760			
classification? Yes					

15. Regulatory Information

This product has been classified in accordance with the hazard criteria of the Globally Harmonized System of Classification and Labeling of Chemicals and the SDS contains all of the information required by the Canadian Controlled Products Regulations.

U.S. Federal Regulations: CERCLA 103 Reportable Quantity: CAS# 7664-38-2 Phosphoric Acid 5000 pounds (2268Kg) Many states have more stringent release reporting requirements. Report spills required under federal, state and local regulations

Section 313 Toxic Chemicals: This product contains the following chemicals subject to Annual Release Reporting Requirements Under SARA Title III, Section 313 (40 CFR 372): None

Section 302 Extremely Hazardous Substances (TPQ): None

EPA Toxic Substances Control Act (TSCA) Status: All of the components of this product are listed on the TSCA inventory.

U.S. State Regulations California Proposition 65: This product does not contain any chemicals, which are on the California Proposition 65 list.

Canada WHMIS, Workplace Hazardous Materials Information System: This product is not a controlled product.

International Regulations: Canadian Environmental Protection Act: This product is a medical device and not subject to chemical notification requirements.

European Community Labeling: Not a dangerous preparation. These R and S phrases apply to base and catalyst: R36/38 Irritating to eyes and skin. R51/53 Toxic to aquatic organisms, may cause long-term effects in the environment. S26 Incase of contact with eyes, rinse immediately with plenty of water and seek medical advice. S28 After contact with skin, wash immediately with plenty of water. S37 Wear suitable gloves. S57 Use appropriate container to avoid environmental contamination. S60 This material and its container must be disposed of as hazardous waste. These R and S phrases apply to catalyst: R41 Risk of serious damage to eyes. R50/53 Very toxic to aquatic organisms, may cause long-term effects in the environment. S24 Avoid contact with skin.

European Inventory of New and Existing Chemicals Substances (EINECS): This product is a medical device and not subject to chemical notification requirements. Phosphoric Acid is known as EINECS #: 231-633-2 and CAS# 7664-38-2.

Other: Not Applicable.

16. Other Information

To the best of our knowledge this product does not contain gluten, wheat grains, flaxseed, natural rubber, or natural latex.

All components are synthetically produced; none are derived from animal products.

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific products features and shall not establish a legally valid contractual relationship.

The attached safety data sheet covers the dangers and measures to be taken when large quantities of material are released, for example due to accidents during transport or storage by the dealer. For quantities of material typically used in clinical practice, information necessary for safe use and storage of the product is given in the DFU.

1. Product and Company Identification

Product Name	SDS Code Number
Prime & Bond Elect® Universal Dental Adhesive	534801
Trade Name & Synonyms	Date of Last Revision
Prime & Bond Elect® Universal Dental Adhesive	07/31/15
Manufacturer:	Address
DENTSPLY Caulk	38 West Clarke Avenue
	Milford DE 19963-1805
	http://www.caulk.com
Grades or Minor Variant Identities	Information Telephone Number
Not Applicable	(302) 422-4511 (8:00 AM – 4:30 PM Eastern Time)
Product Use (for Canada)	Emergency Telephone Number
Dental Bonding Agent	(302) 422-4511 (8:00 AM – 4:30 PM Eastern Time)

2. Hazard(s) Identification



Warning Highly Flammable Liquid and Vapour

Keep away from heat/sparks/open flames / hot surfaces.
No smoking.

Keep container tightly closed.

Wear protective gloves/eye protection/face protection. Ground / Bond container and receiving equipment. Use explosion-proof electrical lighting equipment. Use only non-sparking tools.

Take precautionary measures against static discharge.

IF ON SKIN or Hair: Remove / take off immediately all contaminated

clothing. Rinse skin with water / shower.

In case of fire: Use CO₂ sand or extinguishing powder.



Warning Causes Skin Irritation

Wash hands thoroughly after handling.
Wear protective gloves
IF ON SKIN: Wash with plenty of soap and water.
If skin irritation occurs: Get Medical Advice/attention.
Take off contaminated clothing and wash before reuse.

3. Composition/Information on Ingredients

Hazardous Components	C.A.S. Number	Exposure Limits	%
Acetone	67-64-1	500 ppm	< 50
Urethane Dimethacrylate Resin	105883-40-7	Not Applicable	< 20
Dipentaerythritol pentaacrylate phosphate	87699-25-0	Not Applicable	< 20
Polymerizeable dimethacrylate resin	1709-71-3 / 868-77-9	Not Applicable	< 20
Polymerizeable trimethacrylate resin	3290-92-4	Not Applicable	< 15

4. First Aid Measures

Routes of	First Aid Instructions	Immediate	Delayed Effects		
Exposure		Medical Attention			
Eye	Rinse opened eye for several minutes under running water.	Not Applicable	Not Applicable		
	If symptoms persist consult physician.				
Skin	Immediately wash with soap and water and rinse thoroughly	Not Applicable	Not Applicable		
Inhalation	Supply fresh air	Not Applicable	Not Applicable		
Ingestion	If symptoms persist consult physician	Not Applicable	Not Applicable		
Other	Not Applicable	Not Applicable	Not Applicable		
Note to Physicians (Treating, Testing and Monitoring): Treat symptomatically.					

5. Fire and Explosion Data

Flashpoint Method: 2°C (36°F)	Flammable (Explosive) Limits in Air	Autoignition Temperature: Not	Other: Not	
Pensky-Marten Closed Cup	LEL: 2.5 vol. % UEL: 12. 8 vol. %	Applicable	Applicable	
Flame Propagation or Burning Rate	Properties Contributing to Fire Intensity: Not	Flammability Classification: 3		
(for Solids): Not Applicable	Applicable			
Extinguishing Media: CO ₂ , sand or extinguishing powder.		Extinguishing Media to Avoid: Do not us	e water or water	
with full jet.				
Protection and Procedures for Firefighters: Firefighters should wear self-contained respiratory protective devices.				
Unusual Fire and Explosion Hazards: Formation of toxic gases is possible during heating or in case of fire.				

6. Accidental Release Measures

Containment Techniques: Wear protective clothing. Absorb with liquid binding material (sand, vermiculite, diatomite, acid binders, universal binders or sawdust).

Scoop up bulk material and place in a labeled plastic or metal container.

Spill/Leak Clean-up Procedures and Equipment: Wear protective clothing. Absorb with liquid binding material (sand, vermiculite, diatomite, acid binders, universal binders or sawdust). Scoop up bulk material and place in a labeled plastic or metal container. Avoid gross skin contact to minimize the possibility of contact dermatitis to susceptible persons. Ensure adequate ventilation.

Evacuation Procedures: Not Applicable

Special Instructions: Not Applicable

Reporting Requirements: Not Applicable

7. Handling and Storage

Handling Practices and Warnings: Handling of this product should be by trained dental healthcare professionals only. Observe normal care for working with chemicals.

Storage Practices and Warnings: Store in a well-ventilated place. Keep cool. Store only in the original package. Keep package tightly sealed. Protect from exposure to direct light. Store away from food and beverages.

8. Exposure Control / Personal Protection









Ventilation: None	required during normal intended use of this product	Other Engineering Controls: Not Applicabl	e	
Routes of Entry	Personal Protective Equipm	nent (PPE) for Normal Use	PPE for Emergencies	
Eye/Face	Safety	Glasses	Not Applicable	
Skin	The glove material has to be imper	meable and resistant to the product.	Not Applicable	
Inhalation	Not required for normal vol	Not required for normal volumes used in Dental office.		
Body Protection	Protective w	Protective work clothing Not Applic		
General Hygiene (Considerations and Work Practices: Keep away from foodstuf	fs, beverages and feed. Immediately remove all soil	led and contaminated clothing.	
Wash hands before breaks and at end of work. Avoid contact with the eyes and skin.				
Protective Measures During Repair and Maintenance of Contaminated Equipment: Not Applicable				
Other Protective Measures and Equipment: Not Applicable				

9. Physical and Chemical Characteristics

Appearance: Light yellow liquid.		Odor: Acetone like with characteristic sweet acrylic ester odor.			
Normal Physical State: Low viscosity liquid		Melting Point: Not Determined Boiling Point: 57°C (135°F)		Boiling Point: 57°C (135°F)	
Specific Gravity: ~0.9 g/cm ³	Solubili	ity in Water: Partially	r: Partially pH: 2.5		
Vapor Pressure (mm Hg): Not Applicable Vapor Density (AIR=1):		Not Applicable	Evaporation Rate (Butyl Acetate=1): Not Applicable	
Other: Not Applicable					

10. Stability and Reactivity Data

Incompatibility (Materials to Avoid): Visible light, high temperatures, strong acids, strong oxidizing agents.		
Hazardous Products Produced During Decomposition: Methacrylates, acrylates, carbon dioxide, carbon monoxide, peroxides and irritating gases.		
Hazardous Polymerization: May Occur May Not Occur Conditions to Avoid: High Temperatures, ignition sources.		
Stability? Stable Unstable Conditions to Avoid: High Temperatures, ignition sources.		

11. Toxicological Information

Emergency C	Emergency Overview: Material is flammable. Material is irritating to eyes, respiratory system and skin.					
Toxicity Data, E	Toxicity Data, Epidemiology Studies, Carcinogenicity, Neurological Effects, Genetic Effects, Reproductive Effects, or Structure Activity Data:					
Product is an irri	tant to skin and mucous membranes. Th	e unpolymerized prod	uct may be an irritant	to the skin in susceptible persons. On the eye the	product has an	
irritating effect.	Sensitization: Repeated or prolonged co	ntact with the unpolyn	nerized material may	cause sensitization for persons allergic to acrylate	es and	
methacrylates. T	his product shows the following dangers	s according to internall	y approved calculation	on methods for composite materials: Irritant.		
Routes of	Signs and Symptoms	Single, Repeated,	Single, Repeated, Severity (Mild, Acute and Chronic Health Effect(s)			
Exposure		or Lifetime	Moderate, Severe)		Target	
Exposure Organ(s)						
Eye	Material can cause irritation.	Single	Moderate	Irritation and possible corneal damage	Yes	
Skin	Material may be an irritant and may	Single & Repeated	Moderate	Irritation or possible allergic response.	Yes	
	be absorbed through the skin.			Severe allergic response may result		
	_			in breathing difficulties.		

Inhalation	Inhalation of high concentrations	Repeated	Moderate	Chronic inhalation may cause effects similar to	Yes
	may cause central nervous system			those of acute inhalation. Causes respiratory	
	effects characterized by nausea,			tract irritation. May cause motor incoordination	
	headache, dizziness,			and speech abnormalities.	
	unconsciousness and coma.				
Ingestion	May cause irritation of the digestive	Single & Repeated	Mild	Not Applicable	No
	tract.				
Other: Central	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable
nervous system					

Medical Conditions Aggravated by Exposure: Open sores and wounds of the skin. Individuals with known sensitivity to methacrylates, acrylates, or urethane dimethacrylate resin used in Dental restorative products.

Carcinogenicity NTP?: Not listed IARC monographs?: Not listed OSHA regulated?: No. All components of this product are in compliance with the inventory listing Requirements of the U. S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

Potential Environmental Effects Do not allow to enter sewers/ surface or ground water.

NFPA Hazard Classification Ratings (Scale 0-4) Health = 2, Fire = 3, Reactivity = 0 Specific Hazard = None

12. Ecological Information

Toxicity Data, Environmental Fate, Physical/Chemical Data, or other Data Supporting Environmental Hazard Statements: Harmful to fish. Harmful to aquatic organisms.

13. Disposal Considerations

Regulations: Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Dispose of material as solid waste in a closed container. Dispose of in accordance with Federal, State and Local regulations

14. Transport Information

Regulated for Shipping: Yes Proper Shipping Name: Acetone Solution	Packing Group: II	
Do Changes in Quantities, packaging, or shipment method change Hazard Class		UN Identification Number: 1090
product classification? Yes		
Other: Not Applicable		



15. Regulatory Information

This product has been classified in accordance with the hazard criteria of the Globally Harmonized System of Classification and Labeling of Chemicals and the SDS contains all of the information required by the Canadian Controlled Products Regulations.

U.S. Federal Regulations: CERCLA 103 Reportable Quantity: RQ is 5,000 pounds (2268Kg) for CAS# 67-64-1 Acetone. Report spills required under federal, state and local regulations. Many states have more stringent release reporting requirements.

Section 313 Toxic Chemicals: This product does not contain any chemicals subject to Annual Release Reporting Requirements Under SARA Title III, Section 313 (40 CFR 372).

Section 302 Extremely Hazardous Substances (TPQ): None

EPA Toxic Substances Control Act (TSCA) Status: All of the components of this product are listed on the TSCA inventory.

U.S. State Regulations California Proposition 65: This product does not contain any chemicals, which are on the California Proposition 65 list.

Federal Regulations: The product has been classified and marked in accordance with directives on hazardous materials. Hazard Symbol: Flammable Water Hazard class1 (Self-assessment): slightly hazardous for water. SARA Codes: CAS # 67-64-1 Acute, chronic, flammable.

Other: Canada WHMIS for the acetone, classification of B2, D2B. Acetone CAS#67-64-1 is on the Canadian Ingredient Disclosure List.

16. Other Information

To the best of our knowledge this product does not contain gluten, wheat grains, flaxseed, natural rubber, or natural latex.

All components are synthetically produced; none are derived from animal products.

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific products features and shall not establish a legally valid contractual relationship.

The attached safety data sheet covers the dangers and measures to be taken when large quantities of material are released, for example due to accidents during transport or storage by the dealer. For quantities of material typically used in clinical practice, information necessary for safe use and storage of the product is given in the DFU.