

SAFETY DATA SHEETS

This SDS packet was issued with item:

072039782

The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).

070502369 072039733 072039741 072039766 072039774 072040434 072040442

SECTION 1 - SOURCE/IDENTITY/USE INFORMATION**SUPPLIER**

GC AMERICA INC.
3737 West 127th St.
Alsip, Illinois, 60803
Telephone: 708-597-0900
Hours: Mon.- Fri. 8:00 am. - 5:00 pm. C.S.T.
Transportation Emergency Telephone No. 800-424-9300

COMMON NAME: FUJIROCK EP, FUJIROCK EP PASTELS**CHEMICAL NAME:** N.A.**PRODUCT USE:** Dental Models - Powder

The following information is provided with regard to the toxicity and hazards of the pure components present in this portion of the product.

SECTION 2 - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

COMPONENT	C.A.S.	EXPOSURE LIMITS	LD50/LC50	%
Calcium sulfate hemihydrate	10034-76-1	PEL=10mg/m ³ TLV=15mg/m ³ (Respirable) (OSHA) TWA=10mg/m ³ (ACGIH)	N.E.	90-100

SECTION 3 - PHYSICAL/CHEMICAL PROPERTIES

BOILING POINT: 1450°C (Decomposes) **SPECIFIC GRAVITY (H₂O = 1):** 3.0
VAPOR PRESSURE: N.A. **MELTING POINT:** N.A.
VAPOR DENSITY: N.A. **EVAPORATION RATE:** N.A.
SOLUBILITY IN WATER: 0.2% (20°C) **ODOR THRESHOLD:**
COEFFICIENT OF OIL/WATER DISTRIBUTION: N.E.
APPEARANCE AND ODOR: White, gold brown or light yellow free flowing powder, no odor.

SECTION 4 - FIRE AND EXPLOSION DATA

FLASH POINT: None **FLAMMABLE LIMITS:** N.A.
EXTINGUISHING MEDIA: Not combustible
SPECIAL FIRE FIGHTING PROCEDURES: None
UNUSUAL FIRE AND EXPLOSION HAZARDS: Reduction of Calcium Sulfate at high temperature caused violent explosion. Contact with Diazomethane vapor generates heat which can lead to detonation.
HAZARDOUS COMBUSTION PRODUCTS: Above 1450°C evolves calcium oxide and sulfur dioxide.

SECTION 5 - REACTIVITY DATA

STABILITY: Stable ☒ Unstable ☐
POLYMERIZATION: Will Not Occur ☒ Will Occur ☐
CONDITIONS TO AVOID: Moisture (will affect usability of product)
INCOMPATIBILITY (MATERIALS TO AVOID): Acids
HAZARDOUS DECOMPOSITION OR BY-PRODUCTS: None Known

SECTION 6 - HEALTH HAZARD DATA and FIRST AID INFORMATION

	YES	NO	NE	NA	NTP	IARC	OSHA	OTHER
MUTAGENIC AFFECTS		X						
TERATOGENIC AFFECTS		X						
REPRODUCTIVE TOXIN		X						
CARCINOGENICITY		X						
SENSITIZER		X						

SECTION 6 - HEALTH HAZARD DATA and FIRST AID INFORMATION - continued

ROUTES OF ENTRY: Inhalation ☒ Skin ☒ Ingestion ☒

HEALTH HAZARD: (ACUTE AND CHRONIC): May cause eye irritation. When wet will develop sufficient heat to cause burns if a large mass, such as a cast of a hand or arm, is kept in contact with skin while hardening. Inhalation may cause respiratory irritation. Ingestion may cause obstruction due to setting reaction.

SIGNS AND SYMPTOMS OF OVEREXPOSURE: Eye irritation, coughing, sneezing, nasal irritation

CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: Pre-existing upper respiratory and lung diseases.

EMERGENCY FIRST AID PROCEDURES:

EYES: Flush eyes with water for 15 minutes. Seek medical attention if irritation develops.

SKIN: Wash with water for at least 15 minutes.

INHALATION: Remove to fresh air.

INGESTION: Plaster hardens when wetted and, if ingested, may result in obstruction. Seek medical attention.

SECTION 7 - PRECAUTIONS FOR SAFE HANDLING AND USE

IN CASE OF RELEASE OR SPILL: Sweep or vacuum material into waste container for disposal. Avoid creating dusty conditions. Do not wash into sewers, may plug drains. If already mixed with water, scrape up and wash to remove residue.

WASTE DISPOSAL METHOD: Follow local, state, federal regulations for inert solids.

STORAGE, HANDLING, AND SPECIAL PRECAUTIONS: Ensure proper ventilation. Respiratory and eye protection should be used in dusty conditions. Store at room temperature and humidity.

SECTION 8 - CONTROL MEASURES

RESPIRATORY PROTECTION: Provide general ventilation and local exhaust ventilation to meet TLV requirements. When dusty conditions exist wear an approved NIOSH/MSHA dust mask.

VENTILATION: Local Exhaust: Yes Mechanical: Special: N.A. Other: N.A.

PROTECTIVE GLOVES: Under normal conditions no protective gloves should be necessary

EYE PROTECTION: Goggles

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: Eye wash station

WORK/HYGIENIC PRACTICE: Follow good hygiene practices. Avoid creating dusty conditions.

SECTION 9- PREPARATION INFORMATION

This data is supplied to comply with OSHA Hazard Communication Standard 29 CFR 1910.1200 and W.H.M.I.S. CPR

DATE: 09 January 2006

REVIEWED: 20 January 2009

.....
N.A. = NOT APPLICABLE

N.E. = NOT ESTABLISHED

The information herein is given in good faith but no warranty expressed or implied is made.
.....

FIRE - 0

TOXICITY - 1

**NFPA
REACTIVITY - 0**

SPECIAL -



Safety Data Sheet

acc. to OSHA HCS 29 CFR 1910.1200

Printing date 10/05/2016

Version US-EN-Rev 1

Reviewed on 10/05/2016

1 Identification

- **Product identifier**
- **Trade name:** GC FUJIROCK EP Premium Line (Colors: Inca Brown, Pastel Yellow, Polar White, and Titanium Grey)
GC FUJIROCK EP Classic Line (Colors: Golden Brown, Topaz Beige, Pastel Yellow, and Polar White)
- **Application of the substance / the mixture** Dental impression plaster
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
GC America Inc.
3737 W. 127th Street
Alsip, IL 60803
USA

sds@gcamerica.com
- **Information department:** Regulatory Affairs
- **Emergency telephone number:**
During normal opening times (Mon.-Fri. 8:00 AM-5:00 PM CST): +1 (708) 597-0900
Transportation (CHEMTREC®) Emergency Telephone No. +1 (800) 424-9300

2 Hazard(s) identification

- **Classification of the substance or mixture**
The product is not classified according to the Globally Harmonized System (GHS).
- **Additional information:**
The information provided is in regards to the toxicity and hazard rating(s) of the individual component(s) in the formulation. The associated risk(s) depends on the route(s) of exposure. The hazard rating system is based entirely on the existence of the risk(s) and does not take into account the likelihood of reduced risk(s) through proper usage and handling.

- **Label elements**
- **GHS label elements** Void
- **Hazard pictograms** Void
- **Signal word** Void
- **Hazard statements** Void
- **Classification system:**
- **NFPA ratings (scale 0 - 4)**



Health = 0
Fire = 0
Reactivity = 0

- **HMIS-ratings (scale 0 - 4)**



HEALTH 0 Health = 0
FIRE 0 Fire = 0
REACTIVITY 0 Reactivity = 0

(Contd. on page 2)

US

Safety Data Sheet

acc. to OSHA HCS 29 CFR 1910.1200

Printing date 10/05/2016

Version US-EN-Rev 1

Reviewed on 10/05/2016

Trade name: GC FUJIROCK EP Premium Line (Colors: Inca Brown, Pastel Yellow, Polar White, and Titanium Grey)
GC FUJIROCK EP Classic Line (Colors: Golden Brown, Topaz Beige, Pastel Yellow, and Polar White)

(Contd. of page 1)

- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description:** Mixture of the substances listed below with nonhazardous additions.

- **Dangerous components:**

calcium sulfate	90-100%
-----------------	---------

- **Additional information:**

If a substance is marked with **, then substance is a trade secret. This is allowed under OSHA's Hazard Communication Standard (HCS) as a trade secret and under GHS as Confidential Business Information (CBI).

4 First-aid measures

- **Description of first aid measures**
- **General information:**
No special measures required.
If symptoms persist consult doctor.
- **After inhalation:**
Supply fresh air; consult doctor in case of complaints.
In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:**
Rinse with warm water.
If symptoms persist consult doctor.
- **After eye contact:**
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:**
Rinse out mouth and then drink plenty of water.
If symptoms persist consult doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed**
No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**
CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
Use fire fighting measures that suit the environment.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet

(Contd. on page 3)

US

Safety Data Sheet

acc. to OSHA HCS 29 CFR 1910.1200

Printing date 10/05/2016

Version US-EN-Rev 1

Reviewed on 10/05/2016

Trade name: GC FUJIROCK EP Premium Line (Colors: Inca Brown, Pastel Yellow, Polar White, and Titanium Grey)
GC FUJIROCK EP Classic Line (Colors: Golden Brown, Topaz Beige, Pastel Yellow, and Polar White)

(Contd. of page 2)

- **Special hazards arising from the substance or mixture**
Formation of toxic gases is possible during heating or in case of fire.
- **Advice for firefighters**
- **Protective equipment:** Wear self-contained respiratory protective device.
- **Additional information**
Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
Remove persons from danger area.
- **Environmental precautions:**
Do not allow product to reach sewage system or any water course.
Inform respective authorities in case of seepage into water course or sewage system.
Do not allow to penetrate the ground/soil.
In case of seepage into the ground inform responsible authorities.
- **Methods and material for containment and cleaning up:**
Pick up mechanically.
Dispose of the collected material according to regulations.
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

- **Handling:**
- **Precautions for safe handling**
Observe instructions for use.
Prevent formation of dust.
Any deposit of dust which cannot be avoided must be regularly removed.
- **Information about protection against explosions and fires:**
Dust can combine with air to form an explosive mixture.
- **Storage:** Store only in the original receptacle.
- **Requirements to be met by storerooms and receptacles:**
Store only in unopened original receptacles.
- **Information about storage in one common storage facility:** Store away from foodstuffs.
- **Further information about storage conditions:** Observe instructions for use / storage.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.

(Contd. on page 4)

US

Safety Data Sheet

acc. to OSHA HCS 29 CFR 1910.1200

Printing date 10/05/2016

Version US-EN-Rev 1

Reviewed on 10/05/2016

Trade name: GC FUJIROCK EP Premium Line (Colors: Inca Brown, Pastel Yellow, Polar White, and Titanium Grey)
GC FUJIROCK EP Classic Line (Colors: Golden Brown, Topaz Beige, Pastel Yellow, and Polar White)

(Contd. of page 3)

· Control parameters

· Components with limit values that require monitoring at the workplace:

calcium sulfate

PEL	Long-term value: 15* 5** mg/m ³ *total dust **respirable fraction
REL	Long-term value: 10* 5** mg/m ³ *total dust **respirable fraction
TLV	Long-term value: 10* mg/m ³ *as inhalable fraction

· **Additional information:** The lists that were valid during the creation were used as basis.

· Exposure controls

· Personal protective equipment:

· General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Do not inhale dust / smoke / mist.

Wash hands before breaks and at the end of work.

· **Breathing equipment:** Suitable respiratory protective device recommended.

· **Protection of hands:** Protective gloves

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:** Safety glasses

9 Physical and chemical properties

· Information on basic physical and chemical properties

· General Information

· Appearance:

Form:

Solid

Color:

According to product specification

· Odor:

Characteristic

· Odor threshold:

Not determined.

· pH-value at 20 °C (68 °F):

7

· Change in condition

Melting point/Melting range:

> 1400 °C (> 2552 °F)

Boiling point/Boiling range:

Undetermined.

· Flash point:

Not applicable.

· Flammability (solid, gaseous):

Not determined.

(Contd. on page 5)

US

Safety Data Sheet

acc. to OSHA HCS 29 CFR 1910.1200

Printing date 10/05/2016

Version US-EN-Rev 1

Reviewed on 10/05/2016

Trade name: GC FUJIROCK EP Premium Line (Colors: Inca Brown, Pastel Yellow, Polar White, and Titanium Grey)
GC FUJIROCK EP Classic Line (Colors: Golden Brown, Topaz Beige, Pastel Yellow, and Polar White)

(Contd. of page 4)

· Ignition temperature:	Undetermined.
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not self-igniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapor pressure:	Not applicable.
· Density at 20 °C (68 °F):	2.8 g/cm ³ (23.366 lbs/gal)
· Bulk density at 20 °C (68 °F):	1000 - 1200 kg/m ³
· Relative density	Not determined.
· Vapor density	Not applicable.
· Evaporation rate	Not applicable.
· Solubility in / Miscibility with Water at 20 °C (68 °F):	4 - 6 g/l Insoluble.
· Partition coefficient (n-octanol/water):	Not determined.
· Viscosity:	
Dynamic:	Not applicable.
Kinematic:	Not applicable.
· Solvent content:	
Organic solvents:	0.0 %
Water:	0.2 %
Solids content:	100.0 %
· Other information	No further relevant information available.

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability** Stable at ambient temperature.
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

US

(Contd. on page 6)

Safety Data Sheet

acc. to OSHA HCS 29 CFR 1910.1200

Printing date 10/05/2016

Version US-EN-Rev 1

Reviewed on 10/05/2016

Trade name: GC FUJIROCK EP Premium Line (Colors: Inca Brown, Pastel Yellow, Polar White, and Titanium Grey)
GC FUJIROCK EP Classic Line (Colors: Golden Brown, Topaz Beige, Pastel Yellow, and Polar White)

(Contd. of page 5)

11 Toxicological information

- **Information on toxicological effects**

- **Acute toxicity:**

- **LD/LC50 values that are relevant for classification:** No further relevant information available.

- **Primary irritant effect:**

- **on the skin:** No irritant effect.

- **on the eye:** No irritating effect.

- **Sensitization:** No sensitizing effects known.

- **Additional toxicological information:**

The product is not subject to classification according to internally approved calculation methods for preparations.

- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.

- **NTP (National Toxicology Program)**

None of the ingredients is listed.

- **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

- **Carcinogenic categories' legend:**

IARC Group 1: The agent is carcinogenic to humans.

IARC Group 2A: The agent is probably carcinogenic to humans.

IARC Group 2B: The agent is possibly carcinogenic to humans.

IARC Group 3: The agent is not classifiable as to its carcinogenicity to humans.

IARC Group 4: The agent is probably not carcinogenic to humans.

NTP K: Known to be human carcinogen.

NTP R: Reasonably anticipated to be human carcinogen.

- **Repeated dose toxicity.** No further relevant information available.

- **CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)**

No further relevant information available.

No further relevant information available.

12 Ecological information

- **Toxicity**

- **Aquatic toxicity:** No further relevant information available.

- **Persistence and degradability** No further relevant information available.

- **Behavior in environmental systems:**

- **Bioaccumulative potential** No further relevant information available.

- **Mobility in soil** No further relevant information available.

- **Additional ecological information:**

- **General notes:**

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

(Contd. on page 7)

US

Safety Data Sheet

acc. to OSHA HCS 29 CFR 1910.1200

Printing date 10/05/2016

Version US-EN-Rev 1

Reviewed on 10/05/2016

Trade name: GC FUJIROCK EP Premium Line (Colors: Inca Brown, Pastel Yellow, Polar White, and Titanium Grey)
GC FUJIROCK EP Classic Line (Colors: Golden Brown, Topaz Beige, Pastel Yellow, and Polar White)

(Contd. of page 6)

- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:** Smaller quantities can be disposed of with household waste.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

- | | |
|--|-----------------|
| · UN-Number | |
| · DOT, ADR, ADN, IMDG, IATA | Void |
| · UN proper shipping name | |
| · DOT, ADR, ADN, IMDG, IATA | Void |
| · Transport hazard class(es) | |
| · DOT, ADR, ADN, IMDG, IATA | |
| · Class | Void |
| · Packing group | |
| · DOT, ADR, IMDG, IATA | Void |
| · Environmental hazards: | |
| · Marine pollutant: | No |
| · Special precautions for user | Not applicable. |
| · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code | Not applicable. |
| · UN "Model Regulation": | Void |

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **SARA (Superfund Amendments and Reauthorization Act)**

· **Section 355 (extremely hazardous substances):**

None of the ingredients is listed.

· **Section 313 (Specific toxic chemical listings):**

None of the ingredients is listed.

(Contd. on page 8)

US

Safety Data Sheet

acc. to OSHA HCS 29 CFR 1910.1200

Printing date 10/05/2016

Version US-EN-Rev 1

Reviewed on 10/05/2016

Trade name: GC FUJIROCK EP Premium Line (Colors: Inca Brown, Pastel Yellow, Polar White, and Titanium Grey)
GC FUJIROCK EP Classic Line (Colors: Golden Brown, Topaz Beige, Pastel Yellow, and Polar White)

(Contd. of page 7)

· **TSCA (Toxic Substances Control Act):**

calcium sulfate

potassium hydrogen tartrate

flow agent**

potassium sulfate

water, distilled

· **Carcinogenic categories**

· **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

· **TLV (Threshold Limit Value established by ACGIH)**

None of the ingredients is listed.

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

· **GHS label elements** Void· **Hazard pictograms** Void· **Signal word** Void· **Hazard statements** Void· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

· **Department issuing SDS:** Regulatory Affairs

· **Contact:**

Regulatory Affairs

Telephone No. +1 (708) 597-0900

sds@gcamerica.com

· **Date of preparation / last revision** 10/05/2016 / -

· **Abbreviations and acronyms:**

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

HCS: Hazard Communication Standard (USA)

MSDS: Material Safety Data Sheet

SDS: Safety Data Sheet

ADN: Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways)

ECHA: European Chemicals Agency

OSHA: Occupational Safety and Health Administration (USA)

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

(Contd. on page 9)

US

Safety Data Sheet

acc. to OSHA HCS 29 CFR 1910.1200

Printing date 10/05/2016

Version US-EN-Rev 1

Reviewed on 10/05/2016

Trade name: GC FUJIROCK EP Premium Line (Colors: Inca Brown, Pastel Yellow, Polar White, and Titanium Grey)
 GC FUJIROCK EP Classic Line (Colors: Golden Brown, Topaz Beige, Pastel Yellow, and Polar White)

(Contd. of page 8)

NIOSH: National Institute for Occupational Safety
 OSHA: Occupational Safety & Health
 TLV: Threshold Limit Value
 PEL: Permissible Exposure Limit
 REL: Recommended Exposure Limit

· **Sources**

- Manufacturers' MSDSs/SDSs
- OSHA (<https://www.osha.gov/dts/chemicalsampling/toc/chmcas.html>)
- TOXNET (<http://toxnet.nlm.nih.gov/>)
- ECHA (<http://echa.europa.eu/>)
- EnviChem (www.echemportal.org)

· **Notes:**

CAS Registry Number is a Registered Trademark of the American Chemical Society.
 CHEMTREC® is a registered service mark of the American Chemistry Council, Inc.

- * **Data compared to the previous version altered.** This version replaces all previous versions.

· **Disclaimer:**

The information contained herein is believed to be true and accurate. However, all statements, recommendations or suggestions are made without any guarantee, representation or warranty, express or implied, on our part. Therefore, no warranty is made or to be implied that the information set out in this document is accurate or complete, and we accordingly exclude all liability in connection with the use of this information or the products referred to herein. All such risks are assumed by the purchaser/user. The information contained herein is also subject to change without notice. For the avoidance of doubt, however, nothing in this document excludes or limits our liability for death or personal injury caused by our negligence or for fraudulent misrepresentation.

US