SAFETY DATA SHEETS

This SDS packet was issued with item:

071884626

The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).

071017052

DENTSPLY Milford Safety Data Sheet

1. Product and Company Identification

1. I I oddet and Company Identification				
Product Name	SDS Code Number			
XP BOND® Universal Total-Etch Adhesive	593899			
Trade Name & Synonyms	Date of Last Revision			
XP BOND® Universal Total-Etch Adhesive	11/04/16			
XP BOND® Unidose - Universal Total-Etch Adhesive				
Manufacturer Address	Distributor Address			
DENTSPLY/DeTrey GmbH	DENTSPLY/Caulk			
DeTrey-Str.1	38 West Clarke Avenue			
78467 Konstanz, Germany	Milford DE 19963-1805			
	http://www.dentsply.com			
Grades or Minor Variant Identities	Information Telephone Number			
Not Applicable	(302) 422-4511 (8:00 AM – 4:30 PM Eastern Time)			
Product Use (for Canada)	Emergency Telephone Number			
Dental Bonding Agent	(302) 422-4511 (8:00 AM – 4:30 PM Eastern Time)			

2. Hazard(s) Identification



Warning Highly Flammable Liquid and Vapour



Keep away from heat/sparks/open flames / hot surfaces. No smoking.

Keep container tightly closed.
Wear protective gloves/eye protection/face protection.
Ground / Bond container and receiving equipment.
Use explosion-proof electrical lighting equipment.
Use only non-sparking tools.

Take precautionary measures against static discharge.

IF ON SKIN or Hair: Remove / take off immediately all contaminated clothing. Rinse skin with water / shower.

In case of fire: Use CO₂ sand or extinguishing powder.

Wash hands thoroughly after handling.
Wear protective gloves
IF ON SKIN: Wash with plenty of soap and water.
If skin irritation occurs: Get Medical Advice/attention.
Take off contaminated clothing and wash before reuse.

3. Composition/Information on Ingredients

Hazardous Components	C.A.S. Number	Exposure Limits	%
Methacrylates	Proprietary	Not Applicable	25 - 50
Tert-butyl alcohol	75-65-0	100 ppm	10 - 25
Acrylates	Proprietary	Not Applicable	10 - 25

4. First Aid Measures

Routes of	First Aid Instructions	Immediate	Delayed Effects	
Exposure		Medical Attention		
Eye	Rinse opened eye for several minutes under running water.	Not Applicable	Not Applicable	
	If symptoms persist consult physician.			
Skin	Immediately wash with soap and water and rinse thoroughly	Not Applicable	Not Applicable	
Inhalation	Supply fresh air	Not Applicable	Not Applicable	
Ingestion	If symptoms persist consult physician	Not Applicable	Not Applicable	
Other	Not Applicable	Not Applicable	Not Applicable	
Note to Physicians (Treating, Testing and Monitoring): Treat symptomatically.				

5. Fire and Explosion Data

Flashpoint Method: 19°C (66°F)	Flammable (Explosive) Limits in Air	Autoignition Temperature: Not Applicable	Other: Not
Tag Closed Cup	LEL: 2.4 vol % UEL: 8 vol %		Applicable
Flame Propagation or Burning	Properties Contributing to Fire Intensity: Not	Applicable Flammability Classification: 3	
Rate (for Solids): Not Applicable			
Extinguishing Media: CO ₂ , sand or extinguishing powder.		Extinguishing Media to Avoid: Do not use wa	ter or water
with full jet.			
Protection and Procedures for Firefighters: Firefighters should wear self-contained respiratory protective devices.			
Unusual Fire and Explosion Hazards: Formation of toxic gases is possible during heating or in case of fire.			

6. Accidental Release Measures

Containment Techniques: Wear protective clothing. Absorb with liquid binding material (sand, vermiculite, diatomite, acid binders, universal binders or sawdust). Scoop up bulk material and place in a labeled plastic or metal container.

Spill/Leak Clean-up Procedures and Equipment: Wear protective clothing. Absorb with liquid binding material (sand, vermiculite, diatomite, acid binders, universal binders or sawdust). Scoop up bulk material and place in a labeled plastic or metal container. Avoid gross skin contact to minimize the possibility of contact dermatitis to susceptible persons. Ensure adequate ventilation.

Evacuation Procedures: Not Applicable

Special Instructions: Not Applicable

Reporting Requirements: Not Applicable

7. Handling and Storage

Handling Practices and Warnings: Handling of this product should be by trained dental healthcare professionals only. Observe normal care for working with chemicals.

Storage Practices and Warnings: Store in a well-ventilated place. Keep cool. Store only in the original package. Keep package tightly sealed. Protect from exposure to direct light. Store away from food and beverages.

8. Exposure Control / Personal Protection









Ventilation: None	required during normal intended use of this product Oth	er Engineering Controls: Not Applicable	
Routes of Entry	Personal Protective Equipment (PPE)	for Normal Use	PPE for Emergencies
Eye/Face	Safety Glasses		Not Applicable
Skin	The glove material has to be impermeable as	nd resistant to the product.	Not Applicable
Inhalation	Not required for normal volumes use	Not required for normal volumes used in Dental office.	
Body Protection	Protective work clothing Not Applica		Not Applicable
General Hygiene Considerations and Work Practices: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing.			
Wash hands before breaks and at end of work. Avoid contact with the eyes and skin.			
Protective Measures During Repair and Maintenance of Contaminated Equipment: Not Applicable			
Other Protective Measures and Equipment: Not Applicable			

9. Physical and Chemical Characteristics

Appearance: Clear liquid.		Odor: Sweet acrylic ester odor.
Normal Physical State: Liquid		Boiling Point: Not Established.
Specific Gravity: ~0.9 g/cm ³	pH: 2.5	pH: Not Applicable
Vapor Pressure (mm Hg): Not Established	Evaporation Rate (Butyl Acetate =1) Not Applicable	Evaporation Rate (Butyl Acetate =1) Not Applicable

10. Stability and Reactivity Data

Incompatibility (Materials to Avoid): Visible light, high temperatures, strong	ng acids, strong oxidizing agents. Keep away from sparks and sources of ignition.	
Hazardous Products Produced During Decomposition: Methacrylates, acrylates, carbon dioxide, carbon monoxide, and irritating gases.		
Hazardous Polymerization: May Occur May Not Occur Conditions to Avoid: High Temperatures, ignition sources.		
Stability? ⊠Stable ☐Unstable	Conditions to Avoid: High Temperatures, ignition sources.	

11. Toxicological Information

Emergency C	Emergency Overview: Material is flammable. Material is irritating to eyes, respiratory system and skin.					
Toxicity Data, E	Toxicity Data, Epidemiology Studies, Carcinogenicity, Neurological Effects, Genetic Effects, Reproductive Effects, or Structure Activity Data:					
				t to the skin in susceptible persons. On the eye the		
				ay cause sensitization for persons allergic to acry	lates and	
methacrylates. T	his product shows the following danger	s according to internal	ly approved calculati	on methods for composite materials: Irritant.		
Routes of	Signs and Symptoms	Single, Repeated,	Severity (Mild,	Acute and Chronic Health Effect(s)		
Exposure		or Lifetime	Moderate, Severe)		Target	
		Exposure			Organ(s)	
Eye	Material can cause irritation.	Single	Moderate	Irritation and possible corneal damage	Yes	
Skin	Material may be an irritant and may	Single & Repeated	Moderate	Irritation or possible allergic response.	Yes	
	be absorbed through the skin.			Severe allergic response may result		
				in breathing difficulties.		
Inhalation	Inhalation of high concentrations	Repeated	Moderate	Chronic inhalation may cause effects similar to	Ves	

	may cause central nervous system effects characterized by nausea, headache, dizziness, unconsciousness and coma.			those of acute inhalation. Causes respiratory tract irritation. May cause motor incoordination and speech abnormalities.	
Ingestion	May cause irritation of the digestive	Single & Repeated	Mild	Not Applicable	No
	tract.				
Other: Central	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not
nervous system					Applicable

Medical Conditions Aggravated by Exposure: Open sores and wounds of the skin. Individuals with known sensitivity to methacrylates, acrylates, or urethane dimethacrylate resin used in Dental restorative products.

Carcinogenicity NTP?: Not listed IARC monographs?: Not listed OSHA regulated?: No. All components of this product are in compliance with the inventory listing Requirements of the U. S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

Potential Environmental Effects Do not allow to enter sewers/ surface or ground water.

NFPA Hazard Classification Ratings (Scale 0-4) Health = 2, Fire = 3, Reactivity = 1 Specific Hazard = None

12. Ecological Information

Toxicity Data, Environmental Fate, Physical/Chemical Data, or other Data Supporting Environmental Hazard Statements: Harmful to fish. Harmful to aquatic organisms.

13. Disposal Considerations

Regulations: Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Absorb any spilled material with liquid binding material (sand, vermiculite, diatomite, acid binders, universal binders or sawdust). Scoop up bulk material and place in a labeled plastic or metal container. Dispose of contents / container in accordance with Federal, State and Local regulations.

Properties (Physical/Chemical) Affecting Disposal: Dispose of material as solid waste in a closed container.

RCRA P-Series: None Listed, RCRA U-Series: Waste Number D001 (Ignitable Waste)

14. Transport Information

Regulated for Shipping: Yes	Proper Shipping Name:		Packing Group: II
	Flammable Liquid N.O.S. (2-Methylpropanol-2, Acrylate, mixture)		
Do Changes in Quantities, pac	kaging, or shipment method change	Hazard Class: 3	UN Identification Number:
product classification? Yes			1993
Other: Not Applicable			



Flammable Liquid

15. Regulatory Information

This product has been classified in accordance with the hazard criteria of the Globally Harmonized System of Classification and Labeling of Chemicals and the SDS contains all of the information required by the Canadian Controlled Products Regulations.

<u>U.S. Federal Regulations: CERCLA 103 Reportable Quantity:</u> No chemicals have a reportable quantity. Report spills required under federal, state and local regulations. Many states have more stringent release reporting requirements.

RCRA U-Series Hazardous Waste Code Not Applicable.

Section 313 Toxic Chemicals: This product contains CAS#75-65-0 tert-butyl alcohol, which is subject to Annual Release Reporting Requirements Under SARA Title III, Section 313 (40 CFR 372).

Section 302 Extremely Hazardous Substances (TPQ): None

EPA Toxic Substances Control Act (TSCA) Status: All of the components of this product are listed on the TSCA inventory.

U.S. State Regulations California Proposition 65: This product does not contain any chemicals, which are on the California Proposition 65 list.

Federal Regulations: The product has been classified and marked in accordance with directives on hazardous materials. Hazard Symbol: Flammable Water Hazard class1 (Self-assessment): slightly hazardous for water.

International Regulations: Hazard Symbol: Flammable XI F Risk Phrases: R11 Highly Flammable, R36/37/38 Irritating to eyes, respiratory system and skin. R52/53 Harmful to aquatic organisms may cause long-term adverse effects in the aquatic environment. Safety Phrases: S9 Keep container in a well – ventilated place. S16 Keep away from sources of ignition – No Smoking, S23 Do not breathe gas/fumes/vapor/spray (appropriate wording to be specified by the manufacturer. S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice, S28 After contact with skin, wash immediately with plenty of water. S33 Take precautionary measures against static discharges.

16. Other Information

To the best of our knowledge this product does not contain gluten, wheat grains, flaxseed, natural rubber, or natural latex.

All components are synthetically produced; none are derived from animal products.

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific products features and shall not establish a legally valid contractual relationship.

The attached safety data sheet covers the dangers and measures to be taken when large quantities of material are released, for example due to accidents during transport or storage by the dealer. For quantities of material typically used in clinical practice, information necessary for safe use and storage of the product is given in the DFU.