SAFETY DATA SHEETS

This SDS packet was issued with item:

074562153

The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).

074562120 074562138 074562146

Heraeus Kulzer

Tel.: 0800 4372522

Page 1/6

Safety Data Sheet acc. to OSHA HCS

Printing date 05/12/2015

Reviewed on 05/12/2015

1 Identification

- · Product identifier
 - · Trade name: Venus Bulk Fill
- · Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
 - · Application of the substance / the mixture Dental filling material
- · Details of the supplier of the safety data sheet
 - Manufacturer/Supplier:

Heraeus Kulzer GmbH

Grüner Weg 11, D-63450 Hanau

Information department:

Marc Henn

Tel. +1 (574) 2995444 / Fax: +1 (574) 2912542

e-mail: marc.henn@kulzer-dental.com

Emergency telephone number:
Emergency CONTACT (24-Hour-Number)
GBK/Infotrac ID 105860: (domestic) 1 800 535 5053 or international (001) 352 323 3500

2 Hazard(s) identification

· Classification of the substance or mixture

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

- · Label elements
 - GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms



- · Signal word Warning
- · Hazard statements

Causes skin irritation.

Causes serious eye irritation.

· Precautionary statements

Wear protective gloves/protective clothing/eye protection/face protection.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Specific treatment (see on this label).

Take off contaminated clothing and wash before reuse. If skin irritation occurs: Get medical advice/attention.

If eye imitation persists: Get medical advice/attention.

· Classification system

NFPA ratings for USA (scale 0-4)



Health = 0Fire = 1Reactivity = 0

(Contd. on page 2)



Page 2/6

(Contd. of page 1)

Safety Data Sheet acc. to OSHA HCS

Printing date 05/12/2015

Reviewed on 05/12/2015

Trade name: Venus Bulk Fill

· HMIS-Ratings (Scale 0-4)

0 Health = 0 Fire = 1 1 REACTIVITY 0 Reactivity = 0

- Results of PBT and vPvB assessment
 - · PBT: Not applicable.
 - · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
 - Description: -
 - · Dangerous components: Void

4 First-aid measures

- · Description of first aid measures
 - General information No special measures required.
 - · After inhalation Supply fresh air; consult doctor in case of complaints.
 - After skin contact Immediately wash with water and soap and rinse thoroughly. After eye contact Rinse opened eye for several minutes under running water.
- After swallowing Rinse out mouth and then drink plenty of water.
- · Most important symptoms and effects, both acute and delayed
- No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- Extinguishing media
 - Suitable extinguishing agents
 - CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant
- Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
 - · Protective equipment: No special measures required.
 - Additional information -

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions: No special measures required.
- Methods and material for containment and cleaning up: Pick up mechanically.
- · Reference to other sections
- See Section 13 for disposal information.
- See Section 8 for information on personal protection equipment.

7 Handling and storage

· Precautions for safe handling No special measures required.

(Contd. on page 3)

Heraeus Kulzer

Page 3/6

Safety Data Sheet acc. to OSHA HCS

Printing date 05/12/2015

Reviewed on 05/12/2015

Trade name: Venus Bulk Fill

(Contd. of page 2)

- · Information about protection against explosions and fires: No special measures required.
- Conditions for safe storage, including any incompatibilities
 - Storage
 - · Requirements to be met by storerooms and receptacles: No special requirements.
 - · Information about storage in one common storage facility: Not required.
 - · Further information about storage conditions:

Store in dry conditions.

Keep cool, if possible (not above 25 °C).

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Control parameters
 - Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
 - Personal protective equipment
 - General protective and hygienic measures

The usual precautionary measures for handling chemicals should be followed.

- Breathing equipment: Not required.
- · Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

For the permanent contact of a maximum of 15 minutes gloves made of the following materials are sultable: PVC or PE gloves

Natural rubber, NR

Eye protection:

Protective goggles are recommended.

Not absolutely necessary.

Body protection: Light weight protective clothing

9 Physical and chemical properties

- · Information on basic physical and chemical properties
 - General Information
 - Appearance:
 - · Form: · Color:

Pasty White

Yellowish Odorless

- · Odor: · Change in condition
 - Melting point/Melting range: undetermined
 - Boiling point/Boiling range: undetermined

· Flash point:

> 100 °C (> 212 °F)

(Contd. on page 4)



Page 4/6

Safety Data Sheet acc. to OSHA HCS

Printing date 05/12/2015

Reviewed on 05/12/2015

Trade name: Venus Bulk Fill

		(Contd. of page 3
· Auto igniting:	Product is not selfigniting.	
· Danger of explosion:	Product does not present an explosion hazard.	
Density at 20 °C (68 °F):	1.9 g/cm³ (15.856 lbs/gal)	
Solubility in / Miscibility Water: Other information	with Not miscible or difficult to mix No further relevant information available.	

10 Stability and reactivity

- · Possibility of hazardous reactions No dangerous reactions known
- Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- Hazardous decomposition products: none
 - · Additional information:

11 Toxicological information

- · Information on toxicological effects

 - Acute toxicity: Primary irritant effect:

 - on the skin: No irritant effect.
 on the eye: No irritating effect.
 - · Sensitization: No sensitizing effects known.

Additional toxicological information:
The product is not subject to classification according to the calculation method of the General EU

Classification Guidelines for Preparations as issued in the latest version: When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· Carcinogonie categories

Care	cinogenic categories	
. 17	ARC (International Agency for Research on Cancer)	
7631-86-9	silicon dioxide, chemically prepared	3
	Butyl-hydroxy-toluol	3
· V	ITP (National Toxicology Program)	
None of the	e ingredients is listed.	
. 0	OSHA-Ca (Occupational Safety & Health Administration)	
	e ingredients is listed.	

12 Ecological information

- · Aquatic toxicity: No further relevant information available. · Persistence and degradability No further relevant information available.
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
 - Additional ecological information:
- · General notes: Avoid transfer into the environment. · Results of PBT and vPvB assessment
- - PBT: Not applicable.
 - · vPvB: Not applicable.

(Contd. on page 5)



Safety Data Sheet acc. to OSHA HCS

Printing date 05/12/2015

Reviewed on 05/12/2015

Trade name: Venus Bulk Fill

· Other adverse effects No further relevant information available.

(Contd. of page 4)

13 Disposal considerations

- Waste treatment methods
 - · Recommendation Smaller quantities can be disposed of with household waste.
 - · Uncleaned packagings:
 - · Recommendation: Disposal must be made according to official regulations.

14 Transport information · UN-Number

Void DOT, ADR, ADN, IMDG, IATA

· UN proper shipping name · DOT, ADR, ADN, IMDG, IATA Void

· Transport hazard class(es)

DOT, ADR, ADN, IMDG, IATA Void · Class

· Packing group · DOT, ADR, IMDG, IATA

Void

· Environmental hazards: · Marine pollutant:

· Special precautions for user Not applicable.

· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.

· Transport/Additional information:

· UN "Model Regulation":

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture · SARA Section 355 (extremely hazardous substances)

No

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act) Medical devices are exempted from TSCA.

· Cancerogenity categories

· TLV (Threshold Limit Value established by ACGIH)

Butyl-hydroxy-toluol

A4

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms



GHS07

(Contd. on page 6)



Page 6/6

Safety Data Sheet acc. to OSHA HCS

Printing date 05/12/2015

Reviewed on 05/12/2015

Trade name: Venus Bulk Fill

(Contd. of page 5)

· Signal word Warning

· Hazard statements

Causes skin irritation.

Causes serious eye irritation.

Precautionary statements

Wear protective gloves/protective clothing/eye protection/face protection.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Specific treatment (see on this label).

Take off contaminated clothing and wash before reuse. If skin irritation occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Date of preparation / last revision 05/12/2015 / -

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
ACGIH: American Conference of Governmental Industrial Hygienists
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)
Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2
Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A

* Data compared to the previous version altered.

USA



Page 1/8

Safety Data Sheet acc. to OSHA HCS

Printing date 06/03/2017

Reviewed on 06/03/2017

Tel.: +49 (0)800 4372522

1 Identification

- · Product identifier
 - · Trade name: Venus Bulk Fill
 - · Application of the substance / the mixture Dental filling material
- · Details of the supplier of the safety data sheet
 - Manufacturer/Supplier:

Kulzer GmbH

Leipziger Straße 2, 63450 Hanau (Germany)

· Information department:

Tel. +1 (800) 431-1785 Fax: +1 (800) 522-1545 e-mail: customer.servicehkna@kulzer-dental.com

Emergency telephone number:

Emergency CONTACT (24-Hour-Number)

GBK/Infotrac ID 105860: (domestic) 1 800 535 5053 or international (001) 352 323 3500

2 Hazard(s) identification

· Classification of the substance or mixture

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

- · Label elements
 - GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



- · Signal word Warning
- · Hazard statements

Causes skin irritation.

Causes serious eye irritation.

· Precautionary statements

Wear protective gloves.

Wear eye protection / face protection.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Specific treatment (see on this label).

If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention.

· Classification system

NFPA ratings for USA (scale 0-4)



Health = 1Fire = 1Reactivity = 0

(Contd. on page 2)



Page 2/8

(Contd. of page 1)

Safety Data Sheet acc. to OSHA HCS

Printing date 06/03/2017 Reviewed on 06/03/2017

Trade name: Venus Bulk Fill

· HMIS-Ratings (Scale 0-4)

HEALTH 1
FIRE 1
REACTIVITY 0

Health = 1 Fire = 1 Reactivity = 0

- · Results of PBT and vPvB assessment
 - PBT: Not applicable.vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
 - · Description: -

Dangerous components:		
13760-80-0 ytterbium trifluoride	10-25%	
Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335		
109-16-0 triethylen glycol dimethacrylate	< 1%	
Skin Sens. 1B, H317		

4 First-aid measures

- · Description of first aid measures
 - General information No special measures required.
 - After inhalation Supply fresh air; consult doctor in case of complaints.
 - · After skin contact immediately wash with water and soap and rinse thoroughly.
 - · After eye contact Rinse opened eye for several minutes under running water.
 - · After swallowing

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

- Information for doctor
 - Most important symptoms and effects, both acute and delayed No further relevant information available.
 - Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
 - Suitable extinguishing agents

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Use fire fighting measures that suit the environment.

- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
 - · Protective equipment: No special measures required.

(Contd. on page 3)

UŚA -



Page 3/8

Safety Data Sheet acc. to OSHA HCS

Printing date 06/03/2017 Reviewed on 06/03/2017

Trade name: Venus Bulk Fill

· Additional information -

(Contd. of page 2)

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions: No special measures required.
- Methods and material for containment and cleaning up: Pick up mechanically.
- Reference to other sections

See Section 13 for disposal information.

See Section 8 for information on personal protection equipment.

-

7 Handling and storage

- · Handling
 - · Precautions for safe handling No special measures required.
 - · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
 - · Storage
 - Requirements to be met by storerooms and receptacles: No special requirements.
 - Information about storage in one common storage facility: Not required.
 - · Further information about storage conditions:

Store in dry conditions.

Keep cool, if possible (not above 25 °C).

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Control parameters
 - · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
 - Personal protective equipment
 - · General protective and hygienic measures Wash hands before breaks and at the end of work.
 - Breathing equipment: Not required.
 - · Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Check protective gloves prior to each use for their proper condition. recommended

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation (Contd. on page 4)

USA



Page 4/8

Safety Data Sheet acc. to OSHA HCS

Printing date 06/03/2017 Reviewed on 06/03/2017

Trade name: Venus Bulk Fill

(Contd. of page 3)

of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

Butyl rubber, BR

Nitrile rubber, NBR
• Eye protection: Safety glasses

· Body protection: Light weight protective clothing

Pasty
White
Yellowish
Odorless
Not determined.
Not determined.
undetermined
undetermined
> 100 °C (> 212 °F)
Not applicable.
Not determined.
Product is not selfigniting.
Product does not present an explosion hazard.
Not determined.
Not determined.
Not determined.
1.9 g/cm³ (15.856 lbs/gal)
Not determined.
Not determined.
Not determined.
Not miscible or difficult to mix



Page 5/8

Safety Data Sheet acc. to OSHA HCS

Printing date 06/03/2017 Reviewed on 06/03/2017

Trade name: Venus Bulk Fill

(Contd. of page 4)

- · Partition coefficient (n-octanol/water): Not determined.
- · Viscosity:
 - dynamic: Not determined.kinematic: Not determined.
- Other information No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Possibility of hazardous reactions No dangerous reactions known
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: none
- Additional information: -

11 Toxicological information

- · Information on toxicological effects
 - · Acute toxicity:

	· · · · · · · · · · · · · · · · · · ·		
· LD/LC50 values that are relevant for classification:			
56744-60-6 Bisphenol-A-ethoxylat(4)dimethacrylat			
	Oral LD50 >2000 mg/kg (rat)		
41137-60-4 diurethandimethacrylate			
	Oral LD50 >5000 mg/kg (rat)		
109-16-0 triethylen glycol dimethacrylate			
	Oral LD50 > 5000 mg/kg (rat)		
	Dermal LD50 > 2000 mg/kg (mouse)		

- · Primary irritant effect:
 - · on the skin: No irritant effect.
 - · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product is not subject to classification according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)		
7631-86-9 silicon dioxide, chemically prepared	3	
Butyl-hydroxy-toluol	3	
· NTP (National Toxicology Program)		
None of the ingredients is listed.		

(Contd. on page 6)



Page 6/8

Safety Data Sheet acc. to OSHA HCS

Printing date 06/03/2017 Reviewed on 06/03/2017

Trade name: Venus Bulk Fill

(Contd. of page 5)

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
 - · Aquatic toxicity:

109-16-0 triethylen glycol dimethacrylate

EC50/72h > 100 mg/l (algae)

- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
 - · Bioaccumulative potential No further relevant information available.
 - · Mobility in soil No further relevant information available.
- · Additional ecological information:
 - · General notes: Avoid transfer into the environment.
- · Results of PBT and vPvB assessment
 - · PBT: Not applicable.
 - vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
 - · Recommendation Smaller quantities can be disposed of with household waste.
- · Uncleaned packagings:
 - · Recommendation: Disposal must be made according to official regulations.

UN-Number		
· DOT, ADR, ADN, IMDG, IATA	Void	
· UN proper shipping name · DOT, ADR, ADN, IMDG, IATA	Void	
· Transport hazard class(es)		
· DOT, ADR, ADN, IMDG, IATA · Class	Void	
· Packing group · DOT, ADR, IMDG, IATA	Void	
Environmental hazards: · Marine pollutant:	No	

(Contd. on page 7)

USA -



Page 7/8

Safety Data Sheet acc. to OSHA HCS

Reviewed on 06/03/2017 Printing date 06/03/2017

Trade name: Venus Bulk Fill

	(Contd. of page 6)
Not applicable.	
II of Not applicable.	
-	
Void	
	II of Not applicable.

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
 - · SARA Section 355 (extremely hazardous substances)

None of the ingredients is listed.

- · TSCA (Toxic Substances Control Act) Medical devices are exempted from TSCA.
- · Cancerogenity categories
 - · TLV (Threshold Limit Value established by ACGIH)

Butyl-hydroxy-toluol

Α4

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



- · Signal word Warning
- · Hazard statements

Causes skin irritation.

Causes serious eye irritation.

Precautionary statements

Wear protective gloves.

Wear eye protection / face protection.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Specific treatment (see on this label).

If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H315 Causes skin irritation.

(Contd. on page 8)



Page 8/8

Safety Data Sheet acc. to OSHA HCS

Printing date 06/03/2017

Reviewed on 06/03/2017

Trade name: Venus Bulk Fill

(Contd. of page 7)

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

· Date of preparation / last revision 06/03/2017 / 2

Date of preparation / last revision 06/03/2017 / 2
 Abbreviations and acronyms:
 ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
 IMDG: International Maritime Code for Dangerous Goods
 DOT: US Department of Transportation
 IATA: International Air Transport Association
 ACGIH: American Conference of Governmental Industrial Hygienists
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A Skin Sens. 1B: Skin sensitisation – Category 1B STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

* Data compared to the previous version altered.

USA