

## **SAFETY DATA SHEETS**

**This SDS packet was issued with item:**

075217542

**The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).**

075217567

Printing date 05/07/2012

Reviewed on 04/01/2012

**1 Identification of the substance/mixture and of the company/undertaking**

- **Product identifier**
- **Trade name:** CLEARFIL NEW BOND ; UNIVERSAL
- **Article number:** US022-U
- **Application of the substance / the preparation** Dental bonding material
- **Details of the supplier of the safety data sheet**
- **Manufacturer:**  
Kuraray Noritake Dental Inc.  
1621 Sakazu, Kurashiki, Okayama 710-0801,  
Japan
- **Contact information:**  
Kuraray America, Inc.  
33 Maiden Lane, 6th Floor, New York,  
NY 10038 U.S.A.  
Tel: 800-879-1676  
Fax: 888-700-5200  
Website: [www.kuraraydental.com](http://www.kuraraydental.com)

**2 Composition/information on ingredients**

- **Chemical characterization:** Single Component
- **Description:** Mixture of substances listed below with nonhazardous additions.

· **Dangerous components:**

64-17-5 ethanol

 H225

&gt;90%

· **Other ingredients:**Catalysts  
Accelerators**3 Hazards identification**

- **Classification of the substance or mixture**



GHS02 Flame

H225 Highly flammable liquid and vapour.

- **Classification according to Directive 67/548/EEC or Directive 1999/45/EC**



Highly flammable

Highly flammable.

- **Information concerning particular hazards for human and environment:**

The product has to be labelled due to the calculation procedure of international guidelines.

- **Classification system:**

The classification was made according to the latest editions of international substances lists, and expanded upon from company and literature data.

- **Label elements**

- **GHS label elements**

The product is classified and labelled according to the Globally Harmonized System (GHS).

- **Hazard pictograms** GHS02

- **Signal word** Danger

- **Hazard statements**

H225 Highly flammable liquid and vapour.

- **Precautionary statements**

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.  
P241 Use explosion-proof electrical/ventilating/lighting/equipment.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.

(Contd. on page 2)

USA

Printing date 05/07/2012

Reviewed on 04/01/2012

**Trade name: CLEARFIL NEW BOND ; UNIVERSAL**

(Contd. of page 1)

- P240 Ground/bond container and receiving equipment.  
P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.  
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- **Classification system:**
- **NFPA ratings (scale 0 - 4)**



- **HMIS-ratings (scale 0 - 4)**
- |            |   |                |
|------------|---|----------------|
| HEALTH     | 0 | Health = 0     |
| FIRE       | 3 | Fire = 3       |
| REACTIVITY | 0 | Reactivity = 0 |

#### 4 First aid measures

- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Generally the product does not irritate the skin.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:**  
Do not induce vomiting; immediately call for medical help.  
If symptoms persist consult doctor.

#### 5 Firefighting measures

- **Suitable extinguishing agents:**  
CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Protective equipment:**  
Wear self-contained respiratory protective device.  
Wear fully protective suit.

#### 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**  
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:**  
Dilute with plenty of water.  
Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Ensure adequate ventilation.
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

— USA —

(Contd. on page 3)

Printing date 05/07/2012

Reviewed on 04/01/2012

Trade name: CLEARFIL NEW BOND ; UNIVERSAL

(Contd. of page 2)

## 7 Handling and storage

- **Handling:**
- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace.
- **Information about protection against explosions and fires:**
  - Keep ignition sources away - Do not smoke.
  - Protect against electrostatic charges.
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Store in a refrigerator (2-8°C).
- **Information about storage in one common storage facility:**
  - Store away from oxidizing agents.
  - Store away from reducing agents.
- **Further information about storage conditions:**
  - Keep receptacle tightly sealed.
  - Store in cool, dry conditions in well sealed receptacles.
  - Protect from heat and direct sunlight.
- **Specific end use(s)** No further relevant information available.

## 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.

- **Components with limit values that require monitoring at the workplace:**

### 64-17-5 ethanol

PEL	1900 mg/m <sup>3</sup> , 1000 ppm
REL	1900 mg/m <sup>3</sup> , 1000 ppm
TLV	1880 mg/m <sup>3</sup> , 1000 ppm

- **Additional information:** The lists that were valid during the creation were used as basis.
- **Personal protective equipment:**
- **General protective and hygienic measures:** Wash hands before breaks and at the end of work.
- **Breathing equipment:** Not required.
- **Protection of hands:**
  - The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
  - Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.
  - Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- **Material of gloves**
  - The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material**
  - The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:**



Tightly sealed goggles

USA

(Contd. on page 4)

Printing date 05/07/2012

Reviewed on 04/01/2012

Trade name: CLEARFIL NEW BOND ; UNIVERSAL

(Contd. of page 3)

**9 Physical and chemical properties**

· <b>General Information</b>	
· <b>Appearance:</b>	
<b>Form:</b>	Liquid
<b>Color:</b>	Transparent
· <b>Odor:</b>	Alcohol-like
· <b>pH-value:</b>	Not applicable
· <b>Change in condition</b>	
<b>Melting point/Melting range:</b>	-114.5 °C (ethanol)
<b>Boiling point/Boiling range:</b>	78 °C (ethanol)
· <b>Flash point:</b>	13 °C (ethanol)
· <b>Ignition temperature:</b>	425.0 °C (ethanol)
· <b>Danger of explosion:</b>	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
· <b>Explosion limits:</b>	
<b>Lower:</b>	3.5 Vol % (ethanol)
<b>Upper:</b>	15.0 Vol % (ethanol)
· <b>Vapor pressure:</b>	59.0 hPa (20°C, ethanol)
· <b>Density:</b>	1.1 g/cm <sup>3</sup>
· <b>Vapour density</b>	1.6 g/cm <sup>3</sup> (ethanol, air=1)
· <b>Solubility in / Miscibility with Water:</b>	Fully miscible.
· <b>Segregation coefficient (n-octanol/water):</b>	-0.32 (ethanol)
· <b>Other information</b>	No further relevant information available.

**10 Stability and reactivity**

- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used and stored according to specifications.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** Carbon monoxide and carbon dioxide

**11 Toxicological information**

- **Acute toxicity:**

- **LD/LC50 values that are relevant for classification:**

**64-17-5 ethanol**

Oral	LD50	3450 mg/kg (mouse) 7060 mg/kg (rat)
Inhalative	LC50/4 h	20000 mg/l (rat)
	LD50	3600 mg/kg (rat - intraperitoneal)

- **Primary irritant effect:**
- **on the skin:** No irritant effect.
- **on the eye:** No irritating effect.
- **Sensitization:** No sensitizing effects known.

USA

(Contd. on page 5)

Printing date 05/07/2012

Reviewed on 04/01/2012

Trade name: CLEARFIL NEW BOND ; UNIVERSAL

(Contd. of page 4)



**12 Ecological information**

- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Additional ecological information:**
- **General notes:**  
Water hazard class 1 (Self-assessment): slightly hazardous for water  
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

**13 Disposal considerations**

- **Waste treatment methods**
- **Recommendation:**  
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

**14 Transport information**

- |   |  |
|---|--|
| · <b>UN-Number</b>  | UN1170   |
| · <b>DOT</b>  | 1170   |
| · <b>ADR, IMDG, IATA</b>  |  |
| · <b>UN proper shipping name</b>  | 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION) |
| · <b>ADR</b>  | ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)      |
| · <b>IMDG</b>   | ETHANOL SOLUTION                               |
| · <b>IATA</b>   |  |
| · <b>Transport hazard class(es)</b>   |  |
| · <b>DOT, IMDG, IATA</b>  |  |
|  |  |
| · <b>Class</b>  | 3 Flammable liquids.                           |
| · <b>Label</b>  | 3  |
| · <b>ADR</b>  |  |
|  |  |
| · <b>Class</b>  | 3 Flammable liquids                            |
| · <b>Label</b>  | 3  |
| · <b>Packing group</b>  | II   |
| · <b>DOT, ADR, IMDG, IATA</b>   |  |
| · <b>Environmental hazards:</b>   | No   |
| · <b>Marine pollutant:</b>  | No   |

(Contd. on page 6)

USA

Printing date 05/07/2012

Reviewed on 04/01/2012

Trade name: CLEARFIL NEW BOND ; UNIVERSAL

(Contd. of page 5)

· <b>Special precautions for user</b>	Warning: Flammable liquids
· <b>Danger code (Kemler):</b>	33
· <b>EMS Number:</b>	F-E,S-D
· <b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b>	Not applicable.
· <b>UN "Model Regulation":</b>	UN1170; ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION); 3; II

## 15 Regulatory information

### · Sara

#### · **Section 355 (extremely hazardous substances):**

None of the ingredient is listed.

#### · **Section 313 (Specific toxic chemical listings):**

None of the ingredients is listed.

#### · **TSCA (Toxic Substances Control Act):**

All ingredients are listed.

#### · **Proposition 65**

##### · **Chemicals known to cause cancer:**

None of the ingredients is listed.

##### · **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

##### · **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

##### · **Chemicals known to cause developmental toxicity:**

All ingredients are listed.

#### · **Carcinogenicity categories**

##### · **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

##### · **IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.

##### · **TLV (Threshold Limit Value established by ACGIH)**

64-17-5 ethanol

A4

##### · **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

##### · **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

### · **Version:** 3

### · **Relevant phrases**

Not applicable

H225 Highly flammable liquid and vapour.

USA

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 08/09/2017

Version 4

Reviewed on 08/01/2017

**1 Identification**

- **Product identifier**
- **Trade name:** CLEARFIL NEW BOND ; UNIVERSAL
- **Article number:** US022-U
- **Relevant identified uses of the substance or mixture and uses advised against**  
No further relevant information available.
- **Application of the substance / the mixture** Dental bonding material
- **Details of the supplier of the safety data sheet**
- **Manufacturer:**  
Kuraray Noritake Dental Inc.  
1621 Sakazu, Kurashiki, Okayama 710-0801,  
Japan
- **Contact information:**  
Kuraray America, Inc.  
33 Maiden Lane, 6th Floor, New York,  
NY 10038 U.S.A.  
Tel: 800-879-1676  
Fax: 888-700-5200  
Website: [www.kuraraydental.com](http://www.kuraraydental.com)
- **Emergency telephone number:**  
For chemical emergency spill, leak, fire, exposure or accident  
Call CHEMTREC day and night  
Within USA and Canada: 1-800-424-9300 CCN706984 or  
+1 703-527-3887 (collect calls accepted)

**2 Hazard(s) identification**

- **Classification of the substance or mixture**



GHS02 Flame

Flam. Liq. 2 H225 Highly flammable liquid and vapor.



GHS08 Health hazard

Carc. 1A H350 May cause cancer.

- **Label elements**
- **GHS label elements**  
The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms** GHS02, GHS08
- **Signal word** Danger
- **Hazard-determining components of labeling:**  
ethanol
- **Hazard statements**  
H225 Highly flammable liquid and vapor.  
H350 May cause cancer.
- **Precautionary statements**  
P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.  
P233 Keep container tightly closed.  
P240 Ground/bond container and receiving equipment.  
P241 Use explosion-proof electrical/ventilating/lighting/equipment.  
P242 Use only non-sparking tools.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.

(Contd. on page 2)

US



# Safety Data Sheet

## acc. to OSHA HCS

Printing date 08/09/2017

Version 4

Reviewed on 08/01/2017

Trade name: CLEARFIL NEW BOND ; UNIVERSAL

(Contd. of page 1)

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P403+P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### 3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description:** Mixture of substances listed below with nonhazardous additions.

#### · **Dangerous components:**

64-17-5 ethanol	 Flam. Liq. 2, H225;  Carc. 1A, H350	>90%
-----------------	--	------

#### · **Other ingredients:**

Catalysts  
Accelerators

### 4 First-aid measures

- **Description of first aid measures**
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Generally the product does not irritate the skin.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:**  
Do not induce vomiting; immediately call for medical help.  
If symptoms persist consult doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**  
CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:**  
Wear self-contained respiratory protective device.  
Wear fully protective suit.

### 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**  
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:**  
Dilute with plenty of water.  
Do not allow to enter sewers/ surface or ground water.

(Contd. on page 3)

US

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 08/09/2017

Version 4

Reviewed on 08/01/2017

**Trade name: CLEARFIL NEW BOND ; UNIVERSAL**

(Contd. of page 2)

- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Ensure adequate ventilation.
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

**7 Handling and storage**

- **Handling:**
- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace.
- **Information about protection against explosions and fires:**  
Keep ignition sources away - Do not smoke.  
Protect against electrostatic charges.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Store in a refrigerator (2-8 °C).
- **Information about storage in one common storage facility:**  
Store away from oxidizing agents.  
Store away from reducing agents.
- **Further information about storage conditions:**  
Keep receptacle tightly sealed.  
Store in cool, dry conditions in well sealed receptacles.  
Protect from heat and direct sunlight.
- **Specific end use(s)** No further relevant information available.

**8 Exposure controls/personal protection**

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**

**Components with limit values that require monitoring at the workplace:****64-17-5 ethanol**

PEL	1900 mg/m <sup>3</sup> , 1000 ppm
REL	1900 mg/m <sup>3</sup> , 1000 ppm
TLV	1880 mg/m <sup>3</sup> , 1000 ppm

- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:** Wash hands before breaks and at the end of work.
- **Breathing equipment:** Not required.
- **Protection of hands:**  
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.  
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- **Material of gloves**  
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 4)

US

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 08/09/2017

Version 4

Reviewed on 08/01/2017

**Trade name: CLEARFIL NEW BOND ; UNIVERSAL**

(Contd. of page 3)

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**

Tightly sealed goggles

**9 Physical and chemical properties**· **Information on basic physical and chemical properties**· **General Information**· **Appearance:****Form:**

Liquid

**Color:**

Transparent

· **Odor:**

Alcohol-like

· **pH-value:**

Not determined.

· **Change in condition****Melting point/Melting range:**

-114.5 °C (ethanol)

**Boiling point/Boiling range:**

78 °C (ethanol)

· **Flash point:**

13°C (ethanol)

· **Ignition temperature:**

425.0 °C (ethanol)

· **Decomposition temperature:**

Not determined.

· **Danger of explosion:**

Product is not explosive. However, formation of explosive air/vapor mixtures are possible.

· **Explosion limits:****Lower:**

3.5 Vol % (ethanol)

**Upper:**

15.0 Vol % (ethanol)

· **Oxidizing properties**

Not determined

· **Vapor pressure:**

59.0 hPa (20 °C, ethanol)

· **Density:**1.1 g/cm<sup>3</sup>· **Relative density**

Not determined.

· **Vapor density**1.6 g/cm<sup>3</sup> (ethanol, air=1)· **Evaporation rate**

Not determined.

· **Solubility in / Miscibility with****Water:**

Fully miscible.

· **Partition coefficient (n-octanol/water):** -0.32 (ethanol)· **Viscosity:**

Not determined

· **Other information**

No further relevant information available.

**10 Stability and reactivity**· **Reactivity** No further relevant information available.· **Chemical stability**· **Thermal decomposition / conditions to be avoided:**

No decomposition if used and stored according to specifications.

· **Possibility of hazardous reactions** No dangerous reactions known.

(Contd. on page 5)

US

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 08/09/2017

Version 4

Reviewed on 08/01/2017

**Trade name: CLEARFIL NEW BOND ; UNIVERSAL**

(Contd. of page 4)

- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** Carbon monoxide and carbon dioxide

**11 Toxicological information**

- **Information on toxicological effects**

- **Acute toxicity:**

- **LD/LC50 values that are relevant for classification:**

**64-17-5 ethanol**

Oral	LD50	3450 mg/kg (mouse)
		7060 mg/kg (rat)
Inhalative	LC50/4 h	20000 mg/l (rat)
	LD50	3600 mg/kg (rat - intraperitoneal)

- **Primary irritant effect:**
- **on the skin:** No irritant effect.
- **on the eye:** No irritating effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**

- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.

- **NTP (National Toxicology Program)**

None of the ingredients is listed.

**12 Ecological information**

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**  
Water hazard class 1 (Self-assessment): slightly hazardous for water  
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

**13 Disposal considerations**

- **Waste treatment methods**
- **Recommendation:**  
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

(Contd. on page 6)

US

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 08/09/2017



Version 4

Reviewed on 08/01/2017

**Trade name: CLEARFIL NEW BOND ; UNIVERSAL**

(Contd. of page 5)

· **Recommended cleansing agent:** Water, if necessary with cleansing agents.**14 Transport information**

· <b>UN-Number</b>	
· <b>DOT</b>	UN1170
· <b>ADR, IMDG, IATA</b>	1170
· <b>UN proper shipping name</b>	
· <b>ADR</b>	1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)
· <b>IMDG</b>	ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)
· <b>IATA</b>	ETHANOL SOLUTION
· <b>Transport hazard class(es)</b>	
· <b>DOT</b>	
	
· <b>Class</b>	3 Flammable liquids
· <b>Label</b>	3
· <b>ADR, IMDG, IATA</b>	
	
· <b>Class</b>	3 Flammable liquids
· <b>Label</b>	3
· <b>Packing group</b>	
· <b>DOT, ADR, IMDG, IATA</b>	II
· <b>Environmental hazards:</b>	
· <b>Marine pollutant:</b>	No
· <b>Special precautions for user</b>	Warning: Flammable liquids
· <b>Danger code (Kemler):</b>	33
· <b>EMS Number:</b>	F-E,S-D
· <b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b>	Not applicable.
· <b>UN "Model Regulation":</b>	UN1170; ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION); 3; II

**15 Regulatory information**· **Safety, health and environmental regulations/legislation specific for the substance or mixture**  
· Sara· **Section 355 (extremely hazardous substances):**

None of the ingredient is listed.

· **Section 313 (Specific toxic chemical listings):**

None of the ingredients is listed.

(Contd. on page 7)

US

# Safety Data Sheet

acc. to OSHA HCS

Printing date 08/09/2017

Version 4

Reviewed on 08/01/2017

Trade name: CLEARFIL NEW BOND ; UNIVERSAL

(Contd. of page 6)

· **TSCA (Toxic Substances Control Act):**

All ingredients are listed.

· **Proposition 65**· **Chemicals known to cause cancer:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

· **Chemicals known to cause developmental toxicity:**

All ingredients are listed.

· **Carcinogenicity categories**· **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

· **TLV (Threshold Limit Value established by ACGIH)**

64-17-5 ethanol

A4

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**

H225 Highly flammable liquid and vapor.

H350 May cause cancer.

· **NFPA ratings (scale 0 - 4)**

Health = 0

Fire = 3

Reactivity = 0

· **HMIS-ratings (scale 0 - 4)**

Health = 1

Fire = 3

Reactivity = 0

· **Abbreviations and acronyms:**

Flam. Liq. 2: Flammable liquids – Category 2

Carc. 1A: Carcinogenicity – Category 1A

· **\* Data compared to the previous version altered.**

US