# **SAFETY DATA SHEETS**

# This SDS packet was issued with item:

077181605

The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).

071039908 077181613 077181621 077181639 077181662 077181704 273024645

# **Material Safety Data Sheet**

May be used to comply with OSHA's Hazard Communication Standard.

Identity	Lab-Putty Activator				_
etion I		· · · · · · · · · · · · · · · · · · ·	<u> </u>	·—·	
Manufacturer's Name	Coltène/Whaledent Inc.	Emergency Tel. N	to. 201-5	512-8000	
Address	750 Corporate Drive	Tel. No. for Inform		12-8000	
	Mahwah, NJ 07430	Date Prepared	1993-		
· ·		Signature of Prep	arer		
Section II - Hazard	ous Ingredients / Identity Info	rmation			
Hazardous Componen	ts OS	SHA PEL A	CGIH TLV	Other Limits	%
(Specific Chemical Ide	ntity; Common Name(s))			Recommended	(optio
Dialkyttin dicarboxylate	s0.1mg(	Sn)/m3 (skin) _0.1mg	g(Sn)/m3_(skin)_	·	8
Alkyl silicales		··			2
					_
		· ·			-
	· <del>-</del> - · · · · · · · · · · · · · · · · · ·		<del></del>		_
<del>-</del>		··			
Section III - Physic	al/Chemical Characteristics				
Boiling Point	> 150 °C	Specific Gravity		1.0	
Vapor Pressure at	°C n.a. (mm H	g)   Melting Point		n.a. °C	
Vapor Density (AIR = 1	) >1	Evaporation Rate		n.a. (Butyl ac	elate = 1
Solubility in Water	попе				
Appearance and Odor	blue Jelly paste				
Section IV - Fire an	d Explosion Hazard Data				
Flash Point	> 150 °C	Flammable Limits	at °C LE	L n.a.% UEL	n.a. %
Extinguishing Media	water fog, spray, hal	ones, CO2, dry extingui	shing media, sar	<u>nd</u>	
Special Fire Fighting Pr	rocedures none				
Unusual Fire and Explo	osion Hazards none	<u> </u>		·	
Section V - Reactive	vity Data				
Stability	Unstable	Conditions to Avoid			
	Stable X	none			
Incompatibility (Materi	als to Avoid)	none	·	- ·	
Hazardous Decomposi	tion or Byproducts	попе			_
Hazardous Polymeriza	tion May Occur	Conditions to Avoid			
<b>_</b>	Will Not Occur X	none	· · · · · · · · · · · · · · · · · · ·	<b>_</b>	

outes of Entry	inhalation	n Skin	Ingestion	
	X	X		
alth Hazards (Acute and	Chronic)	Interaction of unset mixed polysitoxane immembrane after temporary contact has no		
rcinogenicity	NTP	IARC Monographs	OSHA Regulated	
none				
gns and Symptoms of Ex	cposure	none		
adical Conditions		n,n.		
enerally Aggravated by E	xposure		·	
nergency and First Aid Pi	rocedures	n. <b>a</b> .		
ection VII - Precaution	ns for Safe	Hendling and Use		
eps to Be Taken	<del></del> _	Remove set material.		
Case Material Is Release	d or Spilled	Silicone rubber preparations do not cause	disturbances in sewage plants.	
aste Disposal Method		According to local prescriptions.		
ecautions to Be Taken Handling and Storing		Store in a cold, dry place, water will decr Pure, unmixed catalyst may be irritant to t		
ther Precautions		Follow mixing instructions. Wear gloves and avoid direct contact with pure unmixe catalyst. The product should only be supplied to dentists or dental technicians or upon their instructions.		
ection VIII - Control	Measures			
espiratory Protection (Sp	ecify Type)	not required	· · · · · · · · · · · · · · · · · · ·	
entilation Local Ex	haust	Special	-	
Mechani	cal (General)	Other	•	
rotective Gloves X		Eye Protection -		
ther Protective Clothing	or Equipmen	<u> </u>		
fork / Hygienic Practices		Wash hands before breaks and after the	end of a day's work.	
ection IX - Information	on _			
eplace MSDS dated 1990			<del> </del>	



according to Regulation (EC) No 1907/2006

# **Lab Putty Activator**

Revision date: 11.10.2018 Print date: 19.06.2019 Page 1 of 6

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

# 1.1. Product identifier

Lab Putty Activator

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Activator.

# 1.3. Details of the supplier of the safety data sheet

Company name: COLTENE/Whaledent AG Street: Feldwiesenstrasse 20 Place: CH-9450 Altstätten +41 (71) 75 75 300 Telephone: Telefax: +41 (71) 75 75 301 e-mail: info.ch@coltene.com Internet: www.coltene.com Responsible Department: Regulatory Affairs msds@coltene.com

1.4. Emergency telephone

+41 (0) 44 251 51 51 - Tox Info Suisse (24 h)

number:

#### **Further Information**

Only supplied to dentists and dental laboratories or upon their instructions The product is intended for professional use.

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

## Regulation (EC) No. 1272/2008

Hazard categories:

Acute toxicity: Acute Tox. 4 Skin corrosion/irritation: Skin Irrit. 2

Serious eye damage/eye irritation: Eye Irrit. 2

Specific target organ toxicity - repeated exposure: STOT RE 2

Hazard Statements:
Harmful if inhaled.
Causes skin irritation.
Causes serious eye irritation.

May cause damage to organs through prolonged or repeated exposure.

k

## 2.2. Label elements

# Regulation (EC) No. 1272/2008

# Hazard components for labelling

Alkyl silicates

Signal word: Warning

Pictograms:





# **Hazard statements**

H315 Causes skin irritation.



according to Regulation (EC) No 1907/2006

	Lab Putty Activator	
Revision date: 11.10.2018	Print date: 19.06.2019	Page 2 of 6

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H373 May cause damage to organs through prolonged or repeated exposure.

#### **Precautionary statements**

P202 Do not handle until all safety precautions have been read and understood.
P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

P302+P352 IF ON SKIN: Wash with plenty of water.

P332+P313 If skin irritation occurs: Get medical advice/attention.
P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P314 Get medical advice/attention if you feel unwell.

# **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

## **Hazardous components**

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification	•		
	Alkyl silicates			15 - < 20 %
	Flam. Liq. 3, Acute Tox. 3, Skin Irrit. 2, Eye Irrit. 2, STOT SE 3, STOT RE 2, Aquatic Chronic 4; H226 H331 H315 H319 H335 H373 H413			
68299-15-0	5-0 Dioctyltindineodecanoate			5 - < 10 %
	269-595-4			
	STOT SE 2; H371		_	

Full text of H and EUH statements: see section 16.

#### **Further Information**

,

# **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

#### After inhalation

Provide fresh air. When in doubt or if symptoms are observed, get medical advice.

#### After contact with skin

After contact with skin, wash immediately with: Water and soap.

# After contact with eyes

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

# After ingestion

Seek medical attention if problems persist.

## **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

# Suitable extinguishing media

Water. Foam. Extinguishing powder. Carbon dioxide (CO2). Sand.



according to Regulation (EC) No 1907/2006

# **Lab Putty Activator**

Revision date: 11.10.2018 Print date: 19.06.2019 Page 3 of 6

#### Additional information

Co-ordinate fire-fighting measures to the fire surroundings.

#### **SECTION 6: Accidental release measures**

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

#### 6.3. Methods and material for containment and cleaning up

Wipe up with absorbent material (eg. cloth, fleece). Clear contaminated areas thoroughly.

# **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

#### Advice on safe handling

The product is intended for professional use.

Avoid contact with skin and eyes.

Observe instructions for use.

#### Further information on handling

After use replace the closing cap immediately.

## 7.2. Conditions for safe storage, including any incompatibilities

#### Further information on storage conditions

Keep the packing dry and well sealed to prevent contamination and absorbtion of humidity.

Recommended storage temperature: 15 - 23 °C

# **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

# 8.2. Exposure controls

# Protective and hygiene measures

When using do not eat, drink or smoke.

# Eye/face protection

Eye glasses with side protection

#### Hand protection

Suitable material: When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Disposable gloves - Suitable material: NBR (Nitrile rubber).

#### Skin protection

Wear suitable protective clothing.

# **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state: Paste Colour: blue

Odour: characteristic

Test method

# Changes in the physical state

Initial boiling point and boiling range: >150 °C



according to Regulation (EC) No 1907/2006

# **Lab Putty Activator**

Revision date: 11.10.2018 Print date: 19.06.2019 Page 4 of 6

Density (at 23 °C): 1.0 g/cm³ Water solubility: insoluble

(at 23 °C)

## Solubility in other solvents

ketone.

# **SECTION 10: Stability and reactivity**

# 10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

## 10.4. Conditions to avoid

Air, humid.

## **Further information**

Keep the packing dry and well sealed to prevent contamination and absorbtion of humidity.

# **SECTION 11: Toxicological information**

## 11.1. Information on toxicological effects

#### Acute toxicity

Harmful if inhaled.

LD50: >2000 mg/kg (Rat)

The statement is derived from products of similar composition.

## **ATEmix** calculated

ATE (inhalation vapour) 15.38 mg/l; ATE (inhalation aerosol) 2.564 mg/l

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
	ulkyl silicates					
	inhalation vapour	ATE	3 mg/l			
	inhalation aerosol	ATE	0,5 mg/l			

## Irritation and corrosivity

Causes serious eye irritation.

Irritant effect on the skin: (Rabbit)

Not an irritant.

The statement is derived from products of similar composition.

## Sensitising effects

Guinea-pig.

no danger of sensitization.

The statement is derived from products of similar composition.

# Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

# STOT-single exposure

Based on available data, the classification criteria are not met.

### STOT-repeated exposure

May cause damage to organs through prolonged or repeated exposure.

## **Aspiration hazard**

Based on available data, the classification criteria are not met.

# **SECTION 12: Ecological information**



according to Regulation (EC) No 1907/2006

# **Lab Putty Activator**

Revision date: 11.10.2018 Print date: 19.06.2019 Page 5 of 6

#### **Further information**

Avoid release to the environment.

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

## Advice on disposal

Dispose of waste according to applicable legislation.

# **SECTION 14: Transport information**

# Land transport (ADR/RID)

14.1. UN number:

## Other applicable information (land transport)

No dangerous good in sense of these transport regulations.

#### Marine transport (IMDG)

<u>14.1. UN number:</u> ----

# Other applicable information (marine transport)

No dangerous good in sense of these transport regulations.

## Air transport (ICAO-TI/IATA-DGR)

<u>14.1. UN number:</u> -----

## Other applicable information (air transport)

No dangerous good in sense of these transport regulations.

## Other applicable information

Not a hazardous material with respect to these transportation regulations.

# **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## **National regulatory information**

**Additional information** 

-----

# **SECTION 16: Other information**

### Changes

\* Data changed compared with the previous version

#### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

# Relevant H and EUH statements (number and full text)

H226 Flammable liquid and vapour.

H315 Causes skin irritation.



according to Regulation (EC) No 1907/2006

Print date: 19.06.2019	Page 6 of
ses serious eye irritation.	
c if inhaled.	
nful if inhaled.	
cause respiratory irritation.	
cause damage to organs (immune system) if swallowed.	
cause damage to organs through prolonged or repeated exposure.	
cause long lasting harmful effects to aquatic life.	
Y	oful if inhaled.  cause respiratory irritation.  cause damage to organs (immune system) if swallowed.  cause damage to organs through prolonged or repeated exposure.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)

named in this safety data sheet, for storage, processing, transport and disposal.



according to Regulation (EC) No 1907/2006

# **Lab Putty Base**

Revision date: 20.04.2015 Print date: 30.04.2015 Page 1 of 3

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Lab Putty Base

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

## Use of the substance/mixture

for dental use only

## 1.3. Details of the supplier of the safety data sheet

Coltène/Whaledent AG Company name: Street: Feldwiesenstrasse 20 Place: CH-9450 Altstätten Telephone: +41 (71) 75 75 300 Telefax: +41 (71) 75 75 301 e-mail: info.ch@coltene.com www.coltene.com Internet: Responsible Department: Regulatory Affairs msds@coltene.com

#### **Further Information**

Only supplied to dentists and dental laboratories or upon their instructions

#### **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

This mixture is classified as not hazardous according to Regulation (EC) 1272/2008 [GHS].

The preparation is not dangerous in the sense of Directive 1999/45/EC.

Preparation/mixture without hazards for human health or environment

#### 2.2. Label elements

## Hazardous components which must be listed on the label

According to EC directive 1999/45/EC or annex VI of directive 67/548/EEC the preparation does not have to be labelled.

# **SECTION 3: Composition/information on ingredients**

# 3.2. Mixtures

#### **Chemical characterization**

Polymer preparations and compounds

## **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

# **General information**

No special measures are necessary.

# After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

# **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

# Suitable extinguishing media

Water. Foam. Extinguishing powder. Carbon dioxide (CO2). Sand.



according to Regulation (EC) No 1907/2006

# **Lab Putty Base**

Revision date: 20.04.2015 Print date: 30.04.2015 Page 2 of 3

#### Additional information

Co-ordinate fire-fighting measures to the fire surroundings.

#### **SECTION 6: Accidental release measures**

## 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

# 6.3. Methods and material for containment and cleaning up

Wipe up with absorbent material (eg. cloth, fleece). Clear contaminated areas thoroughly.

## **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

## Advice on safe handling

No special precautionary measures are necessary.

Observe instructions for use.

## 7.2. Conditions for safe storage, including any incompatibilities

## Further information on storage conditions

Keep the packing dry and well sealed to prevent contamination and absorbtion of humidity.

Recommended storage temperature: 15 - 23 °C

# **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

# 8.2. Exposure controls

# Protective and hygiene measures

When using do not eat, drink or smoke.

### Hand protection

Single-use gloves.

Unsuitable material: NR (Natural rubber (Caoutchouc), Natural latex).

## **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state: Paste

Colour:

Test method

# Changes in the physical state

Initial boiling point and boiling range: >150 °C
Water solubility: insoluble

(at 23 °C)

Solubility in other solvents

ketone.

# **SECTION 10: Stability and reactivity**

## **Further information**

No special measures are necessary.

# **SECTION 11: Toxicological information**

# 11.1. Information on toxicological effects



according to Regulation (EC) No 1907/2006

# **Lab Putty Base**

Revision date: 20.04.2015 Print date: 30.04.2015 Page 3 of 3

#### **Acute toxicity**

LD50: >2000 mg/kg (Rat)

The statement is derived from products of similar composition.

#### Irritation and corrosivity

Irritant effect on the skin: (Rabbit)

Not an irritant.

The statement is derived from products of similar composition.

#### Sensitising effects

Guinea-pig.

no danger of sensitization.

The statement is derived from products of similar composition.

# **SECTION 12: Ecological information**

#### **Further information**

No special environmental measures are necessary.

# **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

## Advice on disposal

Can be burnt together with household waste in compliance with official regulations in contact with approved waste disposal companies and with authorities in charge.

# **SECTION 14: Transport information**

# Other applicable information

Not a hazardous material with respect to these transportation regulations.

# **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulatory information

**Additional information** 

-----

## **SECTION 16: Other information**

### **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)