This SDS packet was issued with item:

076344618

The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).

076344600 076344634

1.Identification of the substance or mixture and of the supplier

1.1 Product Name:

GLASIONOMER CX-PLUS "POWDER"

1.2 Company /Undertaking identification

Manufacturer's Name: SHOFU INC.

Address: 11 Kamitakamatsu-cho, Fukuine, Higashiyama-ku, Kyoto 605-0983, JAPAN

Phone: +81-75-561-1112 Fax: +81-75-561-2273

Section in Charge: Quality Assurance Section

Date Prepared: 2014.9.25

1.3 Emergency Telephone Number

+81-75-561-1112

2.Hazards identification

GHS CLASSIFICATION

It is not possible to classify it.

LABEL ELEMENTS

SYMBOL —
SIGNAL WORD —
HAZARD STATEMENTS —

PRECAUTIONARY STATEMENTS

[Prevention]

Obtain special instruction before use.

Do not handle until all safety precautions have been read and understood.

Do not breathe dust.

[Response]

If you feel un-well, get medical advice/attention.

[Storage]

Store in a cool and dark area.

[Disposal]

Dispose of contents and container in accordance with regulation.

3. Composition/information on ingredients

C omposition

Fluoroaluminosilicate Glass [Cas No.65997-18-4] > 90%

Others

Hazardous ingredients are not include.

4.First-aid measures

4.1 Eye contact: Irritating to eyes. Rinse immediately with plenty of water for 15 minutes holding

the eyelids open. Seek medical attention if irritation or symptoms persist.

4.2 Skin contact: Irritating to skin. Wash off immediately with plenty of soap and water. Remove

contaminated clothing. Seek medical attention if irritation or symptoms persist.

4.3 Ingestion: Ingestion may cause nausea and vomiting. Seek medical attention if irritation or

symptoms persist. DO NOT INDUCE VOMITING.

4.4 Inhalation: Irritating to respiratory system. Inhalation may cause coughing, tightness of the

chest and irritation 'of the respiratory system. Move the exposed person to

fresh air. Seek medical attention.

5.1 Suitable Extinguishing Media:		Carbon oxides.	
5.2 Extinguishing Media Should not be			
o.e exemgerem.	g media emedia nee ze	N/A	
5.3 Special Exposure Hazards Arising:		Burning produces irritating, toxic and obnoxious fumes.	
		Vapour may travel considerable distance to source of	
		ignition and flash back.	
5.4 Special Protective Equipment:		Self-contained breathing apparatus. Wear protective clothing.	
Accidental releas	se measures		
6.1 Personal Precautions:		Ensure adequate ventilation of the working area. Wear suitable	
		protective equipment. Eliminate all sources of ignition.	
		Evacuate personnel to a safe area.	
6.2 Environmental Precautions:		Do not allow product to enter drains. Prevent further spillage	
		if safe.	
6.3 Methods for Cleaning Up:		Sweep up. Transfer to suitable, labelled containers for disposa	
		Clean spillage area thoroughly 'with plenty of water.	
landling and sto	rage		
7.1 Handling:	Avoid contact with eyes and skin. Ensure adequate ventilation of the working area.		
	Use explosion proof equipment. Keep away from sources of ignition – No smoking.		
7.2 Storage:	Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in		
	correctly labelled containers.		
	ls/personal protection		
Exposure contro	·	A O O TIL TI V	
Exposure contro 8.1Exposure lim	rits:	ACGIH TLV.	
<u>-</u>	its:	None assigned.	
<u>-</u>			

8.5 Skin Protection: We

8.4 Eye Protection:

Wear chemical protective clothing.

Approved safety goggles.

9.Physical and chemical properties

Physical and chemical properties				
9.1 Appearance/Odour/pH	White odourless powder			
9.2 Boiling Point/Boiling Range:	N/D			
9.3 Melting Point/Melting Range:	N/D			
9.4 Flash point:	N/D			
9.5 Auto flammability:	N/D			
9.6 Explosive Properties:	N/D			
9.7 Oxidizing Properties:	N/D			
9.8 Vapour Pressure:	N/D			
9.9 Relative Density:	≒2.5			
9.10 Solubility: water solubility	Insoluble			

10.Stability and reactivity

10.1 Stability: Stable under normal conditions.

10.2 Possibility of hazardous reactions: Oxidising agents.

10.3 Condition to avoid: Heat, sparks and open flames.

10.4 Materials to avoid: N/A

11.Toxicological information

No data available

12.Ecological information

No data available

13.Disposal considerations

Dispose of in compliance with all local and national regulations.

14.Transport information

The product is not classified as dangerous for carriage.

15.Regulatory information

Follow all regulations in your country.

16.Other information

This product is intended for use by dental professionals. (instrument/material)



page 1/5
GlasIonomer Cement CX-Plus
POWDER

Printing date: August 26, 2019

SECTION 1. Identification of the substance or mixture and of the supplier

1.1 Product identifier

Trade Name:

Glasionomer Cement CX-Plus "POWDER"

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Dental material Uses advised against: No further data

1.3 Details of the supplier of the safety date sheet

Company/Undertaking identification

Manufacturer's Name: **SHOFU DENTAL CORPORATION**Address: 1225 Stone Drive, San Marcos, CA 92078 USA

Toll Free: 1-800-827-4638 Phone: 760-736-3277 Fax: 760-736-3276

E-Mail: customer-service@shofu.com

Section in Charge: Quality Management & Regulatory Affairs

1.4 Emergency Telephone Number

For emergencies only. Call CHEMTREC: +1 703-741-5970 / 1-800-424-9300 (24 hours)

SECTION 2. Hazards identification

2.1 GHS Classification

It is not possible to classify it.

2.2 Label elements

SYMBOL Void SIGNAL WORD Void HAZARD STATEMENTS Void

PRECAUTIONARY STATEMENTS

[Prevention]

Obtain special instruction before use.

Do not handle until all safety precautions have been read and understood.

[Response]

Get medical advice/attention if you feel unwell.

[Storage]

Store in a cool and dark area.

[Disposal]

Dispose of contents and container in accordance with regulation.

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable. vPvB: Not applicable.

Version Number 6 Revision date: August 8, 2019



page 2/5 GlasIonomer Cement CX-Plus POWDER

Printing date: August 26, 2019

SECTION 3. Composition/information on ingredients

3.1 Chemical characterization: Mixtures

3.2 Description: -

3.3 Dangerous components: Void

Fluoroaluminosilicate Glass [Cas No.65997-18-4] 90-95 %

Others

3.4 Additional information: For the wording of the listed risk phrases refer to section 2

SECTION 4. First-aid measures

4.1 Description of first aid measures

Eye contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present.

and easy to do. If eye irritation persists, get medical advice/attention.

Skin contact: Wash immediately with soap and plenty of water. If on skin, skin irritation, get

medical advice/attention.

Ingestion: Rinse mouth and seek medical advice if necessary.

Inhalation: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

If symptom concerning breath goes out, call a POISON CENTER or doctor.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5. Fire-fighting measures

5.1 Extinguishing Media:

This product is not flammable.

5.2 Special hazards arising from the substance or mixture:

No further relevant information available.

5.3 Advice for firefighters:

No special measures required.

SECTION 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Avoid contact with eyes and skin.

6.2 Environmental Precautions:

Send to approved treatment/disposal company or dispose according to local, state and federal regulations.

6.3 Methods and material for containment and cleaning Up:

Wipe up and discard in a suitable container.

6.4 Reference to other section:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7. Handling and storage

7.1 Precautions for safe handling:

Avoid inhaling and contact with eyes and skin.

Version Number 6



page 3/5 GlasIonomer Cement CX-Plus POWDER

Printing date: August 26, 2019

Handle in a well ventilated area.

Handling of the product exclusively restrict to dental specialists, according to the instruction for use.

7.2 Conditions for safe storage, including any incompatibilities:

Store in a cool and dry conditions with lid tightly closed.

7.3 Specific end use(s):

No further relevant information available.

SECTION 8. Exposure controls/personal protection

8.1 Control parameters:

Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

8.2 Exposure controls:

Respiratory Protection:

Dust mask

Skin Protection: Hand Protection

The glove material has to be impermeable and resistant to the product/ the

substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given

for the product/ the preparation/the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

Butyl rubber, BR Nitrile rubber, NBR

Eye Protection: Safety goggles

SECTION 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance/Odor/Colour: White odourless powder.

Odour threshold Not determined.

pH Not determined.

Melting point/freezing point Not determined.

Boiling Point: Not determined.

Version Number 6



page 4/5
GlasIonomer Cement CX-Plus
POWDER
Printing date: August 26, 2019

Flash point: Not determined. Not determined. Evaporation rate Flammability (solid, gas) Not applicable. Upper/lower flammability or explosive limits Not determined. Vapour pressure Not determined. Vapour density Not determined. Relative Density: ≈ 2.5 (water=1) Solubility: water solubility Insoluble.

Partition coefficient: n-octanol/water
Auto-ignition temperature
Decomposition temperature
Viscosity
Not determined.
Not determined.
Not determined.
Not determined.
Not applicable.
Oxidising properties
Not applicable.

9.2 Other information

No further relevant information available.

SECTION 10. Stability and reactivity

10.1 Reactivity:

No further relevant information available.

10.2 Chemical stability:

Stable under normal temperatures and pressures.

10.3 Possibility of hazardous reactions:

No dangerous reactions known.

10.4 Condition to Avoid:

Avoid direct sunlight and high temperature.

10.5 Incompatible materials:

No further relevant information available.

10.6 Hazardous Decomposition Products:

None under normal conditions of storage and use.

SECTION 11. Toxicological information

11.1 Information on toxicological effects:

Acute toxicity: Based on available data, the classification criteria are not met.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Eye damage/irritation: Based on available data, the classification criteria are not met.

Sensitization to the respiratory tract:

Based on available data, the classification criteria are not met.

Skin sensitization: Based on available data, the classification criteria are not met.

Germ cell mutagenicity/Genotoxicity:

Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met. Reproductive toxicity: Based on available data, the classification criteria are not met.

Effects on or via lactation: Lack of data.

Specific target organ toxicity (single exposure):

Based on available data, the classification criteria are not met.

Version Number 6



page 5/5 GlasIonomer Cement CX-Plus

POWDER

Printing date: August 26, 2019

Specific target organ toxicity (repeated exposure):

Based on available data, the classification criteria are not met.

Aspiration hazard: Based on available data, the classification criteria are not met.

SECTION 12. Ecological information

12.1 Toxicity:

No further relevant information available.

12.2 Persistence and degradability:

No further relevant information available.

12.3 Bioaccumulative potential:

No further relevant information available.

12.4 Mobility in soil:

No further relevant information available.

12.5 Results of PBT and vPvB assessment:

Not applicable.

12.6 Other adverse effects:

No further relevant information available.

SECTION 13. Disposal considerations

13.1 Waste treatment methods:

Dispose of contents/container to in accordance with local/regional/national/international regulations.

SECTION 14. Transport information

14.1 UN number:	Void
14.2 UN proper shipping name:	Void
14.3 Transport hazard class(es):	Void
14.4 Packing group:	Void
14.5 Environmental hazards:	No

14.6 Special precautions for user: Not applicable.

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:

Not applicable.

SECTION 15. Regulatory informati

Follow all regulations in your country.

SECTION 16. Other information

This product is intended for use by dental professionals. (instrument/material)

Abbreviations and acronyms:

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

Version Number 6