SAFETY DATA SHEETS

This SDS packet was issued with item:

070441113

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

070441105

The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).

070441139



Page 1/9

Safety Data Sheet according to HPR, Schedule 1

Printing date 06/29/2021

Reviewed on 06/29/2021

Tel.: +49 (0)800 4372522

1 Identification

- · Product identifier
 - · Trade name: iBond Universal

- · Application of the substance / the mixture Dental bonding material
- · Details of the supplier of the safety data sheet
 - Manufacturer/Supplier:

Kulzer GmbH

Leipziger Straße 2, 63450 Hanau (Germany)

· Information department:

Tel. +1 (800) 431-1785 Fax: +1 (800) 522-1545 e-mail: customer.servicehkna@kulzer-dental.com

Emergency telephone number:

Emergency CONTACT (24-Hour-Number) ID 105860: (domestic) 1 800 535 5053 or international (001) 352 323 3500

2 Hazard identification

Classification of the substance or mixture

Flammable Liquids - Category 2 H225 Highly flammable liquid and vapour.

Skin Irritation - Category 2 H315 Causes skin irritation.

Eve Irritation - Category 2A H319 Causes serious eye irritation.

Skin Sensitizer - Category 1 H317 May cause an allergic skin reaction.

Specific Target Organ Toxicity - Single Exposure - H336 May cause drowsiness or dizziness.

Category 3

· Label elements

GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms





GHS02 GHS07

· Signal word Danger

· Hazard-determining components of labeling:

7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate acetone

4-methacryloxyethyltrimellitic acid anhydride

· Hazard statements

Highly flammable liquid and vapour.

Causes skin irritation.

Causes serious eye irritation.

May cause an allergic skin reaction.

May cause drowsiness or dizziness.

Precautionary statements

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Avoid breathing mist/vapours/spray.

Avoid release to the environment.

(Contd. on page 2)



Page 2/9

Safety Data Sheet according to HPR, Schedule 1

Printing date 06/29/2021 Reviewed on 06/29/2021

Trade name: iBond Universal

(Contd. of page 1)

Wear protective gloves/protective clothing/eye protection/face protection.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Classification system

· NFPA ratings for USA (scale 0-4)



Health = 2 Fire = 3 Reactivity = 0

· HMIS-Ratings (Scale 0-4)



Health = 2 Fire = 3 Reactivity = 0

· Other hazards -

3 Composition/Information on ingredients

- · Chemical characterization: Mixtures
 - · Description: -

· Dangerous components:				
67-64-1	acetone	25-50% w/w *		
	Flammable Liquids - Category 2, H225 Eye Irritation - Category 2A, H319; Specific Target Organ Toxicity - Single Exposure - Category 3, H336			
72869-86-4	7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane- 1,16-diyl bismethacrylate	10-25% w/w *		
	Skin Sensitizer - Category 1B, H317			
70293-55-9	4-methacryloxyethyltrimellitic acid anhydride	10-25% w/w *		
	Skin Irritation - Category 2, H315; Eye Irritation - Category 2A, H319; Skin Sensitizer - Category 1, H317			

^{*} Actual concentration ranges are withheld as a trade secret.

4 First-aid measures

- · Description of first aid measures
 - After inhalation

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact If skin irritation continues, consult a doctor.
- · After eye contact

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

Information for doctor

· Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)

[·] Additional information For the wording of the listed hazard phrases refer to section 16.



Page 3/9

Safety Data Sheet according to HPR, Schedule 1

Printing date 06/29/2021 Reviewed on 06/29/2021

Trade name: iBond Universal

(Contd. of page 2)

Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- Extinguishing media
 - · Suitable extinguishing agents
 - CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
 - · For safety reasons unsuitable extinguishing agents Water with full jet.
- · Special hazards arising from the substance or mixture

Can form explosive gas-air mixtures.

Formation of toxic gases is possible during heating or in case of fire.

- · Advice for firefighters
 - · Protective equipment: No special measures required.
- · Additional information -

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures
 - Wear protective equipment. Keep unprotected persons away.
- · Environmental precautions: Prevent seepage into sewage system, workpits and cellars.
- Methods and material for containment and cleaning up:

Absorb with liquid binding material (diatomite, universal binders, for small amounts tissues). Ensure adequate ventilation.

Send for recovery or disposal in suitable receptacles.

Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- ·Handling
 - · Precautions for safe handling Keep receptacles tightly sealed.
 - Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · Conditions for safe storage, including any incompatibilities
 - Storage
 - · Requirements to be met by storerooms and receptacles: Store in a cool location.
 - Information about storage in one common storage facility: Not required.
 - Further information about storage conditions:

Keep receptacle tightly sealed.

Protect from exposure to the light.

Store in cool, dry conditions in well sealed receptacles.

Specific end use(s) No further relevant information available.

CA



Page 4/9

Safety Data Sheet according to HPR, Schedule 1

Printing date 06/29/2021 Reviewed on 06/29/2021

Trade name: iBond Universal

(Contd. of page 3)

8 Exposure controls/ Personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
 - Components with limit values that require monitoring at the workplace:

67-64-1 acetone

EL Short-term value: 500 ppm Long-term value: 250 ppm EV Short-term value: 750 ppm Long-term value: 500 ppm

Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

Personal protective equipment

· General protective and hygienic measures

Avoid contact with the eyes.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Breathing equipment:

Use respiratory protective device against the effects of fumes/dust/aerosol. **Protection of hands:**

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

If skin contact cannot be avoided, protective gloves are recommended to avoid possible sensitization.

Check protective gloves prior to each use for their proper condition.

recommended

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

Butyl rubber, BR Nitrile rubber, NBR

- · Eve protection: Tightly sealed goggles.
- · Body protection: Light weight protective clothing

9 Physical and chemical properties

- · Information on basic physical and chemical properties
 - General Information
 - Appearance:

Form: Liquid

(Contd. on page 5)



Page 5/9

Safety Data Sheet according to HPR, Schedule 1

Printing date 06/29/2021 Reviewed on 06/29/2021

Trade name: iBond Universal

	(Contd. of page
· Color:	Clear
· Odor:	Characteristic
· Odor threshold:	Not determined.
· pH-value:	Not determined.
· Change in condition	
Melting point/Melting range:	undetermined
· Boiling point/Boiling range:	undetermined
· Flash point:	-19 °C (-2.2 °F)
· Flammability (solid, gaseous)	Not applicable.
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product is not explosive. However, formation
	explosive air/vapor mixtures are possible.
· Explosion limits:	
·Lower:	Not determined.
· Upper:	Not determined.
· Vapor pressure:	Not determined.
· Density at 20 °C (68 °F):	0.99 g/cm³ (8.26155 lbs/gal)
· Relative density	Not determined.
· Vapor density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with	
· Water:	Partly miscible
· Partition coefficient (n-octanol/wat	ter): Not determined.
· Viscosity:	
dynamic:	Not determined.
· kinematic:	Not determined.
Other information	No further relevant information available.

10 Stability and reactivity

- Reactivity No further relevant information available.
 Possibility of hazardous reactions No dangerous reactions known
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available. · Hazardous decomposition products: none
- · Additional information: -

(Contd. on page 6)



Page 6/9

Safety Data Sheet according to HPR, Schedule 1

Printing date 06/29/2021 Reviewed on 06/29/2021

Trade name: iBond Universal

(Contd. of page 5)

11 Toxicological information

- · Information on toxicological effects
 - · Acute toxicity:

· LD/	· LD/LC50 values that are relevant for classification:					
67-64-1 ad	67-64-1 acetone					
Oral	LD50	5800 mg/kg (rat)				
Dermal	LD50	>15800 mg/kg (rabbit) weight of evidence				
Inhalative	LC50/4 h	76 mg/l (rat) weight of evidence				
72869-86-	72869-86-4 7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate					
Oral	LD50	>5000 mg/kg (rat) (OECD 401)				
Dermal	LD50	>2000 mg/kg (rat) (OECD 402)				
70293-55-	70293-55-9 4-methacryloxyethyltrimellitic acid anhydride					
Oral	LD50	>2000 mg/kg (mouse)				
Dermal	LD50	>2000 mg/kg (mouse)				

- Primary irritant effect: on the skin: No irritant effect.
- on the eye: Irritating effect.
 Sensitization: Sensitization possible through skin contact.
 Additional toxicological information: Irritant
- - · Carcinogenic categories
 - · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· Reproductive toxicity Based on available data, the classification criteria are not met.

12 Ecological information

· Toxicity

· I oxicity					
· Aquatic t	· Aquatic toxicity:				
67-64-1 acetone					
EC50/48h	8800 mg/l (daphnia)				
LC50/96h	6210 mg/l (fish) (OECD 203)				
72869-86-4 7	72869-86-4 7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl				
	bismethacrylate				
EC50/48h	>1.2 mg/l (daphnia) (OECD 202)				
LC50/96h	10.1 mg/l (fish) (OECD 203)				
ErC50 / 72 h	>0.68 mg/l (algae) (OECD 201)				
NOEC / 72h	0.21 mg/l (algae) (OECD 201)				
•	(Contd. on page 7)				

(Contd. on page 7)



Page 7/9

Safety Data Sheet according to HPR, Schedule 1

Printing date 06/29/2021 Reviewed on 06/29/2021

Trade name: iBond Universal

(Contd. of page 6)

· Persistence and degradability

67-64-1 acetone

biodegradability 90.9 % /28d (nd) (OECD 301D)

72869-86-4 7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate

biodegradability 22 % /28d (nd) (OECD 301B; ISO/ 9439/ EEC 92/69/V, C.4-C)

- · Behavior in environmental systems:
 - Bioaccumulative potential No further relevant information available.
 - Mobility in soil No further relevant information available.
- Additional ecological information:
 - General notes:

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- Results of PBT and vPvB assessment
 - PBT: Not applicable.
 - · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- Waste treatment methods
 - Recommendation

Disposal must be made according to official regulations.

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
 - **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

· UN-Number

DOT/TDG, ADR, IMDG, IATA UN1090

UN proper shipping name DOT/TDG, IMDG, IATA ACETONE, mixture 1090 ACETONE, mixture · ADR

- · Transport hazard class(es)
 - · DOT/TDG (Transport dangerous goods):



· Class

3 Flammable liquids

· I abel

(Contd. on page 8)



Page 8/9

Safety Data Sheet according to HPR, Schedule 1

Printing date 06/29/2021 Reviewed on 06/29/2021

Trade name: iBond Universal

(Contd. of page 7)

· ADR



· Class 3 (F1) Flammable liquids

· Label

· IMDG, IATA



· Class 3 Flammable liquids

· Label

· Packing group

· DOT/TDG, ADR, IMDG, IATA //

Environmental hazards:

· Marine pollutant: No

· Special precautions for user Warning: Flammable liquids

· Hazard identification number (Kemler

code):

· EMS Number: F-E.S-D

· Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code Not applicable.

· Transport/Additional information:

· UN "Model Regulation": UN1090, Acetone, mixture, 3, II

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
 - · Sara
 - · SARA Section 355 (extremely hazardous substances)

None of the ingredients is listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H225 Highly flammable liquid and vapour.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

(Contd. on page 9)



Page 9/9

Safety Data Sheet according to HPR, Schedule 1

Printing date 06/29/2021

Reviewed on 06/29/2021

Trade name: iBond Universal

· Date of the latest revision of the safety data sheet 06/29/2021 / 3

Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
** Pata compared to the previous version altered

* Data compared to the previous version altered.

(Contd. of page 8)