

SAFETY DATA SHEETS

This SDS packet was issued with item:

071296854

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

071296813

Safety Data Sheet according to HPR, Schedule 1

Printing date 02/21/2021

Version CA-EN-Rev 1

Reviewed on 02/21/2021

1 Identification

- **Product identifier**

- **Trade name:** GC Temp PRINT (Shades: Light and Medium)

- **Relevant identified uses of the substance or mixture and uses advised against**

Dental material

The product is intended for professional use.

To avoid risks for humans and environment obtain instructions.

- **Application of the substance / the mixture** Manufacture of dental prothesis

- **Details of the supplier of the safety data sheet**

- **Manufacturer/Supplier:**

GC America Inc.

3737 W. 127th Street

Alsip, IL 60803

USA

SDS.gcamerica@gc.dental

- **Information department:** Regulatory Affairs

- **Emergency telephone number:**

During normal opening times (Monday–Friday 8:00 AM–5:00 PM Central Time): +1 (708) 597-0900

Transportation (CHEMTREC®) Emergency Telephone No. +1 (800) 424-9300

2 Hazard identification

- **Classification of the substance or mixture**

Eye Irritation - Category 2A

H319 Causes serious eye irritation.

Skin Sensitizer - Category 1

H317 May cause an allergic skin reaction.

Reproductive Toxicity - Category 1B H360 May damage fertility or the unborn child.

- **Additional information:**

The information provided is in regards to the toxicity and hazard rating(s) of the individual component(s) in the formulation. The associated risk(s) depends on the route(s) of exposure. The hazard rating system is based entirely on the existence of the risk(s) and does not take into account the likelihood of reduced risk(s) through proper usage and handling.

Avoid use of this product in patients with known allergies to methacrylate monomer or methacrylate polymer.

- **Label elements**

- **GHS label elements**

Exempt from classification and labeling – devices and drugs are not regulated according to WHMIS 2015.

The product is classified and labeled according to the Globally Harmonized System (GHS).

- **Hazard pictograms**



- **Signal word** Danger

(Contd. on page 2)

CA

Safety Data Sheet

according to HPR, Schedule 1

Printing date 02/21/2021

Version CA-EN-Rev 1

Reviewed on 02/21/2021

Trade name: GC Temp PRINT (Shades: Light and Medium)

(Contd. of page 1)

Hazard-determining components of labeling:

urethane dimethacrylate (UDMA)
 photoinitiator**
 dimethacrylate component**
 synergist**
 UV-light absorber**

Hazard statements

Causes serious eye irritation.
 May cause an allergic skin reaction.
 May damage fertility or the unborn child.

Precautionary statements

Wear protective gloves/protective clothing/eye protection/face protection.
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 IF exposed or concerned: Get medical advice/attention.
 Specific treatment (see on this label).
 Take off contaminated clothing and wash it before reuse.
 Store locked up.
 Dispose of contents/container in accordance with local/regional/national/international regulations.

Additional information:

5 % of the mixture consists of an ingredient or ingredients of unknown acute toxicity.

3 Composition/Information on ingredients

Chemical characterization: Mixtures

Description: Mixture of the substances listed below with nonhazardous additions.

Dangerous components:

CAS: 72869-86-4	urethane dimethacrylate (UDMA)	30 – 60% w/w
	dimethacrylate component**	10 – 30% w/w
	quartz (SiO ₂)	10 – 30% w/w
	photoinitiator**	1 – 5% w/w
	synergist**	0.1 – 1% w/w
	UV-light absorber**	0.1 – 1% w/w

Additional information:

Concentrations of dangerous components are expressed in percent by weight (% w/w).

If a substance is marked with **, then substance is a trade secret. This is allowed under OSHA's Hazard Communication Standard (HCS) as a trade secret and under GHS as Confidential Business Information (CBI).

4 First-aid measures

Description of first aid measures
General information:

Immediately remove any clothing soiled by the product.
 If symptoms persist consult doctor.

After inhalation:

Supply fresh air; consult doctor in case of complaints.
 In case of unconsciousness place patient stably in side position for transportation.

(Contd. on page 3)

Safety Data Sheet

according to HPR, Schedule 1

Printing date 02/21/2021

Version CA-EN-Rev 1

Reviewed on 02/21/2021

Trade name: GC Temp PRINT (Shades: Light and Medium)

(Contd. of page 2)

- **After skin contact:**
Immediately wash with water and soap and rinse thoroughly.
Seek medical treatment.
- **After eye contact:**
Protect unharmed eye.
Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:**
Rinse out mouth and then drink plenty of water.
If symptoms persist consult doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** Allergic reactions
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**
CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
Use fire fighting measures that suit the environment.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **Special hazards arising from the substance or mixture**
In case of fire, the following can be released:
Carbon monoxide (CO)
Nitrogen oxides (NO_x)
Carbon dioxide
- **Advice for firefighters**
- **Protective equipment:** Wear self-contained respiratory protective device.
- **Additional information**
Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
Remove persons from danger area.
Avoid contact with the eyes and skin.
Wear protective clothing.
- **Environmental precautions:**
Do not allow product to reach sewage system or any water course.
Do not allow to penetrate the ground/soil.
- **Methods and material for containment and cleaning up:**
Absorb liquid components with liquid-binding material.
Dispose of the collected material according to regulations.
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

CA

(Contd. on page 4)

Safety Data Sheet according to HPR, Schedule 1

Printing date 02/21/2021

Version CA-EN-Rev 1

Reviewed on 02/21/2021

Trade name: GC Temp PRINT (Shades: Light and Medium)

(Contd. of page 3)

7 Handling and storage

- **Handling:**
- **Precautions for safe handling**
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
Observe instructions for use.
Avoid contact with the eyes and skin.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:**
Store only in unopened original receptacles.
- **Information about storage in one common storage facility:** Store away from foodstuffs.
- **Further information about storage conditions:** Observe instructions for use / storage.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/ Personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
The usual precautionary measures for handling chemicals should be followed.
Avoid contact with the eyes and skin.
Wash hands before breaks and at the end of work.
Immediately remove all soiled and contaminated clothing.
- **Breathing equipment:**



Suitable respiratory protective device recommended.

- **Protection of hands:**



Protective gloves

- **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 5)

CA

Safety Data Sheet

according to HPR, Schedule 1

Printing date 02/21/2021

Version CA-EN-Rev 1

Reviewed on 02/21/2021

Trade name: GC Temp PRINT (Shades: Light and Medium)

(Contd. of page 4)

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**



Safety glasses

9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

Form:

Pasty

Color:

According to product specification

· **Odor:**

Characteristic

· **Odor threshold:**

Not determined.

· **pH-value:**

Not determined.

· **Change in condition**

Melting point/Melting range:

Undetermined.

Boiling point/Boiling range:

Undetermined.

· **Flash point:**

> 150 °C

· **Flammability (solid, gaseous):**

Not applicable.

· **Ignition temperature:**

Undetermined.

· **Decomposition temperature:**

Not determined.

· **Auto igniting:**

Product is not self-igniting.

· **Danger of explosion:**

Not determined.

· **Explosion limits:**

Lower:

Not determined.

Upper:

Not determined.

· **Vapor pressure:**

Not determined.

· **Density at 20 °C:**

1.1 – 1.3 g/cm³

· **Relative density**

Not determined.

· **Vapor density**

Not determined.

· **Evaporation rate**

Not determined.

· **Solubility in / Miscibility with**

Water:

Insoluble.

· **Partition coefficient (n-octanol/water):** Not determined.

· **Viscosity:**

Dynamic at 20 °C:

500 – 2000 mPas

Kinematic:

Not determined.

(Contd. on page 6)

Safety Data Sheet

according to HPR, Schedule 1

Printing date 02/21/2021

Version CA-EN-Rev 1

Reviewed on 02/21/2021

Trade name: GC Temp PRINT (Shades: Light and Medium)

(Contd. of page 5)

· Solvent content:	
Organic solvents:	0 %
· Solids content:	15 – 20 %
· Other information	No further relevant information available.

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability** Stable at ambient temperature.
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:**
Carbon dioxide
Carbon monoxide

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **LD/LC50 values that are relevant for classification:** No further relevant information available.
- **Primary irritant effect:**
- on the skin:** No irritant effect.
- on the eye:** Irritating effect.
- **Sensitization:** Sensitization possible through skin contact.
- **Symptoms related to the physical, chemical and toxicological characteristics:** Allergic reactions
- **Subacute to chronic toxicity:** No further relevant information available.
- **Numerical measures of toxicity:**
ATEmix (Dermal) is 625 782 mg/kg bodyweight.
ATEmix is the acute toxicity estimate of the mixture.
- **Additional toxicological information:**
The product shows the following dangers according to internally approved calculation methods for preparations:
Irritant
- **Carcinogenic categories**

· IARC (International Agency for Research on Cancer)

quartz (SiO ₂)	1
titanium dioxide	2B
butylated hydroxytoluene	3
colorant**	3

· NTP (National Toxicology Program)

quartz (SiO ₂)	K
----------------------------	---

(Contd. on page 7)

Safety Data Sheet

according to HPR, Schedule 1

Printing date 02/21/2021

Version CA-EN-Rev 1

Reviewed on 02/21/2021

Trade name: GC Temp PRINT (Shades: Light and Medium)

(Contd. of page 6)

· Carcinogenic categories' legend:

IARC Group 1: The agent is carcinogenic to humans.

IARC Group 2A: The agent is probably carcinogenic to humans.

IARC Group 2B: The agent is possibly carcinogenic to humans.

IARC Group 3: The agent is not classifiable as to its carcinogenicity to humans.

IARC Group 4: The agent is probably not carcinogenic to humans.

NTP K: Known to be human carcinogen.

NTP R: Reasonably anticipated to be human carcinogen.

· Additional carcinogenic information:

Quartz (SiO₂) is in this product. Quartz is crystalline silica. Crystalline silica in the form of quartz dust is listed by IARC as a Group 1 carcinogen. IARC Volume 100C (2012)—"Arsenic, Metals, Fibres, and Dusts"—stated in its monograph titled, "Silica Dust, Crystalline, in the Form of Quartz or Cristobalite," the following evaluation: "Crystalline silica in the form of quartz or cristobalite dust is carcinogenic to humans (Group 1)."

This GC product does contain crystalline silica as quartz but not in the form of a dust. Quartz is wetted out in a paste.

Quartz (SiO₂) is in this product. Quartz is crystalline silica. Crystalline silica is listed by NTP as "Known To Be a Human Carcinogen" (shown on this SDS as "K"). NTP's 14th Report on Carcinogens (RoC) (2016) has crystalline silica listed as "Silica, Crystalline (Respirable Size)." Crystalline silica in a respirable size is crystalline silica dust.

This GC product does contain crystalline silica as quartz but not as a respirable size in the form of a dust. Quartz is wetted out in a paste.

· **Repeated dose toxicity.** No further relevant information available.

· **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**

Reproductive Toxicity - Category 1B

· **Germ cell mutagenicity** No further relevant information available.

· **Carcinogenicity** No further relevant information available.

· **Reproductive toxicity** No further relevant information available.

· **Specific target organ toxicity - single exposure** No further relevant information available.

· **Specific target organ toxicity - repeated exposure** No further relevant information available.

· **Aspiration hazard** No further relevant information available.

12 Ecological information

· Toxicity

· **Aquatic toxicity:** No further relevant information available.

· **Persistence and degradability** No further relevant information available.

· Behavior in environmental systems:

· **Bioaccumulative potential** No further relevant information available.

· **Mobility in soil** No further relevant information available.

· Additional ecological information:
· General notes:

Water hazard class 1 (German regulation, AwSV) (Self-assessment): slightly hazardous to water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

· Results of PBT and vPvB assessment

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

· **Other adverse effects** No further relevant information available.

CA

(Contd. on page 8)

Safety Data Sheet

according to HPR, Schedule 1

Printing date 02/21/2021

Version CA-EN-Rev 1

Reviewed on 02/21/2021

Trade name: GC Temp PRINT (Shades: Light and Medium)

(Contd. of page 7)

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**
Dispose of contents / container in accordance with local / regional / national / international regulations.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

- | | |
|--|-----------------|
| · UN-Number | |
| · DOT/TDG, ADR, IMDG, IATA | Not regulated. |
| · UN proper shipping name | |
| · DOT/TDG, ADR, IMDG, IATA | Not regulated. |
| · Transport hazard class(es) | |
| · DOT, ADR, ADN, IMDG, IATA | |
| · Class | Not regulated. |
| · Packing group | |
| · DOT/TDG, ADR, IMDG, IATA | Not regulated. |
| · Environmental hazards: | Not applicable. |
| · Special precautions for user | Not applicable. |
| · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code | Not applicable. |
| · UN "Model Regulation": | Not regulated. |

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Canadian substance listings:**

· Canadian Domestic Substances List (DSL)

dimethacrylate component**
quartz (SiO ₂)
surface-treated silica**
ethoxylated bisphenol-A dimethacrylate (Bis-EMA)
photoinitiator**
silane**
synergist**
UV-light absorber**
titanium dioxide
butylated hydroxytoluene
surface-treated silica**

(Contd. on page 9)

CA

Safety Data Sheet

according to HPR, Schedule 1

Printing date 02/21/2021

Version CA-EN-Rev 1

Reviewed on 02/21/2021

Trade name: GC Temp PRINT (Shades: Light and Medium)

(Contd. of page 8)

iron hydroxide oxide

colorant**

triiron tetraoxide

Additional information:

If a substance is marked with **, then substance is a trade secret. This is allowed under OSHA's Hazard Communication Standard (HCS) as a trade secret and under GHS as Confidential Business Information (CBI).

Canadian Ingredient Disclosure list (limit 0.1%)

None of the ingredients is listed.

Canadian Ingredient Disclosure list (limit 1%)

dimethacrylate component**

quartz (SiO₂)
GHS label elements

Exempt from classification and labeling – devices and drugs are not regulated according to WHMIS 2015.

The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms

Signal word Danger

Hazard-determining components of labeling:

urethane dimethacrylate (UDMA)

photoinitiator**

dimethacrylate component**

synergist**

UV-light absorber**

Hazard statements

Causes serious eye irritation.

May cause an allergic skin reaction.

May damage fertility or the unborn child.

Precautionary statements

Wear protective gloves/protective clothing/eye protection/face protection.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF exposed or concerned: Get medical advice/attention.

Specific treatment (see on this label).

Take off contaminated clothing and wash it before reuse.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

Department issuing SDS: Regulatory Affairs

(Contd. on page 10)

CA

Safety Data Sheet

according to HPR, Schedule 1

Printing date 02/21/2021

Version CA-EN-Rev 1

Reviewed on 02/21/2021

Trade name: GC Temp PRINT (Shades: Light and Medium)

(Contd. of page 9)

• Contact:

Regulatory Affairs
 Telephone No. +1 (708) 597-0900
 SDS.gcamerica@gc.dental

• Date of the latest revision of the safety data sheet 02/21/2021 / -
• Abbreviations and acronyms:

GHS: Globally Harmonized System of Classification and Labelling of Chemicals
 HCS: Hazard Communication Standard (USA)
 MSDS: Material Safety Data Sheet
 SDS: Safety Data Sheet
 ADN: Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
 ECHA: European Chemicals Agency
 OSHA: Occupational Safety and Health Administration (USA)
 TDG: Transportation of Dangerous Goods (Canada)
 LEL: Lower Explosive Limit
 UEL: Upper Explosive Limit
 AwSV: Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen (Ordinance on facilities for handling substances that are hazardous to water) (Germany)
 NOEC: No Observed Effect Concentration
 ADR: Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
 IMDG Code: International Maritime Dangerous Goods Code
 DOT: Department of Transportation (USA)
 IATA: International Air Transport Association
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 LC50: Lethal concentration, 50 percent
 LD50: Lethal dose, 50 percent
 PBT: Persistent, Bioaccumulative and Toxic
 vPvB: very Persistent and very Bioaccumulative

• Sources

- Manufacturers' MSDSs/SDSs
- OSHA (<https://www.osha.gov/dts/chemicalsampling/toc/chmcas.html>)
- PubChem (<https://pubchem.ncbi.nlm.nih.gov/>)
- ECHA (<http://echa.europa.eu/>)
- EnviChem (www.echemportal.org)

• Notes:

CAS Registry Number® is a Registered Trademark of the American Chemical Society.
 CHEMTREC® is a registered service mark of the American Chemistry Council, Inc.

• Disclaimer:

The information contained herein is believed to be true and accurate. However, all statements, recommendations or suggestions are made without any guarantee, representation or warranty, express or implied, on our part. Therefore, no warranty is made or to be implied that the information set out in this document is accurate or complete, and we accordingly exclude all liability in connection with the use of this information or the products referred to herein. All such risks are assumed by the purchaser/user. The information contained herein is also subject to change without notice. For the avoidance of doubt, however, nothing in this document excludes or limits our liability for death or personal injury caused by our negligence or for fraudulent misrepresentation.