

SAFETY DATA SHEETS

This SDS packet was issued with item:

072264133

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

072264174 072264190 072264430 072264596 272442317

The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).

072264166 072264448

1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier

Product Name ProSpray C-60™

Note: After dilution, please reference ProSpray™ Ready-to-Use Safety Data Sheet for warning and precautions. Available online at: www.Certol.com/ProSpray

Other Means of Identification

SDS # PSC60/SDS/I03

UN/ID No. UN1993

Product Code PSC60

Recommended Use of the Chemical and Restrictions on Use

Recommended Use Concentrated Surface Disinfectant, Cleaning and Holding Solution

Details of the Supplier of the Safety Data Sheet

Supplier Address Certol International, LLC
6120 East 58th Avenue
Commerce City, Colorado 80022
www.Certol.com
Phone: 303-799-9401
Toll-Free: 1-800-843-3343
Fax: 303-799-9408

24 Hour Emergency Telephone

INFOTRAC: 1-800-535-5053 (North America)
INFOTRAC: 1-352-323-3500 (International)

2. HAZARDS IDENTIFICATION



Classification

Serious Eye Damage / Eye Irritation	Category 1
Skin Corrosion / Irritation	Category 2
Specific Target Organ Toxicity (Single Exposure)	Category 3
Flammable Liquids	Category 3
Acute Toxicity - Inhalation (Vapors)	Category 4
Acute Toxicity - Oral	Category 4

Signal Word

Physical & Chemical Hazards:

Health Hazards:

Environmental Hazards:

Danger.

Flammable liquid and vapors.

Harmful if inhaled, swallowed. Causes skin irritation and serious eye damage. May cause respiratory irritation, drowsiness, or dizziness.

See section 12.

GHS Label Element

Hazard Statements

H226 Flammable liquid and vapor.
H302 Harmful if swallowed.
H315 Causes skin irritation.
H318 Causes serious eye damage.
H332 Harmful if inhaled.
H335 May cause respiratory irritation.
H336 May cause drowsiness or dizziness.

Precautionary Statements:

Prevention	P201	Obtain special instructions before use.
	P210	Keep away from heat/sparks/open flames/hot surfaces.
	P233	Keep container tightly closed.
	P243	Take action to prevent static discharge.
	P260	Do not breathe dust/fumes/gas/mist/vapors/spray.
Response	P271	Use only outdoors or in a well-ventilated area.
	P280	Wear protective gloves, protective clothing, eye protection and face protection.
	P314	Get medical advice/attention if you feel unwell.
Storage	P370	In case of fire, use CO ₂ , dry chemical or alcohol resistant foam to extinguish.
	P403	Store in a well-ventilated place.
Disposal	P411	Store at temperatures not exceeding 80°F (27°C) or below 45°F (7°C).
	P501	Dispose according to all local, state and federal regulations.

Hazard(s) not otherwise classified (HNO): Not determined.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight-%
o-phenylphenol	90-43-7	9
o-benzyl-p-chlorophenol	120-32-1	1
Isopropyl Alcohol	67-63-0	26
Ethylenediaminetetraacetic acid (EDTA)	60-00-4	*
Benzenesulfonic Acid	68584-22-5	*
Potassium Hydroxide	1310-58-3	*

* The exact percentage is a trade secret.

4. FIRST AID MEASURES

<u>Inhalation</u>	Move to fresh air and keep at rest in a comfortable position for breathing. If not breathing, give artificial respiration. Consult a physician.
<u>Eye Contact</u>	Immediately flush with plenty of water. Remove any contact lenses, continue flushing for several minutes and call a physician immediately.
<u>Ingestion</u>	Do NOT induce vomiting. Never give anything by mouth to a person who is unconscious. Call a physician or Poison Control Center.
<u>Skin Contact</u>	Wash off immediately with plenty of water for several minutes. Take off contaminated clothing. Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical advice/attention.
<u>Symptoms</u>	Skin contact can lead to drying, itching, stinging and irritation. Exposed individuals may experience eye tearing, redness, corneal injury and/or burns. Inhalation may cause respiratory tract irritation. Ingestion may cause burning of the mouth, throat and digestive tract.
<u>Note to Physician</u>	Treat symptomatically.

5. FIRE-FIGHTING MEASURES

<u>Suitable Extinguishing Media</u>	Use CO ₂ , dry chemical or alcohol resistant foam to extinguish.
<u>Unsuitable Extinguishing Media</u>	Not Determined.
<u>Specific Hazards Arising from the Chemical</u>	None Determined.
<u>Hazardous Combustion Products</u>	Phenolic compounds, carbon monoxide and toxic fumes of chlorine and chlorides may be emitted.
<u>Protective Equipment and Precautions for Firefighters</u>	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Personal Precautions

Use personal protective equipment as recommended. The wet, contaminated surface may be slippery.

For Emergency Responders

Restrict access to spill area. Ventilate the area.

Environmental Precautions

Prevent entry into waterways, sewers, basements or confined areas.

Methods and Material for Containment and Cleaning Up

Methods for Containment

Prevent further leakage or spillage if safe to do so.

Methods for Cleaning Up

Use a non-combustible material like vermiculite, sand or clay to soak up. Place into a container for later disposal. Dispose according to all local, state and federal regulations.

7. HANDLING AND STORAGE

Precautions for Safe Handling

Advice on Safe Handling

Handle in accordance with good industrial hygiene and safety practices.

Wash face, hands and any exposed skin thoroughly after handling.

Do not eat, drink or smoke when using this product.

Do not breathe dust/fumes/gas/mist/vapors/spray.

Keep cool.

Keep out of reach of children and pets.

Conditions for Safe Storage, Including any Incompatibilities

Storage Conditions

Store in a closed container in a cool, dry, well-ventilated place away from incompatible materials. Do not store below 45°F (7°C) or above 80°F (27°C).

Incompatible Materials

Acids and oxidizing agents.

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Isopropyl Alcohol 67-63-0	STEL: 400 ppm TWA: 200 ppm	TWA: 400 ppm TWA: 980 mg/m ³ TWA: 400 ppm (Vacated) TWA: 980 mg/m ³ (Vacated) STEL: 500 ppm (Vacated) STEL: 1225 mg/m ³ (Vacated)	IDLH: 2000 ppm TWA: 400 ppm TWA: 980 mg/m ³ STEL: 500 ppm STEL: 1225 mg/m ³
Potassium Hydroxide 1310-58-3	Ceiling: 2 mg/m ³	Ceiling: 2 mg/m ³ (Vacated)	Ceiling: 2 mg/m ³

Eye/Face Protection

Wear goggles, chemical safety glasses or a face protection shield.

Exposure Guidelines

See above occupational exposure limits.

Appropriate Engineering Controls

Eyewash stations and showers.

Individual Protection Measures, such as Personal Protective Equipment

Eye/Face Protection

Wear goggles, chemical safety glasses or a face protection shield.

Skin and Body Protection

Chemical resistant, non-latex and impermeable gloves. Wear appropriate clothing to prevent repeated or prolonged skin contact.

Respiratory Protection

Under normal conditions a respirator is not normally required. A mask or respirator may be used if vapor concentration is high.

General Hygiene Considerations

Handle in accordance with good industrial hygiene and safety practices. Wash face, hands and any exposed skin thoroughly after handling.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Chemical Properties

Physical State	Liquid	Appearance	Natural Colored Liquid	Color	Natural Color	Odor	Alcohol, Phenol & Lemon
----------------	--------	------------	------------------------	-------	---------------	------	-------------------------

Property	Values	Property	Values
pH	9.5 - 10.5 (77°F/25°C)	Specific Gravity	0.997 (60°F/15.5°C)
Melting Point / Freezing Point	<32°F / < 0°C	Water Solubility	Completely Soluble
Boiling Point / Boiling Range	188°F / 87°C	Partition Coefficient	Not Determined.
Flash Point	80°F / 27°C	Autoignition Temperature	Not Determined.
Evaporation Rate	<1	Decomposition Temperature	Not Determined.
Flammability (Solid/Gas)	N/A-Liquid	Kinematic Viscosity	Not Determined.
Flammability Limits In Air	Not Determined.	Dynamic Viscosity	Not Determined.
Vapor Pressure	Not Determined.	Explosive Properties	Not Determined.
Vapor Density	>1	Oxidizing Properties	Not Determined.

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization will not occur.

Conditions to Avoid

Avoid direct sunlight. Avoid temperatures below 45°F (7°C) and above 80°F (27°C).

Incompatible Materials

Acids and oxidizing agents.

Hazardous Decomposition Products

Combustion products may include phenolic compounds, carbon monoxide and toxic fumes of chlorine and chlorides.

11. TOXICOLOGICAL INFORMATION

Routes of Exposure

Eye. Skin Contact. Inhalation. Ingestion.

Information on Likely Routes of Exposure

Ingestion

May be harmful if swallowed.

Inhalation

Harmful if inhaled.

Skin Contact

Causes skin irritation.

Eye Contact

Causes serious eye damage.

Component Information

Chemical Name	Oral LD ₅₀	Dermal LD ₅₀	Inhalation LC ₅₀
Isopropyl Alcohol 67-63-0	5840 mg/kg (Rat)	>12800 mg/kg (Rat)	>10,000 ppm (Rat) 6 hrs
o-benzyl-p-chlorophenol 120-32-1	>2500 mg/kg (Rat)	>5000 mg/kg (Rat)	2500 mg/m ³ (Rat) 4 hrs
o-phenylphenol 90-43-7	2980 mg/kg (Rat)	>5000 mg/kg (Rat)	>36 mg/m ³ (Rat) 4 hrs
Potassium Hydroxide 1310-58-3	214 mg/kg (Rat)	N/A	N/A
Benzenesulfonic Acid 68584-22-15	N/A	N/A	33920 mg/L (Rat)

Delayed and Immediate Effects as well as Chronic Effects from Short and Long-term Exposure

Carcinogenicity

The product as a whole has not been tested.

Chemical Name	ACGIH	IARC	NTP	OSHA
Isopropyl Alcohol 67-63-0	A4	Group 3	N/A	N/A
o-phenylphenol 90-43-7	N/A	Group 3	N/A	N/A

ACGIH (The American Conference of Governmental Industrial Hygienists)

A4 - Not Classifiable as a Human Carcinogen.

IARC (International Agency for Research on Cancer)

Group 3 - Not Carcinogenic to Humans.

Numerical Measures of Toxicity

Not Determined.

12. ECOLOGICAL INFORMATION

Ecotoxicity An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Isopropyl Alcohol 67-63-0	Known Toxin	Known Toxin	No Information	Known Toxin
o-benzyl-p-chlorophenol 120-32-1	Known Toxin	Known Toxin	Known Toxin	Known Toxin
o-phenylphenol 90-43-7	Known Toxin	Known Toxin	Known Toxin	Known Toxin
Benzenesulfonic Acid 68584-22-15	No Information	No Information	No Information	Known Toxin

Persistence and Degradability

Not Determined.

Bioaccumulation

Not Determined.

Mobility

Chemical Name	Partition Coefficient
Isopropyl Alcohol 67-63-0	1.1
o-phenylphenol 90-43-7	3.09

Other Adverse Effects Not Determined.

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes

Dispose according to all local, state and federal regulations.

Contaminated Packaging

Dispose according to all local, state and federal regulations.

Chemical Name	California Hazardous Waste Status
Isopropyl Alcohol 67-63-0	Toxic/Ignitable
Potassium Hydroxide 1310-58-3	Toxic/Corrosive

14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

DOT

UN/ID No.

UN1993

Proper Shipping Name

Flammable Liquid, n.o.s (Contains Isopropyl Alcohol)

Hazard Class

3

Packing Group

III

IATA

UN/ID No.

UN1993

Proper Shipping Name

Flammable Liquid, n.o.s (Contains Isopropyl Alcohol)

Hazard Class

3

Packing Group

III

IMDG

UN/ID No.

UN1993

Proper Shipping Name

Flammable Liquid, n.o.s (Contains Isopropyl Alcohol)

Hazard Class

3

Packing Group

III

15. REGULATORY INFORMATION

International Inventories

Not Determined.

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS - European Inventory of Existing Chemical Substances/
 European List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances

US Federal Regulations

Comprehensive Environmental Response Compensation Liability Act of 1980 (CERCLA)

Chemical Name	Hazardous Substances RQs	CERCLA / SARA RQ	Reportable Quantity (RQ)
Potassium Hydroxide 1310-58-3	1000 lb.	N/A	RQ 1000 lb. final RQ RQ 454 kg final RQ
Benzenesulfonic Acid 68584-22-15	1000 lb.	N/A	RQ 1000 lb. final RQ RQ 454 kg final RQ
Ethylene Diaminetetraacetic Acid (EDTA) 60-00-4	5000 lb.	N/A	RQ 5000 lb. final RQ RQ 2270 kg final RQ

SARA 313

This material does not contain any chemical components with known CAS numbers that exceed the threshold reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazard Categories

Chemical Name	CAS No	Weight %	SARA 313 - Threshold Values %
Isopropyl Alcohol	67-63-0	26%	1.0%
o-phenylphenol	90-43-7	9%	1.0%
o-benzyl-p-chlorophenol	120-32-1	1%	0.1%

Clean Water Act (CWA)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Potassium Hydroxide 1310-58-3	1000 lb.	N/A	N/A	X
Benzenesulfonic Acid 68584-22-15	1000 lb.	N/A	N/A	X
Ethylene Diaminetetraacetic Acid (EDTA) 60-00-4	5000 lb.	N/A	N/A	X

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical Name	California Proposition 65
o-phenylphenol 90-43-7	See Note Below

NOTE: In a letter dated September 10, 2008, from Lanxess, Certol International, LLC's Supplier of 2-phenylphenol (OPP), Lanxess Stated: "As none of the organizations/programs below have 2-phenylphenol (OPP) listed as a carcinogen, we do not see the legal authority to have 2-phenylphenol (OPP) listed under Proposition 65 in the State of California. National Toxicology Program (NTP); International Agency for Research on Cancer (IARC); Occupational Safety and Health Administration (OSHA); Environmental Protection Agency (EPA)."

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Isopropyl Alcohol 67-63-0	X	X	X
o-phenylphenol 90-43-7	X	X	X
Potassium Hydroxide 1310-58-3	X	X	X
Benzenesulfonic Acid 68584-22-15	X	X	X
Ethylene Diaminetetraacetic Acid (EDTA) 60-00-4	X	X	X
o-benzyl-p-chlorophenol 120-32-1	X	N/A	X

16. OTHER INFORMATION**NFPA****Health Hazards**

2

Flammability

1

Instability

0

Special Hazards

Not Determined.

HMIS**Health Hazards**

Not Determined.

Flammability

Not Determined.

Physical Hazards

Not Determined.

Personal Protection

Not Determined.

Issue Date

November 2016.

Revision Date

April 2019.

Revision Note**Disclaimer**

This Safety Data Sheet was prepared to comply with the current OSHA hazard Communication Standard adoption of the Globally Harmonized System of Classification and Labeling of Chemicals (GHS). Employers should use this information only as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees.

End of Safety Data Sheet