## **SAFETY DATA SHEETS**

# This SDS packet was issued with item:

072795318

The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).

070606160 070640011 071141621 071160696 072794246 072794592 072794600 072795219 072795227 072795235 072795243 072795250 072795276 072795284 072795292 072795300 072795359 072795383 072795938 072796274 072796373 075341953



# Material Safety Data Sheet PROFORM SPLINT & TEMP. RETAINER Page 1 of 4

#### Section 1 – Identification

Product Name: ProForm Splint and Temporary

**Retaier of Various Thicknesses** 

Copolyester

Synonyms:

Chemical Name /

Family: Copolyester

**Product #: Various** 

Concluester

**Manufacturer:** KEYSTONE INDUSTRIES

52 King Street Myerstown, PA 17067

**Information Contacts:** (856)-663-4700

Emergency Phone Numbers: US & Canada (800) 535 - 5053

**EU Address: KEYSTONE EUROPE LLC.** 

Batavenweg 7

5349BC OSS, Netherlands **Emergency Phone Numbers:** International: 1-352-323-3500

## Section 2 – Hazards Identification

**Product Use: Vacuum Form Material** 

#### **EMERGENCY OVERVIEW**

This information is based on findings from related or similar materials.

- Material is not considered hazardous by OSHA per 29 CFR 1910
- Molten Resin cause severe thermal burns.
- Improper use can lead to mechanical cuts.

## Potential Health Effects, Signs and Symptoms of Exposure:

Primary Route of Entry Inhalation, skin, and ingestion.

Eye N/A

Skin Prolong contact is essentially non-irritating to skin. There can be mechanical injury, if impacted with

skin. Under normal processing conditions, material is heated to elevated temperatures; contact with

the material can cause thermal burns. No adverse effects anticipated by skin absorption.

Ingestion If un-formed material becomes lodged in subject's mouth, do not swallow, spit it out.

Inhalation Inhalation of dust may cause respiratory irritation. Fumes produced during thermal process may cause

irritation.

NOTE: Refer to Section 11, Toxicological Information for Details

## Section 3 – Composition/Information on Ingredients

<b>Chemical Identity</b>	CAS Numbers	EINECS#	INCI Name	Exposure OSHA TWA/STEL	Limits ACGIH TWA/STEL	Carcinogen IARC/NTP/OSHA	%
Non-hazardous							
N/E – None Established N/R – Not Reviewed	N/DA – No Data Availa N/A – Not Applicable	able					

See Section 16 for Hazard and Precautionary Statement Key.

#### Section 4 – First Aid Measures

Solid Product is neither an irritant nor gives off hazardous vapors at ambient temperatures

First Aid for Eye This material is non-irritating upon contact, except upon impact as any foreign particle in the eye.

First Aid for Skin Not a hazard at ambient conditions. Washing hands is preferable after use. Contact with heated

material may cause thermal burns. Do not attempt to remove material from skin. Cool rapidly with

cold water. Obtain medical treatment. Treatment as any normal thermal burn.

First Aid for Ingestion Do not swallow. Material is not expected to cause an ingestion problem.

First Aid for Inhalation N/A

#### Section 5 – Fire Fighting Measures

Flash Point (°F/°C)	Flammable Limit (vol%)	Auto-ignition Temperature (vol%)
N/A	N/A	N/A



# Material Safety Data Sheet PROFORM SPLINT & TEMP. RETAINER Page 2 of 4

Method:

Extinguishing Media: Suitable extinguishing media for the surrounding fire should be used.

Fire Fighting Vinyl film is self extinguishing; however if burning is supported by another source of material, fumes

Instructions: could be irritating.

Unusual Hazards: Use self contained breathing apparatus when fighting fires.

#### Section 6 – Accidental Release Measures

Spill or Release Minor spills – Clean up immediately. Slipping hazard.

Procedures Major spills – Clear area of personnel. Restrict access to area. Clean up immediately. Slipping hazard.

See section 8 & section 12.

### Section 7 – Handling and Storage

Handling No special handling requirements.

Storage Store in a cool, dry location away from sparks. Material is hydroscopic, keep away from water & moisture.

Explosion Hazard None.

#### Section 8 – Exposure Controls / Personal Protection

Engineering No special engineering controlled required.

Controls

#### **Personal Protective Equipment**

General To identify additional Personal Protective Equipment (PPE) requirements, it is recommended that a

hazard assessment in accordance with the OSHA PPE Standard (29CFR1910.132), or European Standard

EN166 be conducted before using this product.

Eye/ Face Wear safety glasses with side shields. Wear face shield during thermal process.

Protection

Skin Protection Thermal insulating glove when handling molten product.

Respiratory None under ordinary operating use.

Protection

#### Section 9 – Physical and Chemical Properties

			dor Threshold dorless	PH N/A		= 1): 1.25- 1.35	N/A		olatile //A
Boiling Point/ Freezing Point	Decomposit Temperatu		Octanol/Water rtitioning Coeffici Log Po/w	ent Press		Vapor Density	Evaporation Rate	Ignition	Solubility In Water (20°C)
N/A	N/DA	N/DA		N/.	A	N/A	N/A	N/A	N/A
Flagh	Doint (OF/OC	`	Elommo	shla I imit (	(v.o.10/ )		Auto ignition T		(vol0/)

Flash Point (°F/°C)	Flammable Limit (vol%)	Auto-ignition Temperature (vol%)
N/A	N/A	N/A

#### Section 10 – Stability and Reactivity

Stability: Incompatibility (Materials to Avoid):

Stable solid None

Hazardous Decomposition Products: Hazardous Polymerization:

CO or CO2 Will not occur

Conditions to Avoid: Heat, moisture, water

#### Section 11 – Toxicological Information

<b>Acute Oral Toxicity</b>	<b>Acute Dermal Toxicity</b>	<b>Acute Inhalation Toxicity</b>	Irrit	ation – skin	Irritation – Eye
N/DA	N/DA	N/DA	N/DA		N/ DA
Sensitization		Mutagenicity		Sub-ch	ronic Toxicity
N/ DA		N/DA		N/ DA	



# Material Safety Data Sheet PROFORM SPLINT & TEMP. RETAINER

Page 3 of 4

## Section 12 – Ecological Information

**Ecotoxicological Information** 

Acute Toxicity to	Acute Toxicity to Invertebrates	Acute Toxicity to Algae	Bioconcentration	Toxicity to
Fish				Sewage Bacteria
N/DA	N/ DA	N/ DA	N/ DA	N/ DA

#### **Chemical Fate Information**

Biodegradability	N/A. This material is not expected to bioaccumulate.
Chemical Oxygen Demand	N/ DA

## Section 13 – Disposal Considerations

Dispose of in compliance with governmental regulation (state and federal).

Dispose of container and unused contents in accordance with federal, state and local requirements. For EU Member States, please refer to any relevant Community provisions relating to waste. In their absence, it is useful to remind the user that national or regional provisions may be in force.

## Section 14 – Transport Information

Non-regulated, non-hazardous material: DOT, IATA, IMO (IMDG).

# Section 15 – Regulatory Information

HC	Fadaval	Regulations
	гецегиі	Regulations

Clean Air Act: HAP/ODS	This product contains the following HAP's or ODS:
	• NONE
Clean Water Act: Priority	This product contains the following chemicals listed under the U. S. Clean Water Act
Pollutant	Priority Pollutant and Hazardous Substance List:
	• None
FDA: Food Packaging Status	This product has not been cleared by the FDA for use in food packaging and / or other applications as an indirect food-packaging additive.
Occupational Safety and Health	This product is considered to be hazardous under the OSHA Hazard Communication
Act	Standard. It's hazards are:
	• None
RCRA	This product contains the following chemicals considered to be hazardous waste under RCRA (40 CFR 261).
	• None
SARA Title III: Section 302 (RQ)	This product contains no chemicals regulated under Section 302 as extremely hazardous
	substances.
SARA Title III: Section 302 (TPQ)	This product does not contain chemicals regulated under Section 304 as extremely hazardous chemicals for emergency release notification ("CERCLA" List).
SARA Title III: Section 311-312:	This product is not considered to be hazardous under the OSHA Hazard Communication Standard and is regulated under Section 311-312 (40 CFR 370).
SARA Title III: Section 313:	This product contains the following chemicals which are subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372:  • None
TSCA Section 8(b): Inventory:	This product complies with US TSCA requirements.
TSCA Significant New Use Rule:	None of the chemicals in this material have a SNUR under TSCA.

#### **State Regulations**

The components to this product are listed on the appropriate applicable state regulations.

#### **International Regulations**



# Material Safety Data Sheet PROFORM SPLINT & TEMP. RETAINER Page 4 of 4


CDSL: Canadian Inventory (on Canadian Transitional List)

All components are listed, where applicable, Not controlled under WHMIS.

Labeling according to EC directives - 1272/2008 {CLP} AND 1999/45/EC (items in parenthesis relate to 1999/45/EC)

European Community:	For Proform Splint and Temp. Retainer (finished product):
	<ul> <li>Danger Symbols: N/A – non hazardous</li> </ul>
	• HAZARD STATEMENT: N/A
	<ul> <li>PRECAUTIONARY STATEMENT: N/A</li> </ul>

#### Section 16 – Other Information



MSDS Prepared by:	WME
Revision History:	03/08/11 Initial
Revision History:	06/23/11 Updated WHMIS.

The information presented herein was obtained from sources considered to be reliable. However, this information is provided without any warranty, expressed or implied, regarding its correctness or suitability for consumers intended use and/or application. For this and other reasons, we assume no responsibility and expressly disclaim liability for loss, damage or expense arising out of any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared expressly for this product. Use the materials only as directed. If the product is used as a component of another product, the information contained within the MSDS may not be applicable. If there are any problems or concerns understanding this MSDS form, please direct all questions to INFOTRAC, Chemical Emergency Resources System at 1(800) 535-5053.

Keystone Industries components are provided on an as is basis without warranties of any kind either expressed or implied. Keystone Industries does not warrant the use or the results of use of the materials sold on an as is basis since they are intended for remanufacturing or repackaging. It is the sole responsibility of the user to examine and determine appropriate application and regulatory requirements associated with said Keystone Industries components.



# PRO-FORM SPLINT AND RETAINER

# Section 1 – Identification of the Substance/Preparation and of the Company/Undertaking

**Product Name: Pro-Form Splint and Temporary** 

Retainer of Various Thicknesses

Chemical Name /

Family: Copolyester

9614950; 9615025

**Product #:** 9614780, 90;

**Synonyms:** 

Copolyester

Manufacturer: KEYSTONE INDUSTRIES

52 King Street Myerstown, PA 17067

**Information Contacts:** (856)-663-4700

Emergency Phone Numbers: US & Canada (800) 535 - 5053

**EU Address:** KEYSTONE EUROPE LLC.

Batavenweg 7

5349BC OSS, Netherlands **Emergency Phone Numbers:** 

International: 1-352-323-3500

## Section 2 – Hazards Identification

**Product Use: Vacuum Form Material** 

9614800, 10, 16, 20, 30, 40, 50, 60, 70, 75, 80;

#### **EMERGENCY OVERVIEW**

This information is based on findings from related or similar materials.

- Material is not considered hazardous by OSHA per 29 CFR 1910
- Molten Resin cause severe thermal burns.
- Improper use can lead to mechanical cuts.

#### Potential Health Effects, Signs and Symptoms of Exposure:

Primary Route of Entry Inhalation, skin, and ingestion.

Eye

Skin Prolong contact is essentially non-irritating to skin. There can be mechanical injury, if impacted with

skin. Under normal processing conditions, material is heated to elevated temperatures; contact with

the material can cause thermal burns. No adverse effects anticipated by skin absorption.

If un-formed material becomes lodged in subject's mouth, do not swallow, spit it out. Ingestion

Inhalation Inhalation of dust may cause respiratory irritation. Fumes produced during thermal process may cause

irritation.

NOTE: Refer to Section 11, Toxicological Information for Details

#### Section 3 – Composition/Information on Ingredients

<b>Chemical Identity</b>	CAS Numbers	EINECS#	INCI Name	Exposure OSHA TWA/STEL	Limits ACGIH TWA/STEL	Carcinogen IARC/NTP/OSHA	%
Non-hazardous							
N/E – None Established N/R – Not Reviewed	N/DA – No Data Avail N/A – Not Applicable						

See Section 16 for Hazard and Precautionary Statement Key.

#### Section 4 – First Aid Measures

Solid Product is neither an irritant nor gives off hazardous vapors at ambient temperatures

First Aid for Eye This material is non-irritating upon contact, except upon impact as any foreign particle in the eye.

First Aid for Skin Not a hazard at ambient conditions. Washing hands is preferable after use. Contact with heated

material may cause thermal burns. Do not attempt to remove material from skin. Cool rapidly with

cold water. Obtain medical treatment. Treatment as any normal thermal burn.

Do not swallow. Material is not expected to cause an ingestion problem. First Aid for Ingestion

First Aid for Inhalation N/A

Revised Date: 06/16/2015 | Replaces Date: 06/23/2011 pg. 1 of 4



# PRO-FORM SPLINT AND RETAINER

### Section 5 – Fire Fighting Measures

Flash Point (°F/°C)	Flammable Limit (vol%)	Auto-ignition Temperature (vol%)
N/A	N/A	N/A

Method:

Extinguishing Media: Suitable extinguishing media for the surrounding fire should be used.

Fire Fighting Instructions: Vinyl film is self extinguishing; however if burning is supported by another source of material, fumes

could be irritating.

Unusual Hazards: Use self contained breathing apparatus when fighting fires.

#### Section 6 – Accidental Release Measures

Spill or Release Minor spills – Clean up immediately. Slipping hazard.

Procedures Major spills – Clear area of personnel. Restrict access to area. Clean up immediately. Slipping hazard.

See section 8 & section 12.

#### Section 7 – Handling and Storage

Handling No special handling requirements.

Storage Store in a cool, dry location away from sparks. Material is hydroscopic, keep away from water & moisture.

Explosion Hazard None.

### Section 8 – Exposure Controls / Personal Protection

Engineering Controls No special engineering controlled required.

Personal Protective Equipment

General To identify additional Personal Protective Equipment (PPE) requirements, it is recommended that a

hazard assessment in accordance with the OSHA PPE Standard (29CFR1910.132), or European Standard

N/A

N/A

N/A

EN166 be conducted before using this product.

Eye/ Face Protection Wear safety glasses with side shields. Wear face shield during thermal process.

Skin Protection Thermal insulating glove when handling molten product.

Respiratory Protection None under ordinary operating use.

#### Section 9 – Physical and Chemical Properties

Appeara	nce	Odor d	& Odor Threshold	PН	Spec	ific Gravity	Viscosity	% V	olatile	
Clear, film or sheets			Odorless	N/A	(H20	O = 1): 1.25-	N/A	N	/A	1
						1.35				
							1			_
Boiling Point/	Decomposi	tion	Octanol/Water	7	<b>Vapor</b>	Vapor	Evaporation	Ignition	Solubility	
Freezing Point	Temperati	ıre	Partitioning Coefficie	ent Pr	essure:	Density	Rate		In Water	
_	_		Log Do/w			-			(20°C)	

N/A

Flash Point (°F/°C)	Flammable Limit (vol%)	Auto-ignition Temperature (vol%)
N/A	N/A	N/A

#### Section 10 – Stability and Reactivity

N/A

Stability: Incompatibility (Materials to Avoid):

N/DA

Stable solid None

N/DA

Hazardous Decomposition Products: Hazardous Polymerization:

CO or CO2 Will not occur

Conditions to Avoid: Heat, moisture, water

pg. 2 of 4 Revised Date: 06/16/2015 | Replaces Date: 06/23/2011



# **PRO-FORM SPLINT AND RETAINER**

## Section 11 – Toxicological Information

<b>Acute Oral Toxicity</b>	Acute Dermal Toxicity	Acute Inhalation	Irritation – skin	Irritation – Eye
		Toxicity		
N/DA	N/DA	N/DA	N/DA	N/ DA
Sensitization		Mutagenicity	Sub-ch	ronic Toxicity
N/ DA	A	N/DA		N/ DA

## Section 12 – Ecological Information

**Ecotoxicological Information** 

Acute Toxicity to Fish	Acute Toxicity to Invertebrates	Acute Toxicity to Algae	Bioconcentration	Toxicity to Sewage Bacteria
N/DA	N/ DA	N/ DA	N/ DA	N/ DA

#### **Chemical Fate Information**

MY 1 WV 1 MW		
Biodegradability	N/A. This material is not expected to bioaccumulate.	
Chemical Oxygen Demand	N/ DA	

## Section 13 – Disposal Considerations

Dispose of in compliance with governmental regulation (state and federal).

Dispose of container and unused contents in accordance with federal, state and local requirements. For EU Member States, please refer to any relevant Community provisions relating to waste. In their absence, it is useful to remind the user that national or regional provisions may be in force.

## Section 14 – Transport Information

Non-regulated, non-hazardous material: DOT, IATA, IMO (IMDG).

## Section 15 – Regulatory Information

US Federal Regulations	
Clean Air Act: HAP/ODS	This product contains the following HAP's or ODS:
	• NONE
Clean Water Act: Priority	This product contains the following chemicals listed under the U. S. Clean Water Act
Pollutant	Priority Pollutant and Hazardous Substance List:
	• None
FDA: Food Packaging Status	This product has not been cleared by the FDA for use in food packaging and / or other
	applications as an indirect food-packaging additive.
Occupational Safety and Health	This product is considered to be hazardous under the OSHA Hazard Communication
Act	Standard. It's hazards are:
	• None
RCRA	This product contains the following chemicals considered to be hazardous waste under
	RCRA (40 CFR 261).
	• None
SARA Title III: Section 302 (RQ)	This product contains no chemicals regulated under Section 302 as extremely hazardous
	substances.
SARA Title III: Section 302	This product does not contain chemicals regulated under Section 304 as extremely
(TPQ)	hazardous chemicals for emergency release notification ("CERCLA" List).
SARA Title III: Section 311-312:	This product is not considered to be hazardous under the OSHA Hazard Communication
	Standard and is regulated under Section 311-312 (40 CFR 370).

pg. 3 of 4 Revised Date: 06/16/2015 | Replaces Date: 06/23/2011



# PRO-FORM SPLINT AND RETAINER

SARA Title III: Section 313:	This product contains the following chemicals which are subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372:  • None
TSCA Section 8(b): Inventory:	This product complies with US TSCA requirements.
TSCA Significant New Use Rule:	None of the chemicals in this material have a SNUR under TSCA.

#### **State Regulations**

The components to this product are listed on the appropriate applicable state regulations.

**International Regulations** 


 itti iimtioiimi iiteguiittioiis	
CDSL: Canadian Inventory	All components are listed, where applicable, Not controlled under WHMIS.
(on Canadian Transitional List)	

#### Labeling according to EC directives - 1272/2008 {CLP} AND 1999/45/EC (items in parenthesis relate to 1999/45/EC)

European Community:	For Proform Splint and Temp. Retainer (finished product):
	• DANGER SYMBOLS: N/A – non hazardous
	HAZARD STATEMENT: N/A
	<ul> <li>PRECAUTIONARY STATEMENT: N/A</li> </ul>

## Section 16 <u>– Other Information</u>

#### Hazard Rating System (Pictograms)



Initial SDS Prepared by:	WME 03/08/11
Revision History:	06/23/11 Updated WHMIS.
	6/12/15 Removed "Material' from Material Safety Data Sheet, and M from MSDS

The information presented herein was obtained from sources considered to be reliable. However, this information is provided without any warranty, expressed or implied, regarding its correctness or suitability for consumers intended use and/or application. For this and other reasons, we assume no responsibility and expressly disclaim liability for loss, damage or expense arising out of any way connected with the handling, storage, use or disposal of the product. This SDS was prepared expressly for this product. Use the materials only as directed. If the product is used as a component of another product, the information contained within the SDS may not be applicable. If there are any problems or concerns understanding this SDS form, please direct all questions to INFOTRAC, Chemical Emergency Resources System at 1(800) 535-5053.

Keystone Industries components are provided on an as is basis without warranties of any kind either expressed or implied. Keystone Industries does not warrant the use or the results of use of the materials sold on an as is basis since they are intended for remanufacturing or repackaging. It is the sole responsibility of the user to examine and determine appropriate application and regulatory requirements associated with said Keystone Industries components.

pg. 4 of 4 Revised Date: 06/16/2015 | Replaces Date: 06/23/2011