# This SDS packet was issued with item:

074570149

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

072358836 074567939 074570107 074570115 074570123 074570131 074570230 074570255 074570263 074570271 074570313 074570321 074570339 075134184 075134200 075134333 075134341

according to Regulation (EC) No. 453/2010

Dental Use



**Date Issued:** 02/16/2018

SDS No: 224-250.01

Kulzer, LLC 4315 S. Lafayette Blvd.

South Bend, IN 46614 USA

Venus White Pro 16%, Venus White Pro 22%

## SECTION 1: Identification of the substance/preparation and of the company/undertaking

#### 1.1. Product identifier

**Product code** : 40005166, 40005167, 40005164, 40005165 (HV/71042, HW/71043)

Product name : Venus White Pro 16%, Venus White Pro 22%

Product description : Bleaching Gel

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses : Professional Dental Teeth Whitening Gel

## 1.3. Details of the supplier of the safety data sheet

#### Manufacturer

Kulzer, LLC (Mitsui Chemicals Group)

4315 S. Lafayette Blvd. South Bend, IN 46614

**Customer Support** : (800) 431-1785

## 1.4. Emergency telephone number

**CHEMTREC (NORTH AMERICA) :**(800) 424 - 9300

(INTERNATIONAL) :+1(703) 527 - 3887

## **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

## Classification according to Regulation(EC) No 1272/2008 [CLP]

: The mixture has been assessed and/or tested for its physical, health and

environmental hazards and the following classification applies.

**Health**: Eye Irritation, Category 2

Skin Irritation, Category 2

#### 2.2. Label elements

#### Classification according to Regulation(EC) No 1272/2008 [CLP]

Hazard pictogram(s) :



Exclamation mark

Signal Word : WARNING

**Hazard statement(s)** : H315: Causes skin irritation.

H319: Causes serious eye irritation.

Precautionary statement(s)

**Prevention**: P280: Wear protective gloves/protective clothing/eye protection/face protection.

according to Regulation (EC) No. 453/2010

Dental Use



Kulzer, LLC 4315 S. Lafayette Blvd. South Bend, IN 46614 USA **Date Issued:** 02/16/2018

SDS No: 224-250.01

## Venus White Pro 16%, Venus White Pro 22%

Response : P305: IF IN EYES:

P351: Rinse cautiously with water for several minutes.

P337+P313: If eye irritation persists: Get medical advice/attention. P302+P352: IF ON SKIN: Wash with plenty of soap & water.

**Storage**: P273: Avoid release to the environment.

Disposal : P501: Dispose of in compliance with governmental regulation. (EC1975L0442-

20/11/2003)

2.3. Other hazards

Immediate concerns : NAP

## **SECTION 3: Composition / information on ingredients**

#### 3.1. Substances

Not Applicable

#### 3.2. Mixtures

| Chemical Name         | CAS         | EINECS<br>No. | Wt.% | Classification according to Regulation(EC) No 1272/2008 [CLP]                               |
|-----------------------|-------------|---------------|------|---|
| Carbamide<br>Peroxide | 000124-43-6 | 204-701-4     | < 24 | Skin Irr.,Cat. 2; EYE DMG.,Cat. 1; STOT SE,Cat. 3; Oxid. Sol.,Cat 3; H272; H315; H318; H335 |
| Potassium Nitrate     | 7757-79-1   | 231-818-8     | 3    | Skin Irr.,Cat. 2; Eye Irr.,Cat. 2; STOT SE,Cat 3; H335; H315; H319                          |
| Sodium Hydroxide      | 1310-73-2   | 215-185-5     | < 5  | Skin Corr.,Cat. 1B; H314  |
| Poly Acrylic acid     | 9003-01-4   | 618-347-7     | < 10 | Not classified  |

For full text of H-statements: see SECTION 16.

## **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

Following eyes : Immediately flush eyes with plenty of water for at least 15 minutes. Get

immediate medical attention.

Following skin : Remove contaminated clothing. Wash with soap and water. Get medical

attention if irritation develops or persists.

Following ingestion : If swallowed in small quantity the product is harmless, otherwise consult a

doctor.

Following inhalation : No specific treatment is necessary since this material is not likely to be

hazardous by inhalation. If exposed to excessive levels of dusts or fumes, remove to fresh air and get medical attention if cough or other symptoms

develop.

#### 4.2. Most important symptoms and effects, both acute and delayed

**Eyes**: Irritating to eyes.

according to Regulation (EC) No. 453/2010

Dental Use



**Date Issued:** 02/16/2018

SDS No: 224-250.01

Kulzer, LLC 4315 S. Lafayette Blvd. South Bend, IN 46614 USA

## Venus White Pro 16%, Venus White Pro 22%

**Skin**: May cause skin irritation.

**Ingestion** : May be harmful if swallowed in large quantities.

**Inhalation**: None expected for this product.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Notes to physician : NAP

## **SECTION 5: Fire fighting measures**

#### 5.1. Extinguishing media

**Extinguishing media** : Please see Fire Fighting Equipment under Section 5.3.

## 5.2. Special hazards arising from the substance or mixture

Hazardous combustion products : None known.

Explosion hazards : Not determined

Fire explosion : Not determined

Sensitive to static discharge : Not determined

Sensitivity to impact : Not determined

5.3. Advice for firefighters

Fire fighting procedures : General: Evacuate all personnel; use protective equipment for fire-fighting. Use

self-contained breathing apparatus when the product is involved in fire.

: Water spray only.

## SECTION 6: Accidental release measures

## 6.1. Personal precautions, protective equipment and emergency procedures

**General procedures**: Refer to Section 8 for Personal Protective Equipment.

6.2. Environmental precautions

**Water spill**: Do not allow to enter sewers or drains that may lead to waterways.

#### 6.3. Methods and material for containment and cleaning up

**Small Spill**: Wipe up with cloth, soap and water.

Large Spill : Absorb with inert, damp non-combustible material, then flush area with water.

6.4. Reference to other sections

Reference to other sections : NAP

#### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

**General procedures**: Avoid contact with eyes, skin and clothing.

**Handling** : Use suitable protective equipment.

**Storage** : See product labeling.

according to Regulation (EC) No. 453/2010

Dental Use



Kulzer, LLC 4315 S. Lafayette Blvd. South Bend, IN 46614 USA **Date Issued:** 02/16/2018

SDS No: 224-250.01

## Venus White Pro 16%, Venus White Pro 22%

## 7.2. Conditions for safe storage, including any incompatibilities

Shelf life : See product labeling

7.3. Specific end use(s)

Specific end use(s) : Professional Dental Teeth Whitening Gel

## SECTION 8: Exposure controls / personal protection

## 8.1. Control parameters

Control parameters : Sodium Hydroxide CAS: 1310-73-2

| Control Parameters               | Exposure Limits             |
|----------------------------------|-----------------------------|
| OSHA PEL General Industry        | 2 mg/m <sup>3</sup> TWA     |
| OSHA PEL - Construction Industry | 2 mg/m <sup>3</sup> TWA     |
| OSHA PEL - Shipyard Employment   | 2 mg/m <sup>3</sup> TWA     |
| NIOSH REL                        | 2 mg/m <sup>3</sup> Ceiling |
| ACGIH TLV                        | 3 Ceiling                   |
| CAL/OSHA PEL                     | 2 mg/m <sup>3</sup> Ceiling |

Sodium Hydroxide International Regulations

| Country                           | Exposure Limits                         | Limit Values  |
|-----------------------------------|---|---|
| Australia                         | Peak limitation(199)                    | 2 mg/m <sup>3</sup>   |
| Federal<br>Republic of<br>Germany | Short term level                        | 2 mg/m <sup>3</sup> , 4 mg/m <sup>3</sup> , 5<br>minutes. 8 times per<br>shift (1990) |
| United<br>Kingdom                 | 10 min Short term exposure limit (STEL) | 2 mg/m <sup>3</sup> (1991)  |

## 8.2. Exposure controls

**Eye/face protection**: Wear eye protection.

**Skin protection**: Wear suitable protective clothing and gloves.

**Respiratory protection** : Good general ventilation should be sufficient to control airborne levels.

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state : Gel
Colour : Colorless

Odour : Odorless or Minty

according to Regulation (EC) No. 453/2010

Dental Use



Kulzer, LLC 4315 S. Lafayette Blvd. South Bend, IN 46614 USA **Date Issued:** 02/16/2018

SDS No: 224-250.01

## Venus White Pro 16%, Venus White Pro 22%

**pH** : 6.0 to 7.5

Solubility in water : Partially Soluble

9.2. Other information

Percent volatile : Not determined

## SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity : Stable

10.2. Chemical stability

**Chemical stability** : Stable when stored and handled under recommended conditions.

10.3. Possibility of hazardous reactions

Hazardous polymerization : None

10.4. Conditions to avoid

**Conditions to avoid** : Avoid strong bases, metals, excess heat, exposure to moist air or water.

10.5. Incompatible materials

**Incompatible materials**: Strong caustics, most metals.

10.6. Hazardous decomposition products

Hazardous decomposition products : None known.

## **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

Notes

Other information : Device is biocompatible when used as directed by dental professionals per ISO

10993-1.

## **SECTION 12: Ecological information**

12.1. Toxicity

Toxicity : Not Determined

Aquatic toxicity (acute)

96-hour LC50: Not determined48-hour EC50: Not determined96-hour EC50: Not determined

12.2. Persistence and degradability

Persistence and degradability: Not determined

12.3. Bioaccumulative potential

Bioaccumulative potential : Not determined

according to Regulation (EC) No. 453/2010

Dental Use



Kulzer, LLC 4315 S. Lafayette Blvd. South Bend, IN 46614 USA **Date Issued:** 02/16/2018

SDS No: 224-250.01

## Venus White Pro 16%, Venus White Pro 22%

12.4. Mobility in soil

Mobility in soil : Not determined

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment: Not determined

12.6. Other adverse effects

Environmental data : Not available

#### **SECTION 13: Disposal considerations**

13.1. Waste treatment methods

Disposal method : Dispose of in compliance with governmental regulation. (EC 1975L0442-

20/11/2003)

## **SECTION 14: Transport information**

14.1. UN number

**UN number** : NAP

14.2. UN proper shipping name

**UN proper shipping name** : Not Dangerous Goods

14.3. Transport hazard class(es)

Hazard classification : NAP

14.4. Packing group

Packing group : NAP

14.5. Environmental hazards

Marine pollutant #1 : NAP

14.6. Special precautions for user

ADR - road : NAP
RID - rail : NAP
IMDG - sea : NAP
IATA - air : NAP

## 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Transport in bulk : NAP

## **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

General information : Professional Cosmetic (US) not sold in the EU.

15.2. Chemical safety assessment

Chemical safety assessment : See Section 11

according to Regulation (EC) No. 453/2010

Dental Use



Kulzer, LLC 4315 S. Lafayette Blvd. South Bend, IN 46614 USA **Date Issued:** 02/16/2018

SDS No: 224-250.01

## Venus White Pro 16%, Venus White Pro 22%

**Additional information**: This product is not considered dangerous for transportation.

#### SECTION 16: Other information

Relevant H-statements (number and full-text)

: EYE DMG., Cat. 1: Eye Damage, Category 1 Eye Irr., Cat. 2: Eye Irritation, Category 2 Oxid. Sol., Cat 3: Oxidizing Solids, Category 3

STOT SE, Cat 3: Target Organ Toxicity (Single exposure), Category 3 STOT SE, Cat. 3: Target Organ Toxicity (Single exposure), Respiratory Tract

Category 3

Skin Corr., Cat. 1B: Skin Corrosion, Category 1B Skin Irr., Cat. 2: Skin Irritation, Category 2

H272: May intensify fire; oxidizer.

H314: Causes severe skin burns and eye damage.

H315: Causes skin irritation.

H318: Causes serious eye damage. H319: Causes serious eye irritation. H335: May cause respiratory irritation.

Prepared by : Anu Kattoju

General statements : NAP = Not Applicable
NE = Not Established

TLV = Threshold Limit Value
PEL = Permittable exposure limits

MAK = Maximum Workplace Concentration

STEL = Short-term exposure limit STEV = Short-term exposure value TWA = Time Weighted Average PPE = Personal Protective Equipment

Additional SDS information

: This is the first SDS.

Manufacturer disclaimer

: FOR DENTAL USE ONLY: Use as directed. The information and recommendations are taken from sources (raw material SDS(s) and manufacturer's knowledge) believed to be accurate; however, the manufacturer,

makes no warranty with respect to the accuracy of the information or the suitability of the recommendation and assumes no liability to any user thereof. Each user should review these recommendations in the specific context of the

intended use and determine whether they are appropriate.