### **SAFETY DATA SHEETS**

### This SDS packet was issued with item:

075556899

The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).

075556840 075556865 075556873 075556881



Page 1 of 4

### **Material Safety Data Sheet**

DATE OF ISSUE: April 16, 2012 ISSUED BY PASCAL

**Product Name:** Occlude®

#### 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product Name Occlude®

Product Use: Aerosol Indicator Marking Spray

Manufacturer Name Pascal International, Inc. Address 2929 NE Northup Way

Bellevue, Washington 98004

Emergency Telephone (Infotrac): 1-800-535-5053, 1-352-323-3500

Telephone 1-425-827-4694, 1-800-426-8051

Fax 1-425-827-6893

#### 2. HAZARDS IDENTIFICATION

Hazard Irritating to eyes. Can is under pressure. Unusual

fire and explosion hazard. Inhalation of large quantities of propellant may displace oxygen in

lungs.

Risk Phrases R12: Highly flammable

R18: Vapor may form flammable mixtures with air

R36: Irritating to eyes. R20: Harmful by inhalation

Safety Phrases S2: Keep out of the reach of children

S15: Keep away from heat.S23: Do not breathe vapor.S25: Avoid contact with eyes.

#### 3. COMPOSITION / INFORMATION ON INGREDIENTS

Mixture	Chemical Entity	CAS No.	Proportion*	ACGIH TLV
Propellant	Isobutane	75-28-5	97%	1000 ppm
	N-Butane	106-97-8	2%	1000 ppm
	Propane	74-98-6	1%	1000 ppm

#### 4. FIRST AID MEASURES

Inhalation Move to fresh air. If unconscious, give oxygen Ingestion Ingestion of normal quantities is non-toxic.

Skin N/A

Eye Flush with water for 15 minutes. Seek medical aid.



International, Inc. Page 2 of 4

Material Safety Data Sheet

Date of Issue: April 16, 2012 Issued By Pascal

**Product Name:** Occlude®

#### 5. FIRE FIGHTING MEASURES

Extinguishing Media: CO<sub>2</sub>, Foam, Dry Chemical, Water

Specific Hazards: Extremely flammable and combustible. Temperature

above 50°C/120°F may cause bursting and contents

under pressure may discharge.

Precautions in connection with

Confine fire to immediate area.

Fire:

Use of self contained breathing apparatus is

recommended. Wear protective clothing to prevent

contact with skin and eyes.

#### 6. ACCIDENTAL RELEASE MEASURES

Emergency Procedures: Provide adequate ventilation.

Clean Up Procedure: Use soap and water after propellant has been

dispersed.

#### 7. HANDLING AND STORAGE

Handling Content is under pressure. Keep away from fire.

Flammable. Do not puncture.

Storage Content is under pressure. Store in a cool, dry area

away from heat sources and/or prolonged exposure to

sun. Keep away from fire. Flammable. Do not

puncture.

#### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Limits Not determined

Respiratory Protection Dust mask recommended.

Eye Protection Recommended

Hand Protection Gloves recommended
Engineering Controls Normal room ventilation

Biological Limit Values Not determined

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Red or green powder dispensed as an aerosol.

Odor Odorless



Page 3 of 4

### **Material Safety Data Sheet**

DATE OF ISSUE: April 16, 2012 ISSUED BY PASCAL

**Product Name:** Occlude®

Vapor Pressure (mm Hg and (Isobutane @ 32° F) 1,519.0

Temperature)

Vapor Density (AIR=1) (Isobutane) 2.01 Boiling Point (Isobutane) 10.9° F Freezing / Melting Point Not Determined

Solubility in Water Minimal

Specific Gravity (Isobutane) 0.5631 Evaporation Rate Not Determined

Water Reactive N/A Flash Point 120° F

Flammable Limits LEL Maintain level below 0.25 LEL. May displace

oxygen in air

Flammable Limits UEL Not determined

#### 10. STABILITY AND REACTIVITY

Chemical Stability Stable Conditions to Avoid N/A

Incompatible Materials May react with oxidizing materials.

Hazardous Decomposition None known

Products

Hazardous Reactions None known

#### 11. TOXICOLOGICAL INFORMATION

Hazardous Ingredient: N/A
Routes of Exposure: N/A

#### 12. ECOLOGICAL INFORMATION

Ecotoxicity Contains no CFC's. Propellants are ecologically

safe.

Persistence and Degradability Not determined Mobility Not determined

#### 13. DISPOSAL CONSIDERATIONS

Disposal Method and Containers Empty containers may be disposed of in waste

containers.



Page 4 of 4

Material Safety Data Sheet

Date of Issue: April 16, 2012 Issued By Pascal

**Product Name:** Occlude®

Special Precautions Do not incinerate. Do not crush. Dispose in

accordance with all local, state and federal

regulations.

#### 14. TRANSPORT INFORMATION

UN Number UN1950

UN Proper Shipping Name Aerosol, flammable

Class and Subsidiary Risk 2.1 Packing Group N/A

Special Precautions for User Maximum 75kg on passenger aircraft/rail.

Hazchem Code 1T

#### 15. REGULATORY INFORMATION

Consumer Commodity ORM-D, ID 8000

AICS (Australia) All ingredients are listed

Precautionary Phrases: For professional in-office use only.

Keep out of reach of children.

Note: Refer to applicable international, national, and local

regulations and provisions.

#### 16. OTHER INFORMATION

Legal Disclaimer: Information contained in this MSDS is based on data

believed to be correct. This information does not purport to be all inclusive and shall be used only as a guide. No warranty is expressed or implied regarding the accuracy of this data or the results to be obtained

from the use thereof. In no event will the

manufacturer or the distributor be responsible for damages of any nature whatsoever resulting from the

use of or reliance upon this information.

MSDS History Date of Issue: April 16, 2012

Replaces Issue: April 15, 2009

Changes made to previous issue: No changes



DATE OF ISSUE: August 25, 2023 ISSUED BY PASCAL

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER		
Product Name	Occlude <sup>®</sup>	
Product Use:	Aerosol Indicator Marking Spray	
Manufacturer Name	Pascal International, Inc.	
Address	2929 Northup Way	
Address	Bellevue, Washington 98004 USA	
Emergency Telephone (Infotrac):	1-800-535-5053, 1-352-323-3500	
Telephone	1-425-827-4694, 1-800-426-8051	
Fax	1-425-827-6893	

2. HAZARDS IDENTIFICATION			
<b>GHS Classification &amp; Label</b>	GHS Classification & Label Elements:		
Physical Hazard			
Flammable Aerosol	Category 1		
Label Elements:			
Signal Word:	Danger		
Hazard Statements:			
H222 Extremely Flammable aerosol			
Precautionary Statements			
P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.			
P211 Do not spray on an open flame or other ignition source.			
P251 Do not pierce or burn, even after use			

3. COMPOSITION / INFORMATION ON INGREDIENTS				
Mixture	<b>Chemical Entity</b>	CAS No.	Proportion*	ACGIH TLV
	Isobutane	75-28-5	97%	1000 ppm
Propellant	N-Butane	106-97-8	2%	1000 ppm
	Propane	74-98-6	1%	1000 ppm

4. FIRST AID MEASURES	
Inhalation	Move to fresh air. If unconscious, give oxygen
Ingestion	Ingestion of normal quantities is non-toxic.
Skin	N/A
Eye	Flush with water for 15 minutes. Seek medical aid.



DATE OF ISSUE: August 25, 2023 ISSUED BY PASCAL

5. FIRE FIGHTING MEASURES		
Extinguishing Media:	CO <sub>2</sub> , Foam, Dry Chemical, Water	
	Extremely flammable and combustible. Temperature	
Specific Hazards:	above 50°C/120°F may cause bursting and contents	
	under pressure may discharge.	
	Confine fire to immediate area.	
Precautions in connection with	Use of self contained breathing apparatus is	
Fire:	recommended. Wear protective clothing to prevent	
	contact with skin and eyes.	

6. ACCIDENTAL RELEASE MEASURES	
Emergency Procedures: Provide adequate ventilation.	
Clean Up Procedure:	Use soap and water after propellant has been
	dispersed.
Personal Precautions:	Dust mask

7. HANDLING AND STORAGE	
Handling:	Content is under pressure. Keep away from fire. Flammable. Do not puncture.
Storage:	Content is under pressure. Store in a cool, dry area away from heat sources and/or prolonged exposure to sun. Keep away from fire. Flammable. Do not puncture.

8. Exposure Controls / Personal Protection		
Exposure Limits:	Not determined	
Respiratory Protection:	Dust mask recommended.	
Eye Protection:	Recommended	
Hand Protection:	Gloves recommended	
Engineering Controls:	Normal room ventilation	
Biological Limit Values:	Not determined	

9. PHYSICAL AND CHEMICAL PROPERTIES		
Appearance:	Red or green powder dispensed as an aerosol.	
Odor:	Odorless	
Vapor Pressure (mm Hg and	(Isobutane @ 32° F) 1,519.0	
Temperature):		
Vapor Density (AIR=1):	(Isobutane) 2.01	
Relative Density:	Not determined	
Boiling Point:	(Isobutane) 10.9° F	
Freezing / Melting Point:	Not Determined	
Solubility in Water:	Minimal	



DATE OF ISSUE: August 25, 2023 ISSUED BY PASCAL

<b>Product Name:</b>	Occlude <sup>®</sup>

Specific Gravity:	(Isobutane) 0.5631
Evaporation Rate:	Not Determined
Water Reactive:	N/A
Flash Point:	120° F
Self-igniting:	Product is not self-igniting
Flammable Limits LEL:	Isobutane 1.6%. May displace oxygen in air
Flammable Limits UEL:	Not determined
Viscosity:	Not determined

10. STABILITY AND REACTIVITY	
Chemical Stability:	Stable
Reactivity:	Stable
Conditions to Avoid:	Keep away from fire.
Incompatible Materials:	May react with oxidizing materials.
Hazardous Decomposition	None known
Products:	None known
Hazardous Reactions:	None known

11. TOXICOLOGICAL INFORMATION	
Hazardous Ingredient:	N/A
Routes of Exposure:	N/A
• Skin	No irritant effect
• Eyes	No irritating effect
Sensitization	No sensitizing effects known
Acute & Chronic Hazards:	None known

12. ECOLOGICAL INFORMATION	
Ecotoxicity:	Contains no CFC's. Propellants are ecologically safe. Not hazardous for water.
Persistence and Degradability:	Not determined
Bioaccumulative Potential:	Not determined
Mobility in Soil:	Not determined

13. DISPOSAL CONSIDERATIONS	
Disposal Method and Containers	Empty containers may be disposed of in waste containers.
Special Precautions	Do not incinerate. Do not crush. Dispose in accordance with all local, state and federal regulations.



DATE OF ISSUE: August 25, 2023 ISSUED BY PASCAL

14. Transport Information		
UN Number	UN1950	
UN Proper Shipping Name	Aerosol, flammable	
Class and Subsidiary Risk	2.1	
Packing Group	N/A	
Special Precautions for User	N/A	
Hazchem Code	1T	
EMS Numbers:	F-D, S-U	
Marine Pollutant:	No	
Australian Classification Statement (ADG):	Division 2.1 Flammable Gases	
Transport Required Labeling:		
Air Transport:	A STATE OF THE STA	
Maritime Transport:	<b>&gt;</b>	
Land Transport:	<b>&gt;</b>	

15. REGULATORY INFORMATION	
Consumer Commodity:	ORM-D (Ground), ID 8000 (Air)
Precautionary Phrases:	For professional in-office use only.
	Keep out of reach of children.
AICS (Australia)	This product is a medical device and not subject to
	chemical notification requirements.
HSNO Act (New Zealand)	Group Standard #HSR002515 Aerosols (Flammable)
Poison Schedule:	None allocated
CA Prop 65:	No ingredients are subject to CA Prop 65 warning.
Note:	Refer to applicable international, national, and local
	regulations and provisions.



DATE OF ISSUE: August 25, 2023 ISSUED BY PASCAL

16. OTHER INFORMATION	
Legal Disclaimer:	Information contained in this SDS is based on data believed to be correct. This information does not purport to be all inclusive and shall be used only as a guide. No warranty is expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. In no event will the manufacturer or the distributor be responsible for damages of any nature whatsoever resulting from the use of or reliance upon this information.
SDS History	
Date of Issue:	August 25, 2023
Replaces Issue:	October 30, 2017
Changes made to previous issue:	Updated issue date to comply with mandated five- year requirement; Updated Australian and New Zealand requirements; Assigned group standard for HSNO Act (New Zealand) and added group number to section 15; Added CA Prop 65 requirements.