SAFETY DATA SHEETS

This SDS packet was issued with item:

075912464

The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).

075912415 075912423 075912431 075912449 075912456 075912472 075912514 075912522 075912530 075912548 075912555 075912563 075912571

Pulpdent Corporation

Material Safety Data Sheet: Tuff-Temp Temporary Crown and Bridge Material

IDENTITY Tuff-Temp Temporary Crown and Bridge Material

Chemical Description: Glass-filled resin in two parts, base and catalyst, with photo-initiator and self-cure chemistry.

Product Use: Temporary crown and bridge material

SECTION I

Pulpdent Corporation Phone Numbers

80 Oakland Street 24 Hour Emergency: 1-800-535-5053

Watertown, MA 02472 USA Customer Service: 1-800-343-4342/1-617-926-6666

Date prepared: December 1, 2008

SECTION II - HAZARDOUS INGREDIENTS

Ingredients CAS Number PEL / TLV
Uncured methacrylate resins ——— Not established

Silica, amorphous 112945-52-5 6 mg/m³ / 10 mg/m³

DOT HAZARD CLASSIFICATION: None required WHMIS CLASSIFICATION: D-2, Possible irritant

NFPA HMIS RATING: HEALTH: 1 FLAMMABILITY: 0 REACTIVITY: 1

<u>SECTION II - PHYSICAL / CHEMICAL CHARACTERISTICS</u>

Light cure set time 20 seconds
Self-cure set time 7 minutes

Appearance Two tooth-colored pastes, base and catalyst

Odor Slight, characteristic

<u>SECTION IV - FIRE AND EXPLOSION HAZARD</u>

Flash point: Not established Auto-ignition temperature: Not established

Flammable limits: Not established

Hazardous Combustion Products: Under fire conditions and with amounts greater than that supplied in this product, hazardous polymerization may occur with heat build up and release of carbon monoxide, carbon dioxide, and oxides of nitrogen.

Extinguishing Media: Carbon dioxide, dry chemical, alcohol foam or water fog. Water spray may be used to keep exposed containers cool.

Special Fire Fighting Procedures: A self-contained breathing apparatus should be worn by fire-fighting personnel. Cool exposed containers with water spray to prevent polymerization under fire conditions.

SECTION V - REACTIVITY DATA

Stability: Stable

Conditions to avoid: Intense light, temperature >100°F / 38°C, cross-contamination.

Incompatibility: Reducing and oxidizing agents.

Hazardous Decomposition Products: Carbon monoxide, carbon dioxide, oxides of nitrogen

Hazardous Polymerization: None under normal conditions of use.

Conditions to avoid: Strong light, temperature >100°F / 38°C, cross-contamination.

Material Safety Data Sheet: Tuff-Temp Temporary Crown and Bridge Material

SECTION VI - HEALTH HAZARD DATA

Summary of Acute Hazards: Minimal health hazard in the small quantities present in this product and under normal conditions of use. Material may be irritating to eyes, mucous membranes or skin on contact.

Route of Exposure

Signs and Symptoms

Inhalation

May be imitating to mucous membranes.

Eye Contact Skin Absorption May be irritating. Not applicable

Skin Contact

Primary route of exposure, possibly irritating or sensitizing.

Ingestion

None expected with this product in normal conditions of use. May be irritating

to mucous membranes.

Summary of Chronic Hazards: May be sensitizing, especially with prolonged and/or repeated exposure.

Carcinogenicity

Not known to be a carcinogen.

Teratogenicity, Mutagenicity, Reproductive Toxicity: None known

Emergency First Aid Procedures

Inhalation

Move exposed person to fresh air. Seek medical care.

Eye contact

Flush eyes with running water for 15+ minutes. Seek medical attention.

Ingestion

Rinse mouth. Consult physician.

Skin contact

Wash skin with soap and running water. Seek medical attention if irritation

persists.

SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE

Handling/Storage Precautions: Avoid temperature extremes, strong light, cross-contamination, moisture.

Release or Spill: Wear gloves, safety glasses. Pick up with absorbent material (paper or cloth) and collect for suitable disposal.

Waste Disposal Method: Follow all government regulations.

Other Precautions: Wash hands after use.

SECTION VIII - CONTROL MEASURES

Respiratory Protection: Not necessary under normal conditions of use of this product.

Ventilation: No special ventilation required under normal conditions of use of this product.

Protective Gloves: Recommended

Eve Protection: Safety glasses are recommended when normal conditions of use are anticipated. Chemical splash goggles

should be worn whenever there is a possibility of splashing or contact.

Other Protective Clothing or Equipment: Emergency eye wash fountain should be close-by and maintained.

Work / Hygienic Practices: Wash hands after use

The information presented herein is believed to be factual as it has been derived from the works of persons believed to be qualified experts. However, nothing contained in this information is to be taken as a warranty or representation for which Pulpdent Corporation bears legal responsibility. The user should review any recommendations in the specific context of the intended use to determine whether they are appropriate.

Trade Name: *Tuff-Temp™ Plus Provisional Veneer, Crown & Bridge Resin*

1.0	Commercial Product Name and Supplier			
1.1	Commercial product name / designation	Tuff-Temp™ Plus Provisional Veneer, Crown & Bridge Resin Tuff-Temp™ Provisional Add-On Tuff-Temp™ Provisional Glaze		
1.2 1.2.2 1.2.3	Application / Use SIC Use Category	Dental material for use by dental professional only. 851 Human health activity 55		
1.3	Manufacturer Pulpdent Corporation 80 Oakland Street, P.O. Box 780 Watertown, MA 02472 USA	Telephone: 1 617 926-6666 / Fax: 1 617 926-6262 Email: <u>Pulpdent@pulpdent.com</u>		
1.4	Emergency Telephone Number	1-800-535-5053 (24 Hour / USA)		
1.5	Authorized European Representative	Advena Ltd. Pure Offices, Plato Close Warwick, CV34 6WE United Kingdom		
2.0	Hazards Identification			
2.1	Classification			
2.1.1	Classification according to Regulation (EC) No 1272/2008 [CLP]	Hazard Class Eye irritation STOT SE Skin irritation Skin sensitization	Hazard Category 2 3 2 1	Hazard Statement H319 H335 H315 H317
2.1.2	Classification according to Directive 67/548/EEC	Irritant; Xi; R 36/37	/38 – 43 <i>(See SECTION 1</i>	6 for full text of risk phrases)
2.2	GHS Label Elements			

Hazard Pictograms



Signal Word: WARNING

Restricted to use by dental professional only.

Hazard Statements

H319: Eye irritation. 2. May cause eye irritation.

H335: STOT SE. 3. May cause respiratory irritation.

H315: Skin irritation. 2. May cause skin irritation.

H317: Sensitization. 1. May cause an allergic skin reaction.

Precautionary Statements

P261: Avoid breathing vapor.

P280: Wear protective gloves and eye protection

P305+P351: If in eyes, rinse cautiously with water for several minutes.

P337+P313: If eye irritation persists, get medical advice/attention.

P302+P352: If on skin, wash with plenty of soap and water.

P333+P313: If irritation or rash occurs, get medical advice/attention.

P410+P411: Protect from sunlight. Store at temperature not exceeding 27°C / 80°F.

Trade Name: $\textit{Tuff-Temp}^{\intercal M}$ Plus Provisional Veneer, Crown & Bridge Resin

3.0	Composition				
3.1	Chemical characterizat	ion of the preparation:	Glass-filled methacrylate resins in a two-part, dual-cure paste.		
3.2	Hazardous ingredients				
	CAS Number	Name of the Ingredient	Concentration	Classification per 67/548/EEC	Classification per Regulation (EC) No.1272/2008 (CLP).
	Proprietary	Uncured methacrylate resins	55-60%	Xi (Irritant), R 36/37/38 - 43	Eye irritation, 2, H319 STOT SE 3, H335 Skin irritation, 2, H315 Skin sensitization, 1, H317
	112945-52-5	Silica, amorphous	5 %	Xi (Irritant), R 36/37/38	Eye irritation, 2, H319 STOT SE 3, H335 Skin irritation, 2, H315
4.0	First Aid Measures				
4.1	General Information		contact with ey	res and skin. May caus y data sheet to medical	abranes or skin on contact. Avoid se sensitization by skin contact. personnel. Get medical attention
4.2	Inhalation		Move to fresh air. If necessary, administer oxygen and/or artificial respiration. Seek medical attention.		
4.3	Skin Contact		Take off contaminated clothing. Wash skin thoroughly with soap and water.		
4.4	Eye Contact		Keep eyelids apart and flush with running water for 15+ minutes. Get medical attention.		
4.5	Ingestion		attention. May b		vomiting. Get immediate medical membranes. Never give anything
4.6	Precautions for first responders Ventilate the area. Wear eye and skin protection.			protection.	
4.7	Information for physicia	ans			
	Symptoms		Irritation or redness in eyes, throat or on skin.		
	Hazards		May be irritatin sensitization by	0	embranes and skin. May cause
	Treatment		As above under	First Aid.	
5.0	Fire Fighting Measure	es			
5.0 5.1	Fire Fighting Measure Suitable extinguishing			, dry chemical, alcohol keep fire exposed conta	foam, or water fog. Water spray ainers cool.
		media		keep fire exposed conta	
5.1	Suitable extinguishing	media avoid	may be used to Do not use direct	keep fire exposed conta	ainers cool.
5.1 5.2	Suitable extinguishing Extinguishing media to	media avoid ards in a fire	may be used to Do not use direct Heat may cause	keep fire exposed contact water stream	ainers cool.
5.1 5.2 5.3	Suitable extinguishing Extinguishing media to Special exposure haza	media avoid ards in a fire ipment for fire-fighters	may be used to Do not use direct Heat may cause	keep fire exposed contact water stream e polymerization with rap	ainers cool.

Trade Name: *Tuff-Temp™ Plus Provisional Veneer, Crown & Bridge Resin*

6.2	Environmental precautions	Avoid releasing large amounts of uncured material into the environment Cured / set-up material is, to our knowledge, inert.	
6.3	Method for clean up	Contain spilled material. Absorb or wipe up spill paper towels or cloths. Collect for disposal in a covered container. Wash area of spill with alcohol or soap and water.	
7.0	Handling and Storage		
7.1	Handling	For use only by dental professionals. Follow good hygiene practices. Avoid direct, strong light sources, temperature extremes (>27°C/80°F, <5°C/40°F), contamination, cross contamination. Recap immediately after use.	
7.2	Storage	Store tightly capped in original container at cool room temperature (<25°C). Avoid direct, strong light, sources of ignition, extremes of temperature. Shelf life for unopened product is two years from date of manufacture, provided that the material has been stored properly.	
7.3	Specific uses	Provisional dental material	
8.0	Exposure Controls / Personal Protection	<u> </u>	
8.1	Exposure limit values	PEL: Not established. TLV: Not established.	
8.2	Exposure controls		
8.2.1	Occupational exposure controls	No special equipment required under normal conditions of use of this product in the quantity provided.	
8.2.1.1	Respiratory protection	Good general ventilation is sufficient to control any airborne.	
8.2.1.2	Hand protection	Surgical gloves	
8.2.1.3	Eye protection	Safety glasses	
8.2.1.4	Skin protection	Good personal hygiene and safety practices; wear a lab coat.	
8.2.1.5	Other controls	Emergency eye wash fountain. Wash hands after use.	
8.2.2	Environmental exposure controls	Cure material before disposing.	
9.0	Physical and Chemical Properties		
9.1	Characteristics		
9.1.1	Appearance / Color / Physical state	Two pastes: tooth-colored base; off-white catalyst	
9.1.2	Odor	Faint, characteristic	
9.2	Important health, safety and environmental information		
9.2.1	рН	Not determined	
9.2.2	Boiling point	Not determined	
9.2.3	Flash point	Not determined	
9.2.4	Flammability (solid, gas)	Not applicable	
9.2.5	Explosive properties	Not applicable	
9.2.6	Oxidizing properties	Not determined	

Trade Name: Tuff-Temp™ Plus Provisional Veneer, Crown & Bridge Res	in
--	----

9.2.8	Specific gravity	1.520	
9.2.9	Solubility in water	Nil	
9.2.10	Partition coefficient	Not determined	
9.2.11	Viscosity	Not determined	
9.2.12	Vapor density	Not determined	
9.2.13	Evaporation rate	Not determined	
10.0	Stability and reactivity		
10.1	Conditions to avoid	Temperature > 27°C / 80°F, light, cross-contamination of parts.	
10.2	Materials to avoid	Reducing and oxidizing agents, peroxides, amines.	
10.3	Hazardous decomposition products	Under fire conditions and with amounts greater than that supplied in this product, hazardous polymerization may occur with heat build-up and release of carbon monoxide, carbon dioxide, and oxides of nitrogen.	
10.4	Further information	Stable material if stored and used as directed. Polymerization will occur when light-sensitive material is exposed to direct light.	
11.0	Toxicological information		
11.1	Acute toxicity	Not toxic. Minimal health hazard in the quantities present in this product and under normal conditions of use.	
11.2	Irritation and corrosiveness	May be irritating to eyes, mucous membranes or skin on contact or with prolonged exposure.	
11.3	Sensitization	May be sensitizing. Prolonged or frequent skin contact may cause allergic skin reactions in some susceptible individuals.	
11.4	Sub-acute, sub-chronic and prolonged toxicity	Prolonged and/or frequent skin contact may cause allergic skin reactions in susceptible individuals. Prolonged exposure to large amounts (more than in this product) may cause eye and respiratory irritation.	
11.5	Carcinogenicity, Mutagenicity, Reproductive Toxicity	None known	
11.6	Empirical data	Testing confirmed biocompatibility of Tuff-Temp Plus.	
11.7	Clinical experience	Tuff-Temp Plus has been on the market for more than four years with no reports of adverse events.	
12.0	Ecological Information		
12.1	Ecotoxicity	Avoid release of uncured material into the environment. To the best of our knowledge, polymerized material is inert. No other information is available. Follow all government regulations.	
13.0	Disposal Considerations		
13.1	Regulations	Follow all local and national government regulations in disposing material or contaminated packaging.	
14.0	Transport Information		
14.1	Restrictions	None. Not regulated.	

Trade Name: *Tuff-Temp™ Plus Provisional Veneer, Crown & Bridge Resin*

Revision Date: July 1, 2015

15.0	Regulatory Information	
15.1	EU Regulations	Class IIa medical device under MDD 93/42/EEC
15.2	US FDA	Class II medical device.
15.3	Health Canada	Class III medical device
16.0	Other information	
16.1	List of relevant R phrases	R36/37/38: Irritating to eyes, respiratory system and skin. R43: Sensitizing by skin contact.
16.2	Hazard Statements	H319: Eye irritation. Hazard category 2. H335: Specific Target Organ Toxicity - Single exposure; hazard category. 3. Respiratory tract irritation. H315: Skin irritation. Hazard category 2. H317: Skin Sensitization. Hazard category 1.
16.3	Precautionary Statements	P261: Avoid breathing vapor. P280: Wear protective gloves and eye protection P305 + P351: If in eyes, rinse cautiously with water for several minutes. P337 + P313: If eye irritation persists, get medical advice/attention. P302 + P352: If on skin, wash with plenty of soap and water. P333 + P313: If irritation or rash occurs, get medical advice /
		attention. P410 + P411: Protect from sunlight. Store at temperature not exceeding 27°C / 80°F.
16.4	Restrictions on use	To be sold to and used by dental professionals only.
16.5	Further information	The information presented herein is believed to be factual as it has been derived from the works of persons believed to be qualified experts. However, nothing contained in this information is to be taken as a warranty or representation for which Pulpdent Corporation bears legal responsibility. The user should review any recommendations in the specific context of the intended use to determine whether they are appropriate.
16.6	Sources of key data	National Institute for Occupational Safety (NIOSH)
		US Occupational Safety and Health Administration (OSHA)
		Eur-Lex European Union Law: Regulation (EC) No. 1272/2008 (CLP) and Regulation (EC) No. 1907/2006 (REACH).
		Guidance on the compilation of safety data sheets. Version 1.1; December 2011. European Chemicals Agency
16.7	Information which has been added, deleted or revised.	This Safety Data Sheet has been revised to meet the requirements of the GHS SDS format, Regulations (EC) No. 1272/2008 (CLP) and (EC) No. 1907/2006 (REACH). Specifically, Sections 2.1, 2.2, 3.2, 16.2, 16.3 have been modified.