

SAFETY DATA SHEETS

This SDS packet was issued with item:

076211007

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

073811627 073811635 073811650 073811668 073812112 073812146 073812203

Hygenic® Temporary Dental Stopping

Revision Date: September 2014

Internal Document Number: 48237A

Page 1 of 4

Section 1: PRODUCT AND COMPANY IDENTIFICATION**Product Name:** Hygenic® Temporary Dental Stopping**Product Code(s):** H01061, H01063, H01064, H01065, H01067, H01068

Relevant identified uses of the mixture and uses advised against: Temporary Stopping provides a hard seal and temporization of endodontic and restorative cases. As a diagnostic tool, a warmed stick will assist in locating thermal sensitivity. Used as a bite stick, helps identify fractures and chewing pain. Intended for use by a licensed physician. Uses advised against: none.

Synonyms: None**Manufacturer**

Coltene/Whaledent Inc.
235 Ascot Parkway
Cuyahoga Falls, OH 44223 / USA
Phone: 1 330 916 8800
Fax: 1 330 916 7077
info.us@coltene.com

Authorized EC Representative

Coltene/Whaledent GmbH + Co. KG
Raiffeisenstraße 30
89129 Langenau
Phone: 49 7345 805 0
Fax: 49 7345 805 201
info.de@coltene.com

Emergency Contact Number:

USA & Canada: 1 800 535 5053

Copies of this SDS can be found at
www.coltene.com

Section 2: HAZARDS IDENTIFICATION**Appearance:** Colored Thermoplastic Rods / Odorless

Classification: Not hazardous when used in accordance with the relevant identified uses. Hygenic® Temporary Dental Stopping rods are formed to a specific shape or design during manufacture; have end use function(s) dependent in whole or in part upon their shape or design during end use; and under normal conditions of use does not release more than very small quantities, e.g., minute or trace amounts of a hazardous chemical and does not pose a physical hazard or health risk to employees.

PBT/vPvB Assessment: This product does not contain persistent, bioaccumulative and toxic chemicals (PBT's) nor does this product contain any very persistent and very bioaccumulative chemicals (vPvB's).

Section 3: COMPOSITION / INFORMATION ON INGREDIENTS

Substance	CAS	Percent (w/w%)
Nonhazardous as supplied		

Section 4: FIRST AID MEASURES**Inhalation:** Not a likely route of exposure**Eyes:** If scratches or punctures occur, seek medical attention immediately.**Skin:** Not hazardous to the skin. If you experience an adverse reaction, wash contacted skin with soap and water. If symptoms persist, consult a physician.**Ingestion:** Do not induce vomiting. Material is chemically inert.**Section 5: FIRE FIGHTING MEASURES****Flammability:** Nonflammable.**Extinguishing Media:** Carbon dioxide, foam and dry chemicals.**Unsuitable Extinguishing Media:** None known.

Hygenic[®] Temporary Dental Stopping

Revision Date: September 2014

Internal Document Number: 48237A

Page 2 of 4

Specific Hazards Arising from the Chemical: None known.**Protective Equipment and Precautions for Firefighters:** Wear NIOSH approved self-contained breathing respirator in positive pressure mode.**Section 6: ACCIDENTAL RELEASE MEASURES****Personal Precautions, Protective Equipment, and Emergency Procedures:** Use personal protective equipment recommended in Section 8.**Methods for Containment and Clean-up:** None noted.**Other Information:** None noted.**Section 7: HANDLING AND STORAGE****Precautions for Safe Handling:** wear gloves and eye protection. Keep container closed when not in use.**Conditions for Safe Storage, Including Incompatibilities:** Keep out of reach of children. Keep container closed.**Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION****Component Exposure Limits:** None.**Appropriate Engineering Controls:** None required.**Personal Protective Equipment (Eyes and Face):** Wear safety goggles.**Personal Protective Equipment (Skin):** Wear gloves.**Personal Protective Equipment (Respiratory):** Not required.**Section 9: PHYSICAL AND CHEMICAL PROPERTIES**

Appearance:	Colored Thermoplastic Rods	Viscosity:	No data
Odor:	None	Odor Threshold:	No data
pH:	No data	Boiling Point:	No data
Melting Point:	No data	Solubility (H ₂ O):	No data
Specific Gravity:	No data	Evaporation Rate:	No data
Octanol / H ₂ O Coefficient:	No data	Decomposition Temp:	No data
Molecular Weight:	No data	LFL:	No data
Auto Ignition:	No data	UFL:	No data
Flash Point:	No data	Vapor Pressure:	No data
Vapor Density:	No data	Flammability Class:	No data
VOC:	No data		

Section 10: STABILITY AND REACTIVITY**Reactivity:** Not reactive**Chemical Stability:** Chemically stable**Possibility of Hazardous Reactions:** None**Conditions to Avoid:** None known.**Incompatibility:** None**Hazardous Decomposition Products:** Carbon Monoxide

Hygenic® Temporary Dental Stopping

Revision Date: September 2014

Internal Document Number: 48237A

Page 3 of 4

Section 11: TOXICOLOGICAL INFORMATION

There are no acute hazards associated with Hygenic® Temporary Dental Stopping

Carcinogenicity: This product does not contain any substances classified as carcinogens by NTP, ACGIH, IARC or OSHA.

Hygenic® Temporary Dental Stopping does not contain substances that would lead to the classification of Sensitization, Mutagenicity, Reproductive Toxicity, Specific Target Organ Toxicity - Single Exposure (STOT-SE), Specific Target Organ Toxicity - Repeated or Prolonged Exposure (STOT-RE).

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity: Not known.

Persistence / Degradability: Not known

Bioaccumulative Potential: Not known.

Mobility in Soil: Not known.

Other Adverse Effects: None known.

This product does not contain persistent, bioaccumulative and toxic chemicals (PBT's) nor does this product contain any very persistent and very bioaccumulative chemicals (vPvB's).

Section 13: DISPOSAL CONSIDERATIONS

Disposal: Dispose of in accordance with federal, state and local regulations.

Additional Disposal Considerations: None

Section 14: TRANSPORT INFORMATION

Not hazardous for transportation.

Section 15: REGULATORY INFORMATION

SARA Sections 302 and 304: This product does not contain Extremely Hazardous Substances (EHS) and is not subject to emergency planning requirements.

CERCLA: This product does not contain CERCLA Hazardous Substances and is not subject to reporting requirements.

SARA Section 313: Substances within this product are not required to be reported in accordance with SARA 313 or the substances within are exempt by rules for "de minimis concentrations of a toxic chemical in a mixture" §372.38(a).

International Inventories:

US (TSCA): The components within this product are included on the TSCA Inventory of Chemical Substances

Canada (DSL): All ingredients are on the inventory or exempt from listing.

European Union (EINECS): All ingredients conform to the EU requirements.

Japan (ENCS): All other ingredients are on the inventory or exempt from listing.

Philippines (PICCS): All other ingredients are on the inventory or exempt from listing.

South Korea (KECL): All ingredients are on the Inventory or exempt from listing.

Australia (AICS): All ingredients are on the Inventory or exempt from listing.

New Zealand (NZIoC): All ingredients are on the Inventory or exempt from listing.

China (IECSC): All ingredients are on the Inventory or exempt from listing.

California Proposition 65: There are no chemicals within this mixture on the Proposition 65 List.

Hygenic[®] Temporary Dental Stopping

Revision Date: September 2014

Internal Document Number: 48237A

Page 4 of 4

Canadian Regulations require the inclusion of the following statements under "Regulatory Information": This product has been classified in accordance with the hazard criteria of the controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations.

Section 16: OTHER INFORMATION**NFPA Ratings:**

Health: 0

Fire: 0

Reactivity: 0

HMIS Ratings:

Health: 0

Fire: 0

Reactivity: 0

(NFPA and HMIS Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe)

REVISION HISTORY

REVISION	DATE	ECN#	CHG BY	APPR BY	DESC. OF CHANGE
A	9/26/14	14407	SBL	SBL	Updated MSDS to GHS/SDS Format. 48237 Revision A supersedes 48087 Revision C.

The information and recommendations set forth herein are presented in good faith and are believed to be correct as of the date hereof. Coltène/Whaledent Inc. however, makes no representations as to the completeness of this information and supplies it on the condition that the persons receiving same will make their own determination as to its suitability of their purposes prior to use. In no event will Coltène/Whaledent Inc. be responsible for damages of any nature whatsoever resulting from use of or reliance upon information.