SAFETY DATA SHEETS

This SDS packet was issued with item:

073296845

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

071336189 073295169 073295177 073295193 073295839 073295847 073296035 073296043 073296050 073296068 073296076 073296084 073296159 073296167 073296175 073296183 073296191 073296209 073296811 073297066 073297413 073297421 073297454 073297462 073297520 073297538 073297546 073298213 073298502 073299500

The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).

073296829 073296837 073297157

Dental Stones and Plasters

Material Safety Data Sheet

Section I Manufacturer:

Garreco, Inc.

Emergency Telephone Number: CHEMTREC 800-424-9300

Telephone Number for Information: 501-362-6261

P.O. Box 1258 Heber Springs, AR 72543

Date Prepared: 5/16/2011

Section II - Hazardous Ingredients/Identity Information

Hazardous Components (Specific Chemical Identity; Common Name(s))

OSHA PEL ACGIH TLV % (optional)

None

Section III - Physical/Chemical Characteristics

Boiling Point: NAIF

Specific Gravity (H₂0=1): 2.7 - 3.0

Vapor Pressure (mm Hg.): NAIF

Melting Point: 1450°C

Vapor Density (AIR=1): NAIF Solubility in Water: 0.20%

Extinguishing Media: NAIF

Evaporation Rate (Butyl Acetate =1): NAIF Appearance and Odor: Powder, Low Odor

Section IV - Fire and Explosion Hazard Data

Flash Point: NAIF

Flammable Limits: (LEL) N/A (UEL) N/A Special Fire Fighting Procedures: None

Unusual Fire and Explosion Hazards: None

Section V - Reactivity Data

Stability: Stable Conditions to Avoid: None

Incompatibility: Acids

Hazardous Decomposition or By-products: Above 1450°C - CaO+SO₂

Hazardous Polymerization: Will Not Occur Conditions to Avoid: None

Section VI - Health Hazard Data

Route(s) of Entry:

Inhalation? Yes

Skin? No

Ingestion? Yes

Health Hazards: Carcinogenicity:

Chronic: NA!F

NTP? No

IARC Monographs? No OSHA Regulated? No

Signs and Symptoms of Exposure: NAIF

Medical Conditions Generally Aggravated by Exposure: Pre-existing upper respiratory and lung disease.

Emergency and First Aid Procedures

Inhalation: Remove to fresh air *. Ingestion: Dilute by drinking water or milk.*. Skin: *. Eye: Wash with large amounts of

water *. (* Obtain first aid or medical attention if needed.)

Acute: NAIF

Section VII - Precautions for Safe Handling and Use

Steps to Be Taken in Case Material is Released or Spilled:

Normal cleanup procedures, avoid dusting conditions.

Waste Disposal Method:

Standard landfill methods consistent with federal, state, and local laws.

Precautions to Be Taken in Handling and Storing:

Avoid dusting conditions.

Other Precautions: NAIF

Section VIII - Control Measures

Ventilation

Respiratory Protection: OSHA approved dust mask. Local Exhaust: Recommended

Special: NAIF

Mechanical (General): Vent to dust collector.

Other: NAIF

Protective Gloves: As Desired Other Protective Clothing or Equipment: NAIF Eye Protection: Goggles Recommended

Work/Hygienic Practices: NAIF

Form No. A381 **Date Prepared: 2/4/2016**

SECTION 1: Identification of the substance/preparation and of the company / undertaking

(a) GHS product identifier

Tecstone, Fastone, Tecstone FL, Labstone, Orthostone, Mounting Stone, Flasking Stone, Flask-It!, Apex, Natural Rock, Veri-Die, Veri-Die 20, Excalibur, X-Rock, Express Set, Cadscan, Pristine, Plaster, and OrthoPlaster (Except Merlin's Magic, Orthoplaster White, Tecstone FL White, CadScan Brilliant White, Veri Die White Plus, Apex

White, CadScan Brilliant White, Veri Die White Plus, Apex Pearl White, CadScan Green, Apex Green, Apex Pastel, Veri Die Cream, Apex Ivory, Apex Light Tan, Tecstone Bright Yellow Sakura, Apex Yellow, CadScan Golden, CadScan Tan, CadScan Buff, and Excalibur Buff) (e) Emergency phone number

CHEMTRAC 1-800-424-9300

(b) Other means of identification

NA

(c) Recommended use of the chemical and restrictions on use

For professional dental applications.

(d) Supplier's details

Garreco, LLC. 430 Hiram Road

Heber Springs, AR 72543 Phone: 1-800-334-1443

SECTION 2: Hazards identification

(a) GHS classification of the substance/mixture

Substance Name

1. Undisclosed due to Confidential Business Information

(b) Label Elements

Hazard statements

None

Precautionary statements

None

Hazard Symbol(s)

Signal Word(s)

NONE

NONE

(c) Other hazards which do not result in classification

IF ON SKIN: This material hardens and becomes hot when mixed with water. It SHOULD NOT be used to make a cast enclosing any part of the body, which may cause severe burns that may require surgical removal of affected tissue or amputation of limb. Contact with skin may cause irritation or abrasions.

IF INHALED: Dusts from this product may irritate the nose, throat, lungs, and upper respiratory tract. May cause coughing, sneezing, and nasal irritation. Labored breathing may occur after excessive inhalation.

IF SWALLOWED: May cause gastric disturbances if swallowed. Ingestion of a sufficient quantity may mechanically obstruct the gut, especially the pyloric region.

IF IN EYES: Direct contact can cause mechanical irritation of eyes.

SECTION 3: Composition/information on ingredients

(a) Chemical(s) Identity:

Mixture:

(b) Common Name:

(c) CAS No. Concentration (Percentage)

Undisclosed due to Confidential Business Information

NA >99%

SECTION 4: First-aid measures

(a) Description of first aid measures:

IF ON SKIN (or hair): Rinse with water until free of material to avoid abrasions, then wash skin thopagghly with mild

Obtained by Global Safety Management, www.globalsafetynet.com (877) 683-7460

Form No. A381 **Date Prepared: 2/4/2016**

IF INHALED: If respiratory symptoms persist, consult physician.

IF SWALLOWED: If gastric disturbance occurs, consult physician.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. If burning, redness, itching, pain or other symptoms persist or develop, consult a physician.

(b) Most important symptoms and effects, both acute and delayed:

IF INHALED: Nuisance conditions such as coughing, sneezing, and nasal irritation. Labored breathing may occur after excessive inhalation.

IN EYES: If burning, redness, itching, pain or other symptoms persist or develop, consult a physician.

(c) Indication of any immediate medical attention and special treatment needed:

ΝD

SECTION 5: Fire-fighting measures

(a) Suitable extinguishing media:

Water or use extinguishing media appropriate for surrounding fire.

(b) Special hazards arising from the chemical or mixture:

None known

(c) Special protective equipment and precautions for fire-fighters:

Wear appropriate personal protective equipment.

SECTION 6: Accidental release measures

(a) Personal precautions, protective equipment and emergency procedures:

No special precautions. Wear appropriate personal protective equipment.

(b) Environmental precautions:

Toxicity studies performed with fish, aquatic invertebrates and aquatic plants showed no toxic effect.

(c) Methods and material for containment and cleaning up:

Remove by dry-sweeping or vacuum. Avoid creating excessive dust. Do not wash down drains, may plug drains.

SECTION 7: Handling and storage

(a) Precautions for safe handling:

None required where adequate ventilation conditions exist. Avoid creating dust. Wear a NIOSH approved dust respirator in poorly ventilated areas/TLV requirements are exceeded.

(b) Conditions for safe storage, including any incompatibilities:

Store in a dry area to minimize potential for clumping due to moisture absorption.

SECTION 8: Exposure controls/Personal protection

(a) Control parameters:

ACGIH OSHA

Chemical TLV PEL TWA

CBI 10 mg/m³ 15 mg/m³ total, 5 mg/m³ respirable

(b) Appropriate Engineering Controls:

Ventilate to keep exposures below TLV requirements. General ventilation is should be satisfactory. Use local exhaust ventilation if necessary to control dust.

(c) Individual protection measures:

RESPIRATORY: None required where adequate ventilation conditions exist. Avoid creating dust. Wear a NIOSH/OSHA approved dust respirator in poorly ventilated areas or if TLV requirements are exceeded.

OTHER PROTECTIVE EQUIPMENT: No special body protection is required under typical circumstances. If necessary, refer to appropriate governing standards. An eyewash station and a safety shower are recommended.

(e) Other adverse effects:

3.10.20-FM		
Safety Data Sheet		
Form No. A381	Date Prepared:	2/4/2016
SECTION 9: Physical and chemical properties		
(a) Appearance:	White to colored powder	
(b) Odor:	None	
(c) Odor threshold:	ND	
(d) pH:	7.5 - 8.5	
(e) Melting point / freezing point:	1,450 Degrees Celsius	
	ND	
(f) Initial boiling point and boiling range:	Not Combustible	
(g) Flash point		
(h) Evaporation rate (BuAc=1):	ND	
(i) Flammability:	ND	
(j) Upper/lower flammability or explosive limits:	ND	
(k) Vapor Pressure:	ND	
(I) Vapor density:	ND	
(m) Relative density:	ND	
(n) Solubility:	ND	
(o) Partition coefficient: n-octanol/water:	ND	
(p) Auto-ignition temperature:	ND	
(q) Decomposition temperature:	1,450 Degrees Celsius	
(r) Viscosity:	ND	
(i) ricocity.	· · ·	
SECTION 10: Stability and reactivity		
(a) Reactivity:	Low, HMIS 0	
(b) Chemical stability:	Stable	
(c) Possibility of hazardous reactions:	Low	
(d) Conditions to avoid:	Incompatible with Acids	
(a) Collations to avoid.	•	LAFO Dogrado
(f) Hazardous decomposition products:	Decomposes to Calcium Oxide and Sulfur Dioxide at 1 Celsius	1,450 Degrees
SECTION 11: Toxicological information		
Acute toxicity	NE 	
Skin corrosion/irritation	NE =	
Serious Eye Damage / Irritation	NE NE	
Respiratory or skin sensitization	NE	
Germ cell mutagenicity	NE NE	
Carcinogenicity	NE	
Reproductive toxicity	NE NE	
STOT reported exposure	NE NE	
STOT-repeated exposure	NE NE	
Aspiration Hazard	NE	
(a) Exposure route:	inhalation, skin and/or eye contact	
	•	
(b) Symptoms related to the physical, chemical a		
	difficulty breathing, rashes or irritations	
(c) Delayed and immediate effects and also chro	nic effects from short and long tem exposure:	
(o) Bolayou and miniodiate offooto and also office	difficulty breathing, rashes or irritations	
	5, 100 100 100 100 100 100 100 100 100 10	
(d) Numerical measures of toxicity:		
	See control parameters above	
SECTION 12: Ecological information		
(a) Ecotoxicity:		
(a) LCOIDAIGITY.	ND	
(b) Persistence and degradability:	110	
(#, . oroiotoiloo alla aogiaaability.	ND	
(c) Bioaccumulative potential	115	
•	ND	
(d) Mobility in soil:		

ND

Page 3 of 5

3.10.20-FM

Safety Data Sheet

Form No. A381 **Date Prepared: 2/4/2016**

SECTION 13: Disposal considerations

Product:

Recommendation

Sweep and dispose of material in accordance with all applicable federal, state and local regulations.

SECTION 14: Transport information	
(a) UN Number	
	This product is not regulated as a hazardous material by neither the United States (DOT) Transportation regulations nor Canadian Transportation of Dangerous Goods.
(b) UN Proper shipping name	
	NA
(c) Transport hazard class(es)	NA
(d) Packing Group	
/\ - .	NA
(e) Environmental hazards	NA
(f) Transport in bulk	IVA
(i) Transport in bulk	NA
(g) Other Information	IVA
(g) other mornidaen	NA
SECTION 15: Regulatory information	A I A
SARA Reporting Requirements:	NA
SARA Threshold Planning Quantity:	NA
TSCA Inventory Status:	ND
Other Federal Requirements:	NA
Other Canadian Regulations:	NA
State Regulatory Information:	NA

Safety Data Sheet

Form No. A381 **Date Prepared: 2/4/2016**

SECTION 16: Other information

PREPARED BY: Kathryn Harris

GAR QMS SDS REFERENCE: A002

HAZARDOUS MATERIAL IDENTIFICATION (HMIS) RATING:

Health 0
Flammability 0
Reactivity 0
Other NA

REVISION NUMBER: 160204

CHANGES FROM PREVIOUS VERSION: ORIGINAL VERSION

ABBREVIATIONS

NA Not Applicable LD Lethal Dose

ND Not Determined TC Toxic Concentration

NE Not Established TD Toxic Dose

ppm parts per million BOD Biological Oxygen Demand G Gallon COD Chemical Oxygen Demand

mg Milligram Lo Lowest

L Liter ThOD Theoretical Oxygen Demand

gm GramTLm Threshold Limitmol MoleIC Inhibitory Concentrationkg KilogramDOC Dissolved Organic Carbon

μ Micro
 mm Millimeter
 p Pico
 Pa Pascals
 c cento
 H Hours
 M Months
 D Days
 Y Years
 W Weeks

LC Lethal Concentration NOEL No Observed Effect Level

ACGIH American Conference of Governmental Industrial Hygienist NOAEL No Observed Adverse Effect Level

CPR Controlled Product's Regulation OSHA Occupational Safety and Health Administration

DSL Canadian Domestic Substances List

NDSL Canadian Non-domestic Substance List

TLV Threshold Limit Value

IARC International Agency for Research for Cancer

THIS MATERIAL SAFETY DATA SHEET IS PREPARED IN COMPLIANCE WITH FEDERAL REGULATIONS (29 CFR 1910.1200) OFCHEMICALS AND THE GLOBALLY HARMONIZED SYSTEM OF CLASSIFICATION AND LABELLING REVISION 5. ANY APPLICABLE STATE AND LOCAL REGULATIONS SHOULD BE CONSULTED. THE ABOVE INFORMATION MAY BE BASED IN PART ON INFORMATION PROVIDED BY COMPONENT SUPPLIERS AND IS BELIEVED TO BE CORRECT AS OF THE DATE HEREOF. HOWEVER, NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY USE, OR ANY OTHER WARRANTY IS EXPRESSED OR IS TO BE IMPLIED REGARDING THE ACCURACY OF THESE DATA, THE RESULTS TO BE OBTAINED FROM THE USE OF THE MATERIAL, OR THE HAZARDS CONNECTED WITH SUCH USE. SINCE THE INFORMATION CONTAINED HEREIN MAY BE APPLIED UNDER CONDITIONS BEYOND OUR CONTROL AND WITH WHICH WE MAY BE UNFAMILIAR, AND SINCE DATA MADE AVAILABLE SUBSEQUENT TO THE DATE HEREOF MAY SUGGEST MODIFICATION OF THE INFORMATION, WE ASSUME NO RESPONSIBILITY FOR THE RESULT OF ITS USE. THIS INFORMATION AND MATERIAL IS FURNISHED ON THE CONDITION THAT THE PERSON RECEIVING IT SHALL MAKE HIS/HER OWN DETERMINATION AS TO THE SUITABILITY OF THE MATERIAL FOR HIS/HER PARTICULAR PURPOSE AND ON THE CONDITION THAT HE/SHE ASSUME THE RISK OF HIS/HER USE THEREOF.