### **SAFETY DATA SHEETS**

## This SDS packet was issued with item:

075107495

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

075107461

The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).

072795706 075098645 075098652 075098660 075098678 075098694 075098710 075098751 075098819 075107396 075107420 075107479 075107487 075107537



## ZINC OXIDE USP

Page 1 of 5

Section 1 – Identification

Product Name: Zinc Oxide USP Manufacturer: Keystone Industries

52 W King St, Myerstown PA 17067

Chemical Name: Nonferrous Metal Oxide Information Contacts: (856) 663-4700
Toll Free: (800) 333-3131

**Product Use:** Restorative and Prosthodontic in Dentistry

Emergency Phone Numbers: (800) 535-5053

### Section 2 – Hazards Identification

#### **EMERGENCY OVERVIEW**

This information is based on findings from related or similar materials.

- H316 Causes mild skin irritation
- H320 Cause eye irritation
- Dust may cause irritation to nose, throat, and lungs, which will disappear in 24 hours
- This product may contain particulate, not otherwise classified (Nuisance Dust).
- H400 Very toxic to aquatic life
- No known OSHA hazards





### Potential Health Effects, Signs and Symptoms of Exposure:

Primary Route of Entry Inhalation, skin, and ingestion.

Eye Causes eye irritation

Skin Repeated or prolonged exposure may cause allergic skin rashes.

Ingestion Higher concentration can irritate respiratory system

Inhalation Inhalation of high levels of zinc oxide may result in tightness of chest, metallic taste, coughing,

dizziness, fever, chills, headache, nausea, and dry throat. Over exposure may produce symptoms known as metal fume fever or (zinc shakes); an acute, self limiting condition without recognized complications. Symptoms of metal fume fever include chills, fever, muscular pain, nausea, and

vomiting. Like any finely divided particulate matter, may cause mechanical irritation to skin and eyes.

Sub-Chronic Effects Chronic exposure may cause respiratory tract irritation with nasopharyngities and laryngitis.

NOTE: Refer to Section 11, Toxicological Information for Details

## Section 3 – Composition/Information on Ingredients

Chemical Identity	CAS Numbers	EINECS#	INCI Name	Exposure OSHA	Limits ACGIH	Carcinogen	%
•				TWA/STEL	TWA/STEL	IARC/NTP/OSH A	
Zinc Oxide	1314-13-2	215-222-5	Zinc Oxide	TWA = 15 mg / m^3	N/E	Not Listed	>99.9

N/E – None N/DA – No Data Available
Established N/A – Not Applicable
N/R – Not Reviewed

### (items in parenthesis relate to 1999/45/EC)

Zinc Oxide: Danger Symbol – GHS09 (N) Hazard Statement: H400 (R50/53) Precautionary Statement: P501 (S60), P273 (S61)

See Section 16 for Hazard and Precautionary Statement Key.

### Section 4 – First Aid Measures

First Aid for Eye Immediately flush eyes with plenty of water for at least 15 min. occasionally lifting the upper and

lower lids. Get medical help if discomfort persists.

First Aid for Skin Flush skin with plenty of soap and water for at least 15 min. while removing contaminated clothing

and shoes. Get medical help if discomfort persists.

First Aid for Ingestion Remove to fresh air. Get medical help if discomfort persists.

First Aid for Inhalation Remove from exposure to fresh air immediately. Get medical help if discomfort persists.



## ZINC OXIDE USP

Page 2 of 5

### Section 5 – Fire Fighting Measures

Flash Point (°F/°C)	Flammable Limit (vol%)	Auto-ignition Temperature (vol%)
N/A	N/A	N/A

Method:

In case of fire use water spray, dry chemical, carbon dioxide or foam. Extinguishing Media:

Fire Fighting Non-combustible

Instructions:

Unusual Hazards: Substance is noncombustible.

### Section 6 – Accidental Release Measures

Shovel or vacuum up spilled product and place in closed container for disposal. Do not flush into sewer, stream, or other Spill or Release

bodies of water or soil. Procedures

### Section 7 – Handling and Storage

Handling Limit all unnecessary personal contact. Use appropriate PPE when handling. Pick up and arrange disposal

without creating dust. Sweep up and shovel. Keep in suitable, closed containers. Prevent leakage into the

environment.

Storage Store in a cool, dry place.

**Explosion Hazard** None.

### Section 8 – Exposure Controls / Personal Protection

Engineering Mechanical ventilation preferred to keep dust levels down.

Controls

**Personal Protective Equipment** 

To identify additional Personal Protective Equipment (PPE) requirements, it is recommended that a General

hazard assessment in accordance with the OSHA PPE Standard (29CFR1910.132), or European Standard

EN166 be conducted before using this product.

Eye/ Face Use safety eyewear for protection against airborne particulate.

Protection

Skin Protection Use impermeable clothing to prevent any contact with this product, such as gloves, apron, boots, or whole body

suit. Recommended to prevent skin irritation in hypersensitive individuals.

In case of insufficient ventilation or extremely dusty environments, wear suitable respiratory equipment. Respiratory

Protection

### Section 9 – Physical and Chemical Properties

	<b>FI</b>		None	PH N/A	Spe	5.6	Viscosity N/A		olatile I/A
Boiling Point/ Freezing Point	Decomposit Temperatu		Octanol/Water rtitioning Coeffici Log Po/w		Vapor essure:	Vapor Density	Evaporation Rate	Ignition	Solubility In Water (20°C)
N/A	N/DA		N/DA		N/A	N/A	N/A	N/A	N/A
IVA IVA IVA IVA IVA IVA IVA									

Flash Point (°F/°C)	Flammable Limit (vol%)	Auto-ignition Temperature (vol%)
N/A	N/A	N/A

### Section 10 – Stability and Reactivity

**Stability: Incompatibility (Materials to Avoid):** 

Stable Acids / Strong Oxidizers **Hazardous Polymerization: Hazardous Decomposition Products:** 

None Will not occur

Conditions to Avoid: Exposure to moisture or water.



# ZINC OXIDE USP

Page 3 of 5

## Section 11 – Toxicological Information

Acute Oral Toxicity	Acute Dermal Toxicity	Acute Inhalation Toxicity	Irritation – skin	Irritation – Eye
N/DA	N/DA	N/DA	N/DA	N/ DA

Ī	Sensitization	Mutagenicity	Sub-chronic Toxicity
Ī	N/ DA	N/DA	N/ DA

### Section 12 – Ecological Information

Ecotoxicological Information - very toxic to aquatic life.

Acute Toxicity to Fish	Acute Toxicity to Invertebrates	Acute Toxicity to Algae	Bioconcentration	Toxicity to Sewage Bacteria
N/DA	N/ DA	N/ DA	N/ DA	N/ DA

#### **Chemical Fate Information**

Biodegradability	N/DA. This material is not expected to bioaccumulate.
Chemical Oxygen Demand	N/ DA

### Section 13 – Disposal Considerations

Dispose of in compliance with governmental regulation (state and federal).

Dispose of container and unused contents in accordance with federal, state and local requirements. For EU Member States, please refer to any relevant Community provisions relating to waste. In their absence, it is useful to remind the user that national or regional provisions may be in force.

### Section 14 – Transport Information

DOT (49 CFR 172)	
Proper Shipping Name:	Non-regulated
Identification Number:	N/A
Marine Pollutant:	N/A
Special Provisions:	N/A
Emergency Response Guidebook (ERG) #:	
IATA (DGR):	
Proper Shipping Name:	UN3077, Environmentally Hazardous Substance, Solid, N.O.S. (Zinc Oxide), 9, III
Class or Division:	9
UN or ID Number:	UN3077
Packaging Instructions:	III
Emergency Response Guidance (ICAO)#:	
IMO (IMDG):	
Proper Shipping Name:	UN3077, Environmentally Hazardous Substance, Solid, N.O.S. (Zinc Oxide), 9, III
Class or Division:	9
UN or ID Number:	UN3077
Special Provisions & Stowage/Segregation:	N/A
Emergency Schedule (EmS)#:	N/A
Other Information:	N/A

### Section 15 – Regulatory Information

### **US Federal Regulations**

US rederal Regulations		
Clean Air Act: HAP/ODS	This product contains the following HAP's or ODS:	
	• NONE	
Clean Water Act: Priority	This product contains the following chemicals listed under the U. S. Clean Water Act	
Pollutant	Priority Pollutant and Hazardous Substance List:	
	• None	
FDA: Food Packaging Status	This product has not been cleared by the FDA for use in food packaging and / or other	
	applications as an indirect food-packaging additive.	



## ZINC OXIDE USP

Page 4 of 5

Occupational Safety and Health	This product is considered to be hazardous under the OSHA Hazard Communication
Act	Standard. It's hazards are: None.
RCRA	This product contains the following chemicals considered to be hazardous waste under
	RCRA ( 40 CFR 261).
	• None
SARA Title III: Section 302 (RQ)	This product contains no chemicals regulated under Section 302 as extremely hazardous
	substances.
SARA Title III: Section 302	This product contains chemicals regulated under Section 304 as extremely hazardous
(TPQ)	chemicals for emergency release notification ("CERCLA" List):
	• None
SARA Title III: Section 311-312:	This product is considered to be hazardous under the OSHA Hazard Communication
	Standard and is regulated under Section 311-312 (40 CFR 370). It's hazards are: None
SARA Title III: Section 313:	This product contains the following chemicals which are subject to the reporting
	requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization
	Act of 1986 and 40 CFR Part 372: Zinc Oxide - CAS # 1314-13-2
TSCA Section 8(b): Inventory:	This product does contain chemicals listed on the TSCA inventory or otherwise complies
	with TSCA pre-manufacture notification requirements.
	• Zinc Oxide – CAS # 1314-13-2
TSCA Significant New Use Rule:	None of the chemicals in this material have a SNUR under TSCA.

**State Regulations** 

State Hegulations	
CA Right-to-Know Law:	None
California No Significant Risk	
Rule:	None
MA Right-to-Know Law:	Zinc Oxide – CAS # 1314-13-2
NJ Right-to-Know Law:	Zinc Oxide – CAS # 1314-13-2
PA Right-to-Know Law:	Zinc Oxide – CAS # 1314-13-2
FL Right-to-Know Law:	None
MN Right-to-Know Law:	Zinc Oxide – CAS # 1314-13-2

International Regulations

mter national regulations	
CDSL: Canadian Inventory	Zinc Oxide – CAS # 1314-13-2
(on Canadian Transitional List)	Not controlled under WHMIS.

### Labeling according to EC directives – 1272/2008 (CLP) and 1999/45/EC (items in parenthesis relate to 1999/45/EC)

European Community:





### For Zinc Oxide USP (finished product):

- DANGER SYMBOLS: **GHS09 (N)** Dangerous to the environment
- HAZARD STATEMENT: H316 (N/A), H320 (N/A), H400 (R50)
- PRECAUTIONARY STATEMENT: P102 (S2), Keep out of reach of children. P261 (S24), Avoid breathing dust/fume/gas mist/vapor sprays. P280 (S36/37/39), Wear protective gloves/clothing/eye protection/face protection. P309+314 (S45), If exposed or you feel unwell, get medical advice/attention. P273 (S61), Avoid release into environment.

### Section 16 – Other Information

### **EU Classes and Risk / Safety Phrases for Referenced Ingredients (See Section 2):**

### (items in parenthesis relate to 1999/45/EC)

### **Danger Symbols:**

GHS09 (N) – Dangerous to the Environment.

#### **Hazard Statement:**

H400 (R50/53), Very toxic to Marine life, may cause long term effects. H316 (N/A), Causes mild skin irritation. H320 (N/A), Causes eye irritation.




## ZINC OXIDE USP

Page 5 of 5

#### **Precautionary Statement:**

P102 (S2), Keep out of reach of children. P261 (S24), Avoid breathing dust/fume/gas mist/vapor sprays. P280 (S36/37/39), Wear protective gloves/clothing/eye protection/face protection. P309+314 (S45), If exposed or you feel unwell, get medical advice/attention. P273 (S61), Avoid release into environment.

**Hazard Rating System (Pictograms)** 



MSDS Prepared by:	WME
Revision History:	02/29/2012
	05/01/13 Changed manufacturer from Deepak to Keystone, changed address and telephone
	number SWR

The information presented herein was obtained from sources considered to be reliable. However, this information is provided without any warranty, expressed or implied, regarding its correctness or suitability for consumers intended use and/or application. For this and other reasons, we assume no responsibility and expressly disclaim liability for loss, damage or expense arising out of any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared expressly for this product. Use the materials only as directed. If the product is used as a component of another product, the information contained within the MSDS may not be applicable.

Keystone Industries components are provided on an as is basis without warranties of any kind either expressed or implied. Keystone does not warrant the use or the results of use of the materials sold on an as is basis since they are intended for remanufacturing or repackaging. It is the sole responsibility of the user to examine and determine appropriate application and regulatory requirements associated with said Keystone components.

.



# SAFETY DATA SHEET

### Zinc Oxide Powder USP

### **Section 1. Identification**

GHS product identifier : Zinc Oxide Powder USP

Other means of identification

: Not available.

**Product code** : 11-47577, 11-47578

Product type : Powder.
Product use : Dental Products

Relevant identified uses of the substance or mixture and uses advised against

Not applicable.

Supplier's details : Keystone Industries

616 Hollywood Ave. Cherry Hill, NJ 08002 (856) 663-4700

Emergency telephone number (with hours of operation)

: (800) 535-5053

### Section 2. Hazards identification

OSHA/HCS status : This material is considered hazardous by the OSHA Hazard Communication Standard

(29 CFR 1910.1200).

Classification of the : COMBUSTIBLE DUSTS

substance or mixture SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2B

**GHS** label elements

Signal word : Warning

**Hazard statements**: May form combustible dust concentrations in air.

Causes eye irritation.

**Precautionary statements** 

**Prevention**: Wash hands thoroughly after handling.

Response : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.

Storage : Not applicable.

Disposal : Not applicable.

Supplemental label : Ke

elements

: Keep container tightly closed. Keep away from heat, hot surfaces, sparks, open flames

and other ignition sources. No smoking. Prevent dust accumulation.

Hazards not otherwise

classified

: Fine dust clouds may form explosive mixtures with air. Handling and/or processing of this material may generate a dust which can cause mechanical irritation of the eyes,

skin, nose and throat.

# Section 3. Composition/information on ingredients

Substance/mixture

: Substance

Other means of identification

: Not available.

**CAS** number/other identifiers

CAS number : Not available.

Date of issue/Date of revision: 7/8/2015Date of previous issue: No previous validationVersion: 1

Zinc Oxide Powder USP

# Section 3. Composition/information on ingredients

May contain one or more of the following components in quantities considered hazardous:

Ingredient name	CAS number	EC number	%	
zinc oxide	1314-13-2	215-222-5	75 - 100	

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

## Section 4. First aid measures

### **Description of necessary first aid measures**

Eye contact : Immediatel

: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10

minutes. If irritation persists, get medical attention.

Inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing

aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar,

tie, belt or waistband.

**Skin contact**: Flush contaminated skin with plenty of water. Remove contaminated clothing and

shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean

shoes thoroughly before reuse.

Ingestion : Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and

keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person.

If unconscious, place in recovery position and get medical attention immediately.

Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

### Most important symptoms/effects, acute and delayed

### Potential acute health effects

**Eye contact** : Causes eye irritation.

Inhalation : Exposure to airborne concentrations above statutory or recommended exposure limits

may cause irritation of the nose, throat and lungs.

Skin contactIngestionNo known significant effects or critical hazards.No known significant effects or critical hazards.

Over-exposure signs/symptoms

**Eye contact** : Adverse symptoms may include the following:

irritation watering redness

**Inhalation** : Adverse symptoms may include the following:

respiratory tract irritation

coughing

Skin contact : No specific data.

Ingestion : No specific data.

Date of issue/Date of revision : 7/8/2015 Date of previous issue : No previous validation Version : 1 2/11

### Section 4. First aid measures

### Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician

: Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

**Specific treatments** 

: No specific treatment.

**Protection of first-aiders** 

: No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

### See toxicological information (Section 11)

# Section 5. Fire-fighting measures

#### **Extinguishing media**

Suitable extinguishing media

: Use dry chemical powder.

Unsuitable extinguishing media

: Do not use water jet.

Specific hazards arising from the chemical

: Fine dust clouds may form explosive mixtures with air.

Hazardous thermal decomposition products

 Decomposition products may include the following materials: metal oxide/oxides

Special protective actions for fire-fighters

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.

Special protective equipment for fire-fighters

: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

## Section 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing dust. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

For emergency responders:

If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

**Environmental precautions** 

: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

#### Methods and materials for containment and cleaning up

**Small spill** 

: Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Avoid dust generation. Using a vacuum with HEPA filter will reduce dust dispersal. Place spilled material in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.

Date of issue/Date of revision : 7/8/2015 Date of previous issue : No previous validation Version : 1 3/17

### Section 6. Accidental release measures

### Large spill

: Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Avoid dust generation. Do not dry sweep. Vacuum dust with equipment fitted with a HEPA filter and place in a closed, labeled waste container. Avoid creating dusty conditions and prevent wind dispersal. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

# Section 7. Handling and storage

### Precautions for safe handling

#### **Protective measures**

: Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing dust. Avoid the creation of dust when handling and avoid all possible sources of ignition (spark or flame). Prevent dust accumulation. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Electrical equipment and lighting should be protected to appropriate standards to prevent dust coming into contact with hot surfaces, sparks or other ignition sources. Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by grounding and bonding containers and equipment before transferring material. Empty containers retain product residue and can be hazardous. Do not reuse container.

### Advice on general occupational hygiene

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

# including any incompatibilities

Conditions for safe storage, : Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Version : 1

# Section 8. Exposure controls/personal protection

#### **Control parameters**

#### Occupational exposure limits

Ingredient name	Exposure limits
zinc oxide	NIOSH REL (United States, 10/2013).  CEIL: 15 mg/m³ Form: Dust TWA: 5 mg/m³ 10 hours. Form: Dust and fumes STEL: 10 mg/m³ 15 minutes. Form: Fume OSHA PEL 1989 (United States, 3/1989).  TWA: 5 mg/m³ 8 hours. Form: Fume STEL: 10 mg/m³ 15 minutes. Form: Fume TWA: 5 mg/m³ 8 hours. Form: Respirable fraction TWA: 10 mg/m³ 8 hours. Form: Total dust OSHA PEL (United States, 2/2013).  TWA: 5 mg/m³ 8 hours. Form: Fume TWA: 5 mg/m³ 8 hours. Form: Respirable fraction TWA: 15 mg/m³ 8 hours. Form: Total dust

Date of issue/Date of revision : 7/8/2015 Date of previous issue : No previous validation

# Section 8. Exposure controls/personal protection

ACGIH TLV (United States, 4/2014).

TWA: 2 mg/m³ 8 hours. Form: Respirable

fraction

STEL: 10 mg/m³ 15 minutes. Form:

Respirable fraction

# Appropriate engineering controls

: Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapor or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment.

# **Environmental exposure** controls

: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

### **Individual protection measures**

**Hygiene measures** 

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period.

Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

### Eye/face protection

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles. If operating conditions cause high dust concentrations to be produced, use dust goggles.

### **Skin protection**

**Hand protection** 

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

### **Body protection**

: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

### Other skin protection

: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

#### Respiratory protection

: Use a properly fitted, particulate filter respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

# Section 9. Physical and chemical properties

### **Appearance**

Physical state : Solid. [Powder.]

Color : White to yellowish.

Odor : Odorless.

pH : Not available.

Melting point : 1975°C (3587°F)

Boiling point : Not available.

Date of issue/Date of revision : 7/8/2015 Date of previous issue : No previous validation Version : 1 5/11

# Section 9. Physical and chemical properties

Flash point : Not available.

: Not available.

Lower and upper explosive (flammable) limits

: Not available.

Vapor pressure Vapor density : Not available.

: 5.67 Relative density

**Solubility** : Insoluble in the following materials: cold water and hot water.

Solubility in water Not available. Partition coefficient: n-: Not available.

octanol/water

**Auto-ignition temperature** : Not available. **Viscosity** : Not available.

# Section 10. Stability and reactivity

Reactivity : No specific test data related to reactivity available for this product or its ingredients.

**Chemical stability** : The product is stable.

Possibility of hazardous reactions

: Under normal conditions of storage and use, hazardous reactions will not occur.

**Conditions to avoid** 

: Avoid the creation of dust when handling and avoid all possible sources of ignition (spark or flame). Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by grounding and bonding containers and equipment before transferring material. Prevent dust accumulation.

Incompatible materials

: Reactive or incompatible with the following materials: oxidizing materials

**Hazardous decomposition** 

products

: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# Section 11. Toxicological information

### Information on toxicological effects

### Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
zinc oxide	Eyes - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 milligrams	-

Information on the likely routes of exposure

: Not available.

Potential acute health effects

**Eye contact** : Causes eye irritation.

Inhalation : Exposure to airborne concentrations above statutory or recommended exposure limits

may cause irritation of the nose, throat and lungs.

**Skin contact** : No known significant effects or critical hazards.

Date of issue/Date of revision : 7/8/2015 : No previous validation Version: 1 Date of previous issue 6/11

# **Section 11. Toxicological information**

**Ingestion** : No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

**Eye contact**: Adverse symptoms may include the following:

irritation watering redness

**Inhalation** : Adverse symptoms may include the following:

respiratory tract irritation

coughing

Skin contact : No specific data.

Ingestion : No specific data.

### Delayed and immediate effects and also chronic effects from short and long term exposure

**Short term exposure** 

Potential immediate : Not available.

effects

Potential delayed effects : Not available.

Long term exposure

Potential immediate : Not available.

effects

Potential delayed effects : Not available.

Potential chronic health effects

Not available.

General : Repeated or prolonged inhalation of dust may lead to chronic respiratory irritation.

Carcinogenicity
 No known significant effects or critical hazards.
 Mutagenicity
 No known significant effects or critical hazards.
 Teratogenicity
 No known significant effects or critical hazards.
 Developmental effects
 No known significant effects or critical hazards.
 Fertility effects
 No known significant effects or critical hazards.

### **Numerical measures of toxicity**

**Acute toxicity estimates** 

Not available.

# Section 12. Ecological information

### **Toxicity**

Product/ingredient name	Result	Species	Exposure
zinc oxide	Acute IC50 1.85 mg/l Marine water Acute IC50 46 μg/l Fresh water	Algae - Skeletonema costatum Algae - Pseudokirchneriella subcapitata - Exponential growth phase	96 hours 72 hours
	Acute LC50 98 μg/l Fresh water	Daphnia - Daphnia magna - Neonate	48 hours
	Acute LC50 1.1 ppm Fresh water	Fish - Oncorhynchus mykiss	96 hours

### **Bioaccumulative potential**

# **Section 12. Ecological information**

Product/ingredient name	LogPow	BCF	Potential
zinc oxide	-	60960	high

**Mobility in soil** 

Soil/water partition coefficient (Koc)

: Not available.

Other adverse effects : No known significant effects or critical hazards.

# Section 13. Disposal considerations

### **Disposal methods**

: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

# **Section 14. Transport information**

	DOT TDG Mexico Classification Classification		ADR/RID	IMDG	IATA	
UN number	Not regulated.	UN3077	UN3077	UN3077	UN3077	UN3077
UN proper shipping name	-	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (zinc oxide)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (zinc oxide)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (zinc oxide)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (zinc oxide)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (zinc oxide)
Transport hazard class(es)	9 9 9 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4			9	9	9
Packing group	-	III	III	III	III	III
Environmental hazards	Yes.	Yes.	Yes.	Yes.	Yes.	Yes.
Additional information	-	Product classified as per the following sections of the Transportation of Dangerous Goods	The environmentally hazardous substance mark is not required when transported in sizes of ≤5 L or	This product is not regulated as a dangerous good when transported in sizes of ≤5 L or ≤5 kg, provided	This product is not regulated as a dangerous good when transported in sizes of ≤5 L or ≤5 kg,	This product is not regulated as a dangerous good when transported in sizes of ≤5 L or ≤5 kg,

Date of issue/Date of revision

: 7/8/2015

Date of previous issue

: No previous validation

Version : 1

8/11

# **Section 14. Transport information**

43-2.45 (Class 9), 2.7 (Marine pollutant mark).  Non-bulk packages of  43-2.45 (Class general general provisions of 4. 1.1.1, 4.1.1.2 provisions of 4. 1.1.1, 4.1.1.2 and 4.1.1.4 to 1.1.1, 4.1.1.2 and 4.1.1.4 to 1.1.1 and 5.0	İ	•				
are not regulated as dangerous goods when transported by road or rail.		43-2.45 (Class 9), 2.7 (Marine pollutant mark).  Non-bulk packages of this product are not regulated as dangerous goods when transported by	≤5 kg.	meet the general provisions of 4. 1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8.  Tunnel code	packagings meet the general provisions of 4. 1.1.1, 4.1.1.2	

Special precautions for user : Transport within user's premises: always transport in closed containers that are

upright and secure. Ensure that persons transporting the product know what to do in the

event of an accident or spillage.

Transport in bulk according : Not available.

to Annex II of MARPOL 73/78 and the IBC Code

# **Section 15. Regulatory information**

U.S. Federal regulations : TSCA 8(a) CDR Exempt/Partial exemption: Not determined

United States inventory (TSCA 8b): All components are listed or exempted.

Clean Water Act (CWA) 307: zinc oxide

Clean Air Act Section 112

(b) Hazardous Air **Pollutants (HAPs)**  : Not listed

**Clean Air Act Section 602** 

Class I Substances

: Not listed

Clean Air Act Section 602

Class II Substances

: Not listed

**DEA List I Chemicals** 

: Not listed

(Precursor Chemicals)

: Not listed

**DEA List II Chemicals** (Essential Chemicals)

**SARA 302/304** 

**Composition/information on ingredients** 

No products were found.

**SARA 304 RQ** : Not applicable.

**SARA 311/312** 

Classification : Fire hazard

Immediate (acute) health hazard

Composition/information on ingredients

Date of issue/Date of revision : 7/8/2015 Date of previous issue : No previous validation Version: 1

# **Section 15. Regulatory information**

Name		hazard	Sudden release of pressure		(acute) health	Delayed (chronic) health hazard
zinc oxide	75 - 100	No.	No.	No.	Yes.	No.

#### **SARA 313**

	Product name	CAS number	%
Form R - Reporting requirements	zinc oxide	1314-13-2	75 - 100
Supplier notification	zinc oxide	1314-13-2	75 - 100

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

### State regulations

Massachusetts : The following components are listed: ZINC OXIDE FUME

**New York**: None of the components are listed.

New Jersey : The following components are listed: ZINC OXIDE

Pennsylvania : The following components are listed: ZINC OXIDE (ZNO)

**Canada inventory**: All components are listed or exempted.

**International regulations** 

International lists
 Australia inventory (AICS): All components are listed or exempted.
 China inventory (IECSC): All components are listed or exempted.

**Japan inventory**: All components are listed or exempted. **Korea inventory**: All components are listed or exempted.

Malaysia Inventory (EHS Register): All components are listed or exempted.

New Zealand Inventory of Chemicals (NZIoC): All components are listed or exempted.

**Philippines inventory (PICCS)**: All components are listed or exempted. **Taiwan inventory (CSNN)**: All components are listed or exempted.

Chemical Weapons
Convention List Schedule

I Chemicals

Chemical Weapons

**Convention List Schedule** 

Il Chemicals
Chemical Weapons

Convention List Schedule

**III Chemicals** 

: Not listed

: Not listed

: Not listed

## Section 16. Other information

### **Hazardous Material Information System (U.S.A.)**



Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks Although HMIS® ratings are not required on SDSs under 29 CFR 1910. 1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

The customer is responsible for determining the PPE code for this material.

Date of issue/Date of revision : 7/8/2015 Date of previous issue : No previous validation Version : 1 10/11

### Section 16. Other information

#### National Fire Protection Association (U.S.A.)



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

### **History**

Date of printing : 7/8/2015

Date of issue/Date of : 7/8/2015

revision

Date of previous issue : No previous validation

Version : 1

Key to abbreviations : ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships,

1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)

UN = United Nations

References : Not available.

▼ Indicates information that has changed from previously issued version.

#### **Notice to reader**

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Information contained within this SDS is only to be distributed as required by law.

Date of issue/Date of revision : 7/8/2015 Date of previous issue : No previous validation Version : 1 11/11